```
result ResultTriple: {'`{_`}['__['meta-chan`(_)['`[_`,_`,_]['mb1.Mid,
    'mss1.Mssid,'_|_['meta-msg`(___`)['_`,_`,_['mb1.Mid,'mb2.Mid,'data1.Data],
     '`, ['mb1.Mid,'0.Zero],'NULL.Trigger],'nil.Meta-messageList]]],
    'meta-chan`(_`)['`[_`,_`,_`]['mb2.Mid,'mss2.Mssid,'nil.Meta-messageList]],
    'meta-chan`(_)['`[_`,_`,_`]['mss1.Mssid,'mb1.Mid,'nil.Meta-messageList]],
    'meta-chan`(_`)['`[_`,_`,_`]['mss1.Mssid,'mss2.Mssid,
    'nil.Meta-messageList]],'meta-chan`(_)['`[_`,_`,_]['mss2.Mssid,'mb2.Mid,
    'nil.Meta-messageList]],'meta-chan`(_`)['`[_`,_`,_`]['mss2.Mssid,
    'mss1.Mssid,'nil.Meta-messageList]],'meta-pro`(______)['`{_`,_`,_`}[
    'mss1.Mssid,'mb1.Mid,'nil.Meta-messageList],'R`[_`]['__['_`,_['mb1.Mid,
    '0.Bit],'_`,_['mb2.Mid,'0.Bit],'_`,_['mss1.Mssid,'0.Bit],'_`,_['mss2.Mssid,
    '0.Bit]]],'CSM`[_`]['__['_`,_['mb1.Mid,'0.Zero],'_`,_['mb2.Mid,'0.Zero],
     '_`,_['mss1.Mssid,'0.Zero],'_`,_['mss2.Mssid,'0.Zero]]],'Weight:_['0.Zero],
     'Trigger:_`,_['mss1.Mssid,'0.Zero],'Sent:_['0.Zero],'CP-state:_['0.Zero],
    'OLD-csm:_['0.Zero],'NULL.Cp,'nullCheck.CheckMsgSet,'nullCheck.CheckMsgSet,
     'CheckpointList:_['empCklist.CheckpointList]], 'meta-pro`(_______)[
     '`{_`,_`,_`}['mss2.Mssid,'mb2.Mid,'nil.Meta-messageList],'R`[_`]['__['_`,_[
    'mb1.Mid,'0.Bit],'_`,_['mb2.Mid,'0.Bit],'_`,_['mss1.Mssid,'0.Bit],'_`,_[
    'mss2.Mssid,'0.Bit]]],'CSM`[_`]['__['_`,_['mb1.Mid,'0.Zero],'_`,_['mb2.Mid,
     '0.Zero],'_`,_['mss1.Mssid,'0.Zero],'_`,_['mss2.Mssid,'0.Zero]]],'Weight:_[
    '0.Zero], 'Trigger:_`,_['mss2.Mssid, '0.Zero], 'Sent:_['0.Zero], 'CP-state:_[
    '0.Zero], 'OLD-csm:_['0.Zero], 'NULL.Cp, 'nullCheck.CheckMsgSet,
    'nullCheck.CheckMsgSet,'CheckpointList:_['empCklist.CheckpointList]],
    'meta-pro`(_____`)['<_`,_`,_`,_>['mb1.Mid,'empLS.LState,
    'mss1.Mssid,'nil.Meta-messageList,'nil.Meta-messageList],'R`[_`]['__['_`,_[
    'mb1.Mid,'0.Bit],'_`,_['mb2.Mid,'0.Bit],'_`,_['mss1.Mssid,'0.Bit],'_`,_[
    'mss2.Mssid,'0.Bit]]],'CSM`[_`]['__['_`,_['mb1.Mid,'0.Zero],'_`,_['mb2.Mid,
     '0.Zero],'_`,_['mss1.Mssid,'0.Zero],'_`,_['mss2.Mssid,'0.Zero]]],'Weight:_[
    '0.Zero], 'Trigger:_`,_['mb1.Mid, '0.Zero], 'Sent:_['s_['0.Zero]], 'CP-state:_[
    \label{eq:condition} \begin{tabular}{ll} \be
     '_`,_`,_['mb1.Mid,'mb2.Mid,'data1.Data]],'nullCheck.CheckMsgSet,
    'CheckpointList:_['empCklist.CheckpointList]], 'meta-pro`(______)[
     '<_`,_`,_`,_>['mb2.Mid,'data2.Data,'mss2.Mssid,'nil.Meta-messageList,
```

```
'0.Bit],'_`,_['mss1.Mssid,'0.Bit],'_`,_['mss2.Mssid,'0.Bit]]],'CSM`[_`][
    '__['_`,_['mb1.Mid,'0.Zero],'_`,_['mb2.Mid,'0.Zero],'_`,_['mss1.Mssid,
    '0.Zero],' `, ['mss2.Mssid,'0.Zero]],'Weight: ['0.Zero],'Trigger: `, [
    'mb2.Mid,'0.Zero],'Sent:_['0.Zero],'CP-state:_['0.Zero],'OLD-csm:_[
    '0.Zero], 'NULL.Cp, 'nullCheck.CheckMsgSet, 'nullCheck.CheckMsgSet,
    'CheckpointList:_['empCklist.CheckpointList]]]],'Meta-config,
'C:Meta-conf-com <- '__['meta-chan`(_`)['`[_`,_`,_`]['mb1.Mid,
    'mss1.Mssid,'_|_['meta-msg`(___`)['_`,_`,_['mb1.Mid,'mb2.Mid,'data1.Data],
    '_`,_['mb1.Mid,'0.Zero],'NULL.Trigger],'nil.Meta-messageList]]],
    'meta-chan`(_)['`[_`,_`,_`]['mb2.Mid,'mss2.Mssid,'nil.Meta-messageList]],
    'meta-chan`(_`)['`[_`,_`,_`]['mss1.Mssid,'mb1.Mid,'nil.Meta-messageList]],
    'meta-chan`(_`)['`[_`,_`,_`]['mss1.Mssid,'mss2.Mssid,
    'nil.Meta-messageList]], 'meta-chan`(_)['`[_`,_`,_`]['mss2.Mssid, 'mb2.Mid,
    'nil.Meta-messageList]],'meta-chan`(_`)['`[_`,_`,_`]['mss2.Mssid,
    'mss1.Mssid,'nil.Meta-messageList]],'meta-pro`(_______)['`{_`,_`,_`}[
    'mss1.Mssid,'mb1.Mid,'nil.Meta-messageList],'R`[_`]['__['_`,_['mb1.Mid,
    '0.Bit],'_`,_['mb2.Mid,'0.Bit],'_`,_['mss1.Mssid,'0.Bit],'_`,_['mss2.Mssid,
    '0.Bit]]],'CSM`[_`]['__['_`,_['mb1.Mid,'0.Zero],'_`,_['mb2.Mid,'0.Zero],
    '_`,_['mss1.Mssid,'0.Zero],'_`,_['mss2.Mssid,'0.Zero]]],'Weight:_['0.Zero],
    'Trigger:_`,_['mss1.Mssid,'0.Zero],'Sent:_['0.Zero],'CP-state:_['0.Zero],
    'OLD-csm:_['0.Zero], 'NULL.Cp, 'nullCheck.CheckMsgSet, 'nullCheck.CheckMsgSet,
    'CheckpointList:_['empCklist.CheckpointList]],'meta-pro`(_______)[
    '`{_`,_`,_`}['mss2.Mssid,'mb2.Mid,'nil.Meta-messageList],'R`[_`]['__['_`,_[
    'mb1.Mid,'0.Bit],'_`,_['mb2.Mid,'0.Bit],'_`,_['mss1.Mssid,'0.Bit],'_`,_[
    'mss2.Mssid,'0.Bit]]],'CSM`[_`]['__['_`,_['mb1.Mid,'0.Zero],'_`,_['mb2.Mid,
    '0.Zero],'_`,_['mss1.Mssid,'0.Zero],'_`,_['mss2.Mssid,'0.Zero]]],'Weight:_[
    '0.Zero], 'Trigger:_`,_['mss2.Mssid, '0.Zero], 'Sent:_['0.Zero], 'CP-state:_[
    '0.Zero], 'OLD-csm:_['0.Zero], 'NULL.Cp, 'nullCheck.CheckMsgSet,
    'nullCheck.CheckMsgSet,'CheckpointList:_['empCklist.CheckpointList]],
    'meta-pro`(_____`)['<_`,_`,_`,_>['mb1.Mid,'empLS.LState,
    'mss1.Mssid,'nil.Meta-messageList,'nil.Meta-messageList],'R'[_`]['__['_`,_[
    'mb1.Mid, '0.Bit], '\_`, \_['mb2.Mid, '0.Bit], '\_`, \_['mss1.Mssid, '0.Bit], '__`, \_['mss1.Mssid, '0.Bit], '_`, \_['mss1.Mssid, '0.Bit], '_`, \_['mss1.Mssid, '0.Bi
```

'nil.Meta-messageList], 'R`[_`]['__['_`,_['mb1.Mid, '0.Bit], '_`,_['mb2.Mid,

```
'mss2.Mssid,'0.Bit]]],'CSM`[_`]['__['_`,_['mb1.Mid,'0.Zero],'_`,_['mb2.Mid, '0.Zero],'_`,_['mss1.Mssid,'0.Zero],'_`,_['mss2.Mssid,'0.Zero]]],'Weight:_['0.Zero],'Trigger:_`,_['mb1.Mid,'0.Zero],'Sent:_['s_['0.Zero]],'CP-state:_['0.Zero],'OLD-csm:_['0.Zero],'NULL.Cp,'_`,_`,_['mb1.Mid,'mss1.Mssid, '_`,_`,_['mb1.Mid,'mb2.Mid,'data1.Data]],'nullCheck.CheckMsgSet, 'CheckpointList:_['empCklist.CheckpointList]],'meta-pro`(_______)['<_`,_`,_`,_`,__,>['mb2.Mid,'data2.Data,'mss2.Mssid,'nil.Meta-messageList, 'nil.Meta-messageList],'R`[_`]['__['_`,_['mb1.Mid,'0.Bit],'_`,_['mb2.Mid, '0.Bit],'_`,_['mss1.Mssid,'0.Bit],'_`,_['mss2.Mssid,'0.Bit]]],'CSM`[_`]['__['_`,_['mb1.Mid,'0.Zero],'_`,_['mb2.Mid,'0.Zero],'_`,_['mss1.Mssid,'0.Zero],'_`,_['mss2.Mssid,'0.Zero],'D.Zero],'Trigger:_`,_['mb2.Mid,'0.Zero],'Sent:_['0.Zero],'CP-state:_['0.Zero],'OLD-csm:_['0.Zero],'NULL.Cp,'nullCheck.CheckMsgSet,'nullCheck.CheckMsgSet,'CheckpointList:_['empCklist.CheckpointList]]]}
```