Execution Environment

Host name Admin - 192.168.131.1
OS Windows 10 64bit

Katalon version 7.7.2.205

Browser Chrome 86.0.4240.75

Summary

ID Test Suites/lap 04

Description

 Total
 1

 Passed
 0
 Failed
 1

 Error
 0
 Incomplete
 0

Start 2020-10-13 14:18:15 End 2020-10-13 14:18:21

Elapsed 6,108s

#	ID	Description	Status
1	Test Cases/TC 06 profiles		FAIL FD

TC 06 profiles

Information

ID Test Cases/TC 06 profiles

Description

Tag

Start 2020-10-13 14:18:15 End 2020-10-13 14:18:21

Elapsed 5,829s Status FAILED

Details

#	Description	Elapsed	Status
1	openBrowser("")	5,171s	PASSED

Browser is opened with url: "

TC 06 profiles

#	Description	Elapsed	Status
2	navigateToUrl(URL)	0,352s	FAILED
	3	2,22	
	Unable to navigate to 'null' (Root cause: com.kms.katalon.core.exception.		
	StepFailedException: Unable to navigate to 'null'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUlKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.		
	navigateToUrl(NavigateToUrlKeyword.groovy:83)		
	at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.execute		
	(NavigateToUrlKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:73)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.navigateToUrl		
	(WebUiBuiltInKeywords.groovy:184)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$navigateToUrl\$0.		
	call(Unknown Source)		
	at TC 06 profiles.run(TC 06 profiles:21)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:339)		
	$at\ com. kms. katalon. core. main. Test Case Executor. do Execute (Test Case Executor.)$		
	java:330)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:309)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:301)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:235)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
	(TestSuiteExecutor.java:191)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:141)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	90)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	157)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source) at TempTestSuite1602573488273.run(TempTestSuite1602573488273.groovy:39)		
	Caused by: java.lang.lllegalArgumentException: Url cannot be null or empty		
	at com.kms.katalon.core.webui.keyword.builtin.		
	NavigateToUrlKeyword\$_navigateToUrl_closure1.doCall(NavigateToUrlKeyword.groovy:75)		
	at com.kms.katalon.core.webui.keyword.builtin.		
	NavigateToUrlKeyword\$_navigateToUrl_closure1.call(NavigateToUrlKeyword.groovy)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)		
	at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.		
	navigateToUrl(NavigateToUrlKeyword.groovy:83)		
	at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.execute		
	(NavigateToUrlKeyword.groovy:67)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:73)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.navigateToUrl (WebUiBuiltInKeywords.groovy:184)		
	(vvebolibulitin/eywords.groovy.104)		

TC 06 profiles

