# Org mode only

#### Marco Ieni

## February 19, 2020

### Contents

1	Introduction	1
2	Advantages	1
3	Disadvantages	2
4	Customize latex	2
5	references	2
6	Images	2
7	source code	2

## 1 Introduction

This is an example of how you can use the auto\_latex feature. In this feature, in fact, header.tex is not included automatically by doc-org. In fact, the latex output of this file will be the same of the emacs default export.

## 2 Advantages

If you don't care about specific latex customization, emacs will do the work for you.

### 3 Disadvantages

In my opinion, if you don't like emacs defaults, it becomes complicated to customize latex output.

#### 4 Customize latex

Here is an example of how you can customize latex output

```
# do not show table of content
#+OPTIONS: toc:nil

# custom latex class
#+LaTeX_CLASS: book

# include an entire latex file
#+LATEX_HEADER: \input{my_file.tex}

# extra packages
#+LATEX_HEADER: \usepackage{my-package}
```

Be sure to check latex export documentation in org-mode website.

#### 5 references

You can add references to other sections, like section 1.

## 6 Images

You can insert image, for example see image 1.

#### 7 source code

```
Some c code:
#include <stdio.h>
int main () {
   int a = 1;
   printf("hello world\n");
```



Figure 1: Example image.

}