


Ph.D. Coursework Research Hypothesis

By
Prof. (Dr.) Naresh Kumar
Univ. Department of Chemistry
B. N. Mandal University, Madhepura

- A hypothesis is a formal tentative statement of the expected relationship between two or more variables under established facts, laws.
- Research variables are defined as qualities, properties, characteristics, behaviors, attributes etc. of peopleindividuals or group, objects, situations, activities etc. That changes or vary. Variable are manipulable and measurable.
- A hypothesis helps to translate the research problem and objective into a clear explanation or prediction of the expected results or outcomes of the study.

Types of Research Variables



Independent variable

• Independent variable is the quality or property that can be manipulated by the researcher to cause an effect on the dependent variable. It is also called experimental variable or treatment variable.

Dependent variable

• Dependent variable is the quality or property or behavior or outcome that the researcher predicts and that occurs in response to the manipulation, experimentation or treatment of the independent variable. It is also called outcomes variable. • Hypothesis is derived from the research problems, literature review and conceptual framework.

• Hypothesis in a research project logically follow literature review and conceptual framework.

Hypothesis makes the following contributions in research study

- It provides clarity to the research problem and research objectives
- It describes, explains or predicts the expected results or outcome of the research.


- It indicates the type of research design.
- It directs the research study process.


Cont


• It identifies the sample of the research study that is to be investigated or examined.

• It facilitates data collection, data analysis and data interpretation

Type of Hypothesis







Testable Hypothesis

Research Hypothesis

Simple Hypothesis

• simple hypothesis predicts that, there exist a relationship between the independent variable and dependent variable.

Cont...simple hypothesis

• Example- synthesis of a compound under certain condition which can change again & again.

Complex Hypothesis

• complex hypothesis predicts that there exists relationship between two or more independent and dependent variable.

- Example for a fully bedridden patient 2 hourly position changing, 2 hourly back care and a high protein diet will build up body resistance, will promote blood circulation and will prevent bedsore.
 - In the above example, three independent variable are:- A) 2 hourly position changing, B) 2 hourly back care, C) high protein diet.
 - And three dependent variable are:
 - a) promotion of blood circulation,
 - b) building up of body resistance,
 - c) prevention of bed sore.

Directional Hypothesis

• Directional Hypothesis predicts the direction of the relationship between the independent and dependent variable.

• Example- High quality of nursing education will lead to high quality of nursing practice skills.

Non directional Hypothesis

- Non -directional Hypothesis predicts the relationship between the independent variable and the dependent variable but does not specific the directional of the relationship.
- Example- teacher student relationship influence student's learning.

Causal Hypothesis

• Causal Hypothesis predicts a cause and effects relationship or interaction between the independent variable and dependent variable. This hypothesis predicts the effect of the independent variable on the dependent variable.

• In this the independent variable is the experimental or treatment variable. The dependent variable is the outcome variable

• Example – early postoperative ambulation will lead to prompt recovery.

Associative Hypothesis

- Associative Hypothesis predicts an associative relationship between the independent variable and the dependent variable.
- When there is a change in any one of the variables, changes also occurs in the other variable.

Cont

• The associative relationship between the independent and dependent variables may have either.

- Positive association
- Negative association

Null hypothesis

Cont

 Null Hypothesis is also called statistical hypothesis because this type of hypothesis is used for statistical testing and statically interpretation. The null hypothesis predicts that, there is no relationship between the independent variable and dependent variable.

• Example- Nasogastric tube feeding does not alter body temperature.

Simple null hypothesis

• Example – bed rest will not relieves severe asthmatic dyspnea. In the above example, the independent variable that is, bed rest does not have any causal relationship with the dependent variable that is, severe asthmatic dyspnea.

Complex null Hypothesis

• Example- smoking, drug abuse, alcoholism, tobacco use etc. have no relationship in the occurrence of malaria, mumps or chicken pox.

Causal null Hypothesis

• Example- high intake of fluid does not cause tissue oedema. In the above example, the independent variable, that is, high fluid intake does not have any causal relationship with the dependent variable such as, tissue oedema.

Associative null Hypothesis

• Example- Increased does in antibiotics will not reduce body temperature

Testable Hypothesis

• The testable hypothesis predicts relationship between the independent variable and the dependent variable and theses variable are testable or measurable.

Cont

• Example – Increase in patient's body temperature causes increase in patient's pulse rate.

- Example- O₂ administration to a highly nervous patient by a face mask instead of a nasal cannula will cause less anxiety to the patient.
 - In this above example, the independent variable that is methods of O₂, administration by face mask cause an effect on the dependent variable, that is patient's state of anxiety. In this the independent variable that is methods of O₂ administration is manipulated.

Because

O₂ instead of face mask, may also be administration by a nasal canula and this may cause an influence on the dependent variable or there may be a different outcome such as, patient's state of anxiety may be increased.

Environmental variable

• Environmental variable are the variables which compose a research setting where the research study is conducted. These variables are climate, family background, social background, institution setup, community setup, education setup etc. these variable are also some type of extraneous variable.

• In a descriptive or correlational research study where the study is conduct in a natural setting and where it is necessary to study the subjects' behavior in a **natural setting**, the researcher makes no attempt to control or alter the environmental variables.

Demographic variables

• Demographic variable are the qualities or property or characteristics of the subject under the research study and which are collected to describe sample. These variable are also called the sample characteristics.

• Example – subject who are under research study- age, gender, height, weight, build, movement, vision, hearing, speech, religion, marital status etc. are the demographic variables.

Assumption

• Assumption are the statement of the basic principle or facts that are established and are universally accepted as true on the basis of logic or reasoning without verification or proof, though they may not have been scientifically tested.

• Assumption is picked up by the research from various sources. These source are previous research studies, theories, clinical fields etc.

Limitation

• Limitation are the restrictions within a research study, which reduce the credibility or generalizability of the research findings. The limitations of the research study are also called the weak points of study. It contains one central point & not more than five subpoints.

• It is necessary to recognize the limitations of the research study which might influence the research result.