

# SecOps live cooking with OWASP appsec tools

Maciej Lasyk

OWASP EEE - Kraków

2015-10-06



#### Join Fedora Infrastructure!

- → learn Ansible
- → join the security team!
- → use Fedora Security Lab (spin)

http://fedoraproject.org/en/join-fedora

- → about delivery pipeline
- → demos
  - → manual testing
  - → automation
  - → delivery pipeline

- → about delivery pipeline
- → demos
  - → manual testing
  - → automation
  - → delivery pipeline


- → about delivery pipeline
- → demos
  - → manual testing
  - → automation
  - → delivery pipeline

- → about delivery pipeline
- → demos
  - → manual testing
  - → automation
  - → delivery pipeline


- → about delivery pipeline
- → demos
  - → manual testing
  - → automation
  - → delivery pipeline

# Delivery Pipeline & security testing






Feedback loop!



Feedback loop!



Feedback loop!

Experimentation gives you improvements!

Continuous security scanning

- → shortening the cycle time
- → viability of scanning windows
- → burndown charts security testing slice is usually tiny
- → security testing has to be faster
- → providing instant feedback
- → CD is a goal


- → shortening the cycle time
- → viability of scanning windows
- → burndown charts security testing slice is usually tiny
- → security testing has to be faster
- → providing instant feedback
- → CD is a goal


- → shortening the cycle time
- → viability of scanning windows
- → burndown charts security testing slice is usually tiny
- → security testing has to be faster
- → providing instant feedback
- → CD is a goal

- → shortening the cycle time
- → viability of scanning windows
- → burndown charts security testing slice is usually tiny
- → security testing has to be faster
- → providing instant feedback
- → CD is a goal

- → shortening the cycle time
- → viability of scanning windows
- → burndown charts security testing slice is usually tiny
- → security testing has to be faster
- → providing instant feedback
- → CD is a goal

- → shortening the cycle time
- → viability of scanning windows
- → burndown charts security testing slice is usually tiny
- → security testing has to be faster
- → providing instant feedback
- → CD is a goal





# Manual testing demo #1

## OWASP webgoat, OWASP hackademic story

test-app

VS

**OWASP ZAP** 

## Manual testing demo #1

OWASP webgoat, OWASP hackademic story

test-app

VS

**OWASP ZAP** 

# Manual testing demo #2

Fedora Pagure

VS

**OWASP Dependency Check** 

#### **Automation tools**

- → Ansible (www.ansible.com)
- → Jenkins (jenkins-ci.org)
- → GoCD (www.go.cd)

#### **Automation tools**

- → Ansible (www.ansible.com)
- → Jenkins (jenkins-ci.org)
- → GoCD (www.go.cd)

#### **Automation tools**

- → Ansible (www.ansible.com)
- → Jenkins (jenkins-ci.org)
- → GoCD (www.go.cd)

Installing Jenkins w/Ansible

#### **Linux Containers - Docker**

- → Docker?
- → Docker Registry

#### **Linux Containers - Docker**

- → Docker?
- → Docker Registry

OWASP ZAP && Dependency Check + Docker

OWASP ZAP && Dependency Check + Docker

+

**Jenkins** 

Containerization of security tools

Docker inside Docker?

Pros and cons

What about false positives / negatives?

Full delivery pipeline

## Summary

Should we replace classical pentests with automation?



# SecOps live cooking with OWASP appsec tools

Maciej Lasyk

OWASP EEE - Kraków

2015-10-06