


AN ALMANAC FOR THE KITCHEN GARDEN

The Grower's Year



Twelve month spreads that say what to sow, plant, and harvest – every line tapping through to an accurate card for the plant itself. Bed maps, harvest and pest ledgers, and a year review close the season.

[Open the almanac »](#)

BEDS · MONTHS · PLANTS · LEDGERS



Before You Sow

The Grower's Year is written for northern-temperate gardens – roughly the climate of Britain, Ireland, and USDA zones 6 to 8, where the last frost falls in mid-to-late May and the first returns in October. Each month spread lists what to sow, plant, and harvest; every line taps through to that plant's card.

HOW TO WORK THE YEAR

1. Open this month's spread and read its sow / plant / harvest rows.
2. Tap any row – the plant's card holds depth, spacing, sun, days, and companions.
3. Sketch each bed on a bed map before anything goes in the ground.
4. Weigh what you pick into the harvest ledger; log trouble in the pest ledger.
5. In November, settle the season on the year review sheet.

WHERE TO BEGIN

[The worked example »](#)[Your garden »](#)[January »](#)[The plant index »](#)

A NOTE ON TIMING

Dates here are the middle of the road. A sheltered city plot runs two weeks ahead of these pages; a frost pocket two weeks behind. Watch your soil, not the calendar – it should crumble, not smear, before you sow outdoors.

FROST DATES, THIS GARDEN

LAST SPRING FROST

FIRST AUTUMN FROST

NOTES



The Worked Example

March filled in the way a real March goes – eight rows sown, planted, and annotated – plus two plant cards carrying a season of field notes, so you can see how the almanac is meant to be written in.

Everything on this table is marked EXAMPLE. Your live almanac runs from Your Garden.

ON THIS TABLE

March, worked »

Tomato card »

Garlic card »

THE ALMANAC

HOW THE WIRING WORKS

Month rows are reference chips – each one opens the same card the index lists, so a plant's page is one tap from anywhere. Cards link back to the index, months chain into one another, and every page returns here.

GARDEN NOTES

March – Worked

The gate opens – first direct sowings as the soil warms and dries.

TASKS THIS MONTH

- Raked the seedbeds to a crumb on the 6th, first dry week of the year.
- Seed potatoes chitting in the porch – egg boxes, eyes up, since late Feb.
- Top-dressed both far beds with a barrow of compost each.
- Hoed the overwintered onion bed before the weeds saw spring coming.
-
-

SOW · PLANT · HARVEST

ACTION	PLANT · TAP FOR ITS CARD	VARIETY · NOTES	DONE
Sow	Tomato · sown 8th, in heat		☐
Sow	Carrot · Early Nantes, fleeced		☐
Sow	Lettuce · Little Gem, cloche		☐
Sow	Pea · Kelvedon Wonder		☐
Sow	Radish · French Breakfast		☐
Plant	Onion · Sturon sets		☐
Plant	Potato · Rocket, first earlies		☐
Sow	Spinach · half row, more in Apr		☐

Unused rows are yours – pencil in extra sowings and the season's experiments.

Tomato, Annotated

Solanum lycopersicum

Plant index »

VARIETY

Gardener's Delight

SOW

Feb–Apr under cover, with warmth

PLANT OUT

Out late May–Jun, after last frost

HARVEST

Jul–Oct; ripen the last fruit indoors

THE SPECIFICS

SOW DEPTH	0.5 cm; plant out deep – the stem roots
SPACING	45–60 cm
SUN & SOIL	Full sun; steady water stops split fruit
DAYS TO MATURITY	60–85 days from planting out
COMPANIONS	Basil, marigold, carrot; never near potatoes

FIELD NOTES

Sown 8 Mar in the propagator; potted on 2 Apr; planted out 24 May after a week of hardening off. Side-shoots pinched every Friday. First truss set 18 Jun – fed weekly from then. Blight watch from late Jul: one bad leaf stripped, fruit fine. Verdict: two plants were plenty for the kitchen.

Garlic, Annotated

Plant index »

Allium sativum

VARIETY

Solent Wight

SOW

Grown from cloves, not seed

PLANT OUT

Oct–Nov; or Feb–Mar at a pinch

HARVEST

Jun–Jul, when leaves yellow

THE SPECIFICS

SOW DEPTH	Clove tip 2.5 cm below the surface
SPACING	15 cm; rows 30 cm
SUN & SOIL	Full sun; needs winter cold to split into bulbs
DAYS TO MATURITY	Around 8–9 months from autumn planting
COMPANIONS	Beetroot and lettuce; keep from beans and peas

FIELD NOTES

Planted 12 Oct, fat outer cloves only, tips a thumb-joint down. Green shoots up by late Nov. Fed once in Mar, weeded by hand – the roots sit shallow. Rust arrived mid Jun so I stopped watering; lifted 4 Jul, plaited and dried a fortnight in the shed. Sixteen good bulbs from eighteen cloves.



Your Garden

Twelve month spreads over sixteen plant cards, with 4 bed maps, 4 harvest ledger pages, a two-page pest ledger, and the year review – all pre-linked.

This copy: 4 beds · 4 harvest pages. Set bedCount (2-8) and harvestLogCount (2-12) in the generator config.

ON THIS TABLE

THE ALMANAC

The twelve months »

The plant index »

Bed maps »

Harvest ledger »

Pest ledger »

Year review »

HOW THE WIRING WORKS

Month rows are reference chips – each one opens the same card the index lists, so a plant's page is one tap from anywhere. Cards link back to the index, months chain into one another, and every page returns here.

GARDEN NOTES





January



The quiet month – plan the beds, order seed, and let frost break the dug ground.

TASKS THIS MONTH

SOW · PLANT · HARVEST

ACTION	PLANT · TAP FOR ITS CARD	VARIETY · NOTES	DONE
Harvest	Kale · standing crop		☐
Harvest	Rosemary · sprigs for the pot		☐
Sow	Onion · seed, under cover		☐
			☐
			☐
			☐
			☐
			☐

Unused rows are yours – pencil in extra sowings and the season's experiments.

February »





February



Light returns – the propagator earns its keep while the garden waits.

TASKS THIS MONTH

SOW · PLANT · HARVEST

ACTION	PLANT · TAP FOR ITS CARD	VARIETY · NOTES	DONE
Sow	Tomato · under cover, in heat		☐
Sow	Onion · seed, under cover		☐
Sow	Pea · under cloche		☐
Sow	Radish · under cloche		☐
Plant	Garlic · spring planting		☐
Harvest	Kale · standing crop		☐
Harvest	Spinach · overwintered		☐
			☐

Unused rows are yours – pencil in extra sowings and the season's experiments.

« January

March »





March



The gate opens – first direct sowings as the soil warms and dries.

TASKS THIS MONTH

SOW · PLANT · HARVEST

ACTION	PLANT · TAP FOR ITS CARD	VARIETY · NOTES	DONE
Sow	Tomato · under cover		☐
Sow	Carrot · fleece the early rows		☐
Sow	Lettuce · first sowing		☐
Sow	Pea · first open-ground row		☐
Sow	Radish · little and often		☐
Plant	Onion · sets		☐
Plant	Potato · first earlies		☐
Sow	Spinach · spring crop		☐

Unused rows are yours – pencil in extra sowings and the season's experiments.

« February

April »





April



Everything at once – keep the fleece handy for cold nights.

TASKS THIS MONTH

SOW · PLANT · HARVEST

ACTION	PLANT · TAP FOR ITS CARD	VARIETY · NOTES	DONE
Sow	Beetroot · open ground		☐
Sow	Carrot · main sowing		☐
Sow	Kale · in modules		☐
Sow	Courgette · under cover		☐
Sow	Basil · in heat		☐
Plant	Potato · maincrop		☐
Plant	Strawberry · spring window		☐
Sow	Lettuce · keep sowing		☐

Unused rows are yours – pencil in extra sowings and the season's experiments.

« March

May »





May



Frost watch ends late this month for most gardens – harden off in stages.

TASKS THIS MONTH

SOW · PLANT · HARVEST

ACTION	PLANT · TAP FOR ITS CARD	VARIETY · NOTES	DONE
Sow	Runner Bean · pots or direct		☐
Plant	Courgette · out after frost		☐
Plant	Tomato · out after frost		☐
Plant	Basil · out after frost		☐
Sow	Beetroot · succession		☐
Sow	Radish · succession		☐
Sow	Carrot · succession		☐
Harvest	Lettuce · first heads		☐

Unused rows are yours – pencil in extra sowings and the season's experiments.

« April

June »





June



The hungry gap ends – first real pickings while planting finishes.

TASKS THIS MONTH

SOW · PLANT · HARVEST

ACTION	PLANT · TAP FOR ITS CARD	VARIETY · NOTES	DONE
Plant	Runner Bean · out on canes		☐
Plant	Kale · to final spacing		☐
Harvest	Strawberry · the glut		☐
Harvest	Pea · first pods		☐
Harvest	Potato · first earlies		☐
Harvest	Lettuce		☐
Harvest	Carrot · early thinnings		☐
Harvest	Beetroot · first roots		☐

Unused rows are yours – pencil in extra sowings and the season's experiments.

« May

July »





July



Peak season – water deeply, pick daily, and sow the late rows.

TASKS THIS MONTH

SOW · PLANT · HARVEST

ACTION	PLANT · TAP FOR ITS CARD	VARIETY · NOTES	DONE
Harvest	Garlic · when leaves yellow		☐
Harvest	Courgette · cut small		☐
Harvest	Runner Bean · first pods		☐
Harvest	Basil · pinch it back		☐
Harvest	Onion · as tops fall		☐
Harvest	Pea · keep picking		☐
Sow	Carrot · last sowing		☐
Sow	Beetroot · last sowing		☐

Unused rows are yours – pencil in extra sowings and the season's experiments.

« June

August »





August



Abundance and bolting – harvest ahead of the plants, sow for autumn.

TASKS THIS MONTH

SOW · PLANT · HARVEST

ACTION	PLANT · TAP FOR ITS CARD	VARIETY · NOTES	DONE
Harvest	Tomato · daily now		☐
Harvest	Courgette · relentless		☐
Harvest	Runner Bean · pick to keep them coming		☐
Harvest	Onion · dry off in the sun		☐
Harvest	Potato · second earlies		☐
Harvest	Basil · before it flowers		☐
Sow	Spinach · autumn crop		☐
Sow	Radish · last sowings		☐

Unused rows are yours – pencil in extra sowings and the season's experiments.

« July

September »





September



The turn – lift, store, and plant for next year.

TASKS THIS MONTH

SOW · PLANT · HARVEST

ACTION	PLANT · TAP FOR ITS CARD	VARIETY · NOTES	DONE
Harvest	Potato · maincrop, dry day		☐
Harvest	Tomato · ripen the last indoors		☐
Harvest	Runner Bean · final flush		☐
Plant	Strawberry · runners, best month		☐
Plant	Onion · overwintering sets		☐
Sow	Spinach · early Sep, to overwinter		☐
Harvest	Carrot		☐
Harvest	Courgette · last fruits		☐

Unused rows are yours – pencil in extra sowings and the season's experiments.

« August

October »





October



First frosts – clear the tender crops, plant garlic into warm soil.

TASKS THIS MONTH

SOW · PLANT · HARVEST

ACTION	PLANT · TAP FOR ITS CARD	VARIETY · NOTES	DONE
Plant	Garlic · the main planting		☐
Harvest	Carrot · lift and store		☐
Harvest	Kale · season opens		☐
Harvest	Potato · finish lifting		☐
Harvest	Beetroot · before hard frost		☐
Harvest	Runner Bean · until first frost		☐
Harvest	Spinach · autumn crop		☐
Sow	Pea · round types, mild gardens		☐

Unused rows are yours – pencil in extra sowings and the season's experiments.

« September

November »





November



Put the garden to bed – mulch, tidy, and keep planting garlic.

TASKS THIS MONTH

SOW · PLANT · HARVEST

ACTION	PLANT · TAP FOR ITS CARD	VARIETY · NOTES	DONE
Plant	Garlic · until the soil closes		☐
Harvest	Kale		☐
Harvest	Carrot · last lifts		☐
Harvest	Spinach · under fleece		☐
Harvest	Rosemary · lightly		☐
			☐
			☐
			☐

Unused rows are yours – pencil in extra sowings and the season's experiments.

« October

December »





December



Short days – the standing crops carry the kitchen.

TASKS THIS MONTH

SOW · PLANT · HARVEST

ACTION	PLANT · TAP FOR ITS CARD	VARIETY · NOTES	DONE
Harvest	Kale · sweeter after frost		☐
Harvest	Spinach · protected		☐
Harvest	Rosemary · for the roast		☐
			☐
			☐
			☐
			☐
			☐

Unused rows are yours – pencil in extra sowings and the season's experiments.

« November





Every Plant, A to Z

Tap a plant for its card. The line beside each is for this year's variety and where it went.

PLANT

THIS YEAR

Basil



Beetroot



Carrot



Courgette



Garlic



Kale



Lettuce



Onion



Pea



Potato



Radish



Rosemary



Runner Bean



Spinach



Strawberry



Tomato







Basil

Ocimum basilicum

[Plant index »](#)

VARIETY

SOW

Mar–Apr under cover, with warmth

PLANT OUT

Late May–Jun, after last frost

HARVEST

Jun–Sep – pinch tips often

THE SPECIFICS

SOW DEPTH	0.5 cm, barely covered
SPACING	20–30 cm apart
SUN & SOIL	Full sun, warm and sheltered; rich, moist soil
DAYS TO MATURITY	60–70 days from sowing to steady picking
COMPANIONS	Tomato and pepper; flowers draw pollinators

FIELD NOTES

[Beetroot »](#)

Beetroot

Beta vulgaris

[Plant index »](#)

VARIETY

SOW

Apr–Jul direct; Mar under cloche

PLANT OUT

Direct-sown – thin, do not move

HARVEST

Jun–Oct, golf ball to cricket ball

THE SPECIFICS

SOW DEPTH	2–2.5 cm
SPACING	10 cm; rows 30 cm apart
SUN & SOIL	Full sun, tolerates light shade; no fresh manure
DAYS TO MATURITY	55–70 days
COMPANIONS	Onion, lettuce, and the brassicas

FIELD NOTES

[« Basil](#)[Carrot »](#)



Carrot

Daucus carota

[Plant index »](#)

VARIETY

SOW

Mar–Jul direct; earliest under fleece

PLANT OUT

Never transplanted – roots fork

HARVEST

Jun–Nov; lift and store by hard frost

THE SPECIFICS

SOW DEPTH	1 cm, in fine soil
SPACING	Thin to 5–8 cm; rows 30 cm
SUN & SOIL	Full sun; light, stone-free ground
DAYS TO MATURITY	70–80 days
COMPANIONS	Onion and leek – their scent confuses carrot fly

FIELD NOTES

[« Beetroot](#)[Courgette »](#)

Courgette

Cucurbita pepo

[Plant index »](#)

VARIETY

SOW

Apr–May under cover; late May direct

PLANT OUT

Late May–Jun, after last frost

HARVEST

Jul–Oct – cut small and often

THE SPECIFICS

SOW DEPTH	2 cm, seed on its edge
SPACING	90 cm each way
SUN & SOIL	Full sun; rich, moisture-holding soil
DAYS TO MATURITY	50–60 days from planting out
COMPANIONS	Nasturtium, beans, and sweetcorn

FIELD NOTES

[« Carrot](#)[Garlic »](#)



Garlic

Allium sativum

[Plant index »](#)

VARIETY

SOW

Grown from cloves, not seed

PLANT OUT

Oct–Nov; or Feb–Mar at a pinch

HARVEST

Jun–Jul, when leaves yellow

THE SPECIFICS

SOW DEPTH	Clove tip 2.5 cm below the surface
SPACING	15 cm; rows 30 cm
SUN & SOIL	Full sun; needs winter cold to split into bulbs
DAYS TO MATURITY	Around 8–9 months from autumn planting
COMPANIONS	Beetroot and lettuce; keep from beans and peas

FIELD NOTES

[« Courgette](#)[Kale »](#)



Kale

Brassica oleracea

[Plant index »](#)

VARIETY

SOW

Apr–Jun, in modules or a seedbed

PLANT OUT

Jun–Jul, firmed in well

HARVEST

Sep–Feb; sweeter after frost

THE SPECIFICS

SOW DEPTH	1 cm
SPACING	45 cm each way
SUN & SOIL	Full sun to light shade; firm, limed soil
DAYS TO MATURITY	55–75 days from transplanting
COMPANIONS	Beetroot, celery, onion; net against butterflies

FIELD NOTES

[« Garlic](#)[Lettuce »](#)



Lettuce

Lactuca sativa

[Plant index »](#)

VARIETY

SOW

Mar–Aug, little and often

PLANT OUT

Module-raised out Apr–Aug

HARVEST

May–Oct

THE SPECIFICS

SOW DEPTH	0.5–1 cm – it needs light, so no deeper
SPACING	20–30 cm by type
SUN & SOIL	Sun; part shade in high summer against bolting
DAYS TO MATURITY	45–60 days to hearts; leaves sooner
COMPANIONS	Carrot, radish, and strawberry

FIELD NOTES

[« Kale](#)[Onion »](#)



Onion

Allium cepa

[Plant index »](#)

VARIETY

SOW

Seed Jan–Feb under cover

PLANT OUT

Sets Mar–Apr; overwinter sets
Sep–Oct

HARVEST

Jul–Sep, once the tops fall over

THE SPECIFICS

SOW DEPTH	Sets shallow, tip just showing
SPACING	10 cm; rows 30 cm
SUN & SOIL	Full sun; firm, fertile, weed-free ground
DAYS TO MATURITY	Around 100–120 days from spring sets
COMPANIONS	Carrot – each hides the other from its fly

FIELD NOTES

[« Lettuce](#)[Pea »](#)



Pea

Pisum sativum

[Plant index »](#)

VARIETY

SOW

Mar–Jun; round types Oct–Nov in mild spots

PLANT OUT

Direct-sown, with sticks or netting

HARVEST

Jun–Sep – pick young and often

THE SPECIFICS

SOW DEPTH	3–5 cm
SPACING	5–7 cm in a flat drill; rows 60 cm
SUN & SOIL	Full sun; a cool-season crop that sulks in heat
DAYS TO MATURITY	60–75 days; mangetout sooner
COMPANIONS	Carrot, turnip, beans; not the onion family

FIELD NOTES

[« Onion](#)[Potato »](#)



Potato

Solanum tuberosum

[Plant index »](#)

VARIETY

SOW

Grown from seed tubers, chitted from Feb

PLANT OUT

Late Mar–Apr, once soil wakes

HARVEST

Earlies Jun–Jul; maincrop Sep–Oct

THE SPECIFICS

SOW DEPTH	10–15 cm, earthed up as shoots rise
SPACING	Earlies 30 cm, maincrop 40 cm; rows 60–75 cm
SUN & SOIL	Full sun; frost kills the tops
DAYS TO MATURITY	Earlies 70–90 days; maincrop 130–140
COMPANIONS	Beans and cabbage; never beside tomatoes – shared blight

FIELD NOTES

[« Pea](#)[Radish »](#)

Radish

Raphanus sativus

[Plant index »](#)

VARIETY

SOW

Mar–Aug little and often; Feb under cloche

PLANT OUT

Direct-sown only

HARVEST

Apr–Sep, pulled young

THE SPECIFICS

SOW DEPTH	1 cm
SPACING	Thin to 2.5 cm; rows 15 cm
SUN & SOIL	Sun or part shade; keep moist or it turns woody
DAYS TO MATURITY	25–35 days – the fastest crop in this book
COMPANIONS	Pea and lettuce; marks slow carrot rows

FIELD NOTES

[« Potato](#)[Rosemary »](#)



Rosemary

Salvia rosmarinus

[Plant index »](#)

VARIETY

SOW

Possible but slow – cuttings are surer

PLANT OUT

Spring, in sharp-draining soil

HARVEST

Year-round, lightly, once established

THE SPECIFICS

SOW DEPTH	0.5 cm for seed; semi-ripe cuttings in summer
SPACING	60–90 cm – it becomes a shrub
SUN & SOIL	Full sun; hates wet feet in winter
DAYS TO MATURITY	A year to a plant that spares regular sprigs
COMPANIONS	Carrot and brassicas – its scent masks their pests

FIELD NOTES

[« Radish](#)[Runner Bean »](#)



Runner Bean

Phaseolus coccineus

[Plant index »](#)

VARIETY

SOW

May under cover; late May–Jun
direct

PLANT OUT

Out after last frost, canes already
up

HARVEST

Jul–Oct, before pods coarsen

THE SPECIFICS

SOW DEPTH	5 cm
SPACING	15 cm; double rows 60 cm apart on canes
SUN & SOIL	Full sun, sheltered – wind tears the vines
DAYS TO MATURITY	80–100 days from sowing
COMPANIONS	Sweetcorn and brassicas; not the onion bed

FIELD NOTES

[« Rosemary](#)[Spinach »](#)



Spinach

Spinacia oleracea

[Plant index »](#)

VARIETY

SOW

Mar–May; again Aug–Sep for autumn and overwintering

PLANT OUT

Direct-sown; thin rather than move

HARVEST

May–Oct; overwintered plants again in spring

THE SPECIFICS

SOW DEPTH	2 cm
SPACING	7–15 cm; rows 30 cm
SUN & SOIL	Sun; part shade delays summer bolting
DAYS TO MATURITY	40–50 days
COMPANIONS	Strawberry, pea, and the brassicas

FIELD NOTES

[« Runner Bean](#)[Strawberry »](#)



Strawberry

Fragaria x ananassa

[Plant index »](#)

VARIETY

SOW

Grown from runners, not seed

PLANT OUT

Aug–Sep is best; else Apr–May

HARVEST

Jun–Jul; everbearers trickle to Sep

THE SPECIFICS

SOW DEPTH	Crown exactly at soil level – no deeper
SPACING	35–45 cm; rows 75 cm
SUN & SOIL	Full sun; net the fruit against birds
DAYS TO MATURITY	Fruits the summer after autumn planting
COMPANIONS	Borage, spinach, lettuce; not the brassicas

FIELD NOTES

[« Spinach](#)[Tomato »](#)

Tomato

Solanum lycopersicum

[Plant index »](#)

VARIETY

SOW

Feb–Apr under cover, with warmth

PLANT OUT

Out late May–Jun, after last frost

HARVEST

Jul–Oct; ripen the last fruit indoors

THE SPECIFICS

SOW DEPTH	0.5 cm; plant out deep – the stem roots
SPACING	45–60 cm
SUN & SOIL	Full sun; steady water stops split fruit
DAYS TO MATURITY	60–85 days from planting out
COMPANIONS	Basil, marigold, carrot; never near potatoes

FIELD NOTES

« **Strawberry**





Bed 01

Sketch what goes where on the dotted grid – one dot per hand's width.

BED SIZE

SEASON

	A	B	C	D	E	F
1	.	.	.	.	.	.
2	.	.	.	.	.	.
3	.	.	.	.	.	.
4	.	.	.	.	.	.
5	.	.	.	.	.	.
6	.	.	.	.	.	.
7	.	.	.	.	.	.
8	.	.	.	.	.	.

CROP KEY

	_____		_____
	_____		_____

Draw sowing rows as lines of dots and transplants as circles – date everything; the map is next year's memory.

Next bed »





Bed 02

Sketch what goes where on the dotted grid – one dot per hand's width.

BED SIZE

SEASON

	A	B	C	D	E	F
1	.	.	.	.	.	.
2	.	.	.	.	.	.
3	.	.	.	.	.	.
4	.	.	.	.	.	.
5	.	.	.	.	.	.
6	.	.	.	.	.	.
7	.	.	.	.	.	.
8	.	.	.	.	.	.

CROP KEY

	_____		_____
	_____		_____

Draw sowing rows as lines of dots and transplants as circles – date everything; the map is next year's memory.

« Previous bed

Next bed »





Bed 03

Sketch what goes where on the dotted grid – one dot per hand's width.

BED SIZE

SEASON

	A	B	C	D	E	F
1	.	.	.	.	.	.
2	.	.	.	.	.	.
3	.	.	.	.	.	.
4	.	.	.	.	.	.
5	.	.	.	.	.	.
6	.	.	.	.	.	.
7	.	.	.	.	.	.
8	.	.	.	.	.	.

CROP KEY

	_____		_____
	_____		_____

Draw sowing rows as lines of dots and transplants as circles – date everything; the map is next year's memory.

« Previous bed

Next bed »



Bed 04

Sketch what goes where on the dotted grid – one dot per hand's width.

BED SIZE**SEASON**

	A	B	C	D	E	F
1	•	•	•	•	•	•
	•	•	•	•	•	•
2	•	•	•	•	•	•
	•	•	•	•	•	•
3	•	•	•	•	•	•
	•	•	•	•	•	•
4	•	•	•	•	•	•
	•	•	•	•	•	•
5	•	•	•	•	•	•
	•	•	•	•	•	•
6	•	•	•	•	•	•
	•	•	•	•	•	•
7	•	•	•	•	•	•
	•	•	•	•	•	•
8	•	•	•	•	•	•
	•	•	•	•	•	•

CROP KEY

Draw sowing rows as lines of dots and transplants as circles – date everything; the map is next year's memory.

[« Previous bed](#)



Harvest, Page 01

Weigh it before the kitchen gets it – totals at the bottom, verdicts in the year review.

DATE	CROP	WEIGHT · COUNT	NOTES
SEASON TOTAL, THIS PAGE			

Next page »





Harvest, Page 02

Weigh it before the kitchen gets it – totals at the bottom, verdicts in the year review.

DATE	CROP	WEIGHT · COUNT	NOTES
SEASON TOTAL, THIS PAGE			

[« Previous page](#)[Next page »](#)

Weigh it before the kitchen gets it – totals at the bottom, verdicts in the year review.

[« Previous page](#) [Next page »](#)



Harvest, Page 04

Weigh it before the kitchen gets it – totals at the bottom, verdicts in the year review.

DATE	CROP	WEIGHT · COUNT	NOTES
SEASON TOTAL, THIS PAGE			

« Previous page





Pest Notes, Page 01

Trouble writes patterns – the ledger catches them while the memory is fresh.

COMMON CULPRITS, THESE LATITUDES

Slugs & snails · aphids · cabbage white caterpillars · carrot fly · flea beetle · tomato & potato blight · powdery mildew · allium rust

DATE	PLANT	PEST OR DISEASE	WHAT I DID

One line per sighting. If the same pest fills three lines, the year review wants to know about it.

[Next page »](#)



Pest Notes, Page 02

Trouble writes patterns – the ledger catches them while the memory is fresh.

COMMON CULPRITS, THESE LATITUDES

Slugs & snails · aphids · cabbage white caterpillars · carrot fly · flea beetle · tomato & potato blight · powdery mildew · allium rust

DATE	PLANT	PEST OR DISEASE	WHAT I DID

One line per sighting. If the same pest fills three lines, the year review wants to know about it.

« Previous page





The Year, Reviewed

Fill this in while the season is still under your fingernails – November, with tea.

WHAT THRIVED

AND WHY, HONESTLY

WHAT STRUGGLED

PEST, PLACE, OR PLAIN NEGLECT

VARIETIES WORTH REPEATING

NAME · SOURCE · VERDICT

NEXT YEAR, DIFFERENTLY

THE THREE CHANGES THAT MATTER

