

FORM RENR APRIL 2021

TEST CODE 08270010

**REGIONAL EXAMINATION FOR NURSE
REGISTRATION**

**FOR
CARICOM COUNTRIES**

PAPER 01

2 hours 30 minutes

29 APRIL 2021 (a.m.)

REGISTRATION NUMBER:

--	--	--	--	--	--	--	--	--	--

DO NOT OPEN THIS BOOKLET UNTIL YOU ARE TOLD TO DO SO.

THIS TEST IS COPYRIGHT AND CONFIDENTIAL.

It should be used for no purpose other than the test in progress. Any unused copies should be returned to the CARIBBEAN EXAMINATIONS COUNCIL. In no circumstances should the contents of this test be divulged to any unauthorized person or persons, or copied or reproduced in whole or in part by any means (including photocopying or recording) or quoted in any way in any book, magazine or newspaper, or in the course of any sound or television performance.

Copyright © (2021)

RENR 08270010/APRIL 2021

INSTRUCTIONS TO CANDIDATES

Follow the instructions you are given to ensure you receive maximum credit for your answers.

This paper contains 100 multiple-choice items. Some are discrete, 'stand-alone' questions, while others are presented as a series of questions based on a brief nursing scenario.

For each question, choose the correct answer from the four alternatives given and, on your answer sheet, shade the letter (A, B, C or D) corresponding to your choice.

B MARK YOUR ANSWERS BELOW

1 A B C D	11 A B C D
2 A B C D	12 A B C D
3 A B C D	13 A B C D
4 A B C D	14 A B C D
5 A B C D	15 A B C D

21 A B C D
22 A B C D
23 A B C D
24 A B C D
25 A B C D

EXAMPLES:

WRONG
A B C D
WRONG
A B C D
WRONG
A B C D
RIGHT
A B C D

If you change an answer, erase your first answer completely before you choose your new answer. Otherwise, you may not get credit for the question.

There is **ONLY** one answer to each question. If you are not sure of an answer, you should guess. There is no penalty for guessing.

You may use a silent, non-programmable calculator in this examination.

Do not spend too much time on any question. If you are not sure of an answer, mark the question and come back to it after you answer the remaining questions. If you spend too much time on a few questions, you may not have time to finish the test and this will lower your score. However, you should read each question carefully before deciding on your answer.

If at any time you need assistance, raise your hand and an Invigilator will help you. However, the Invigilator will not be able to give you any information about actual test content.

NOTE: PRINT YOUR REGISTRATION NUMBER CLEARLY IN THE SPACE PROVIDED ON THE COVER OF THIS TEST BOOKLET.

DO NOT WRITE YOUR NAME ANYWHERE ON YOUR TEST BOOKLET.

YOU WILL HAVE TWO AND A HALF HOURS TO COMPLETE THIS PAPER.

DO NOT START THIS EXAMINATION UNTIL YOU ARE TOLD TO DO SO.

Scenario 1

- 3 -

Item 1

A 69-year-old male client presents at an accident and emergency unit with cyanosis, confusion and pleuritic chest pain. Assessment reveals a temperature of 37 °C (98.6 °F), diaphoresis and a productive cough. He is admitted to the medical ward with a diagnosis of pneumonia and antibiotics are prescribed.

1. The MAIN purpose of bed rest during the acute phase of the client's illness is to
- (A) promote safety
 - (B) promote comfort
 - (C) decrease basal metabolic rate
 - (D) reduce cellular demand for oxygen

=====

2. An attending physician prescribed Pethidine 75 mg and Gravol 50 mg intramuscularly for an 80-year-old terminally ill client, for therapeutic pain control.
- Which of the following common side effects of the drug Pethidine should the nurse assess the client for?
- I. Decrease in respiratory rate
 - II. Decrease in urinary output
 - III. Increase in blood pressure
 - IV. Increase in sedation levels
- (A) I only
 - (B) I and II only
 - (C) II and III only
 - (D) I and IV only

3. A mother tells the nurse that her four-year-old son who was potty trained eight months ago has suddenly started to wet his bed. The nurse suspects that the child is MOST likely experiencing

(A) primary enuresis
(B) primary encopresis
☒ (C) secondary enuresis
(D) secondary encopresis

- ☒ 4. A 47-year-old client who had abdominal surgery complains of a 'giving' sensation at the wound site on the fifth day postoperatively. What should the nurse suspect if on examination she observes clear pink drainage on the wound dressing?

(A) Infection
☒ (B) Dehiscence
(C) Evisceration
(D) Late haemorrhage

5. An 18-year-old client in the emergency department has been diagnosed with acute appendicitis and is scheduled for an immediate appendectomy. The client begins to get dressed, saying he does not want to have surgery and is going home. Which of the following actions should the nurse take PRIOR to the client leaving the facility?

☒ (A) Validate that the client understands the consequences, including the possibility of death.
(B) Ask security to detain the client until a legally responsible person can sign the surgical permit.
(C) Do nothing and allow the client to leave as he has the right to refuse treatment.
(D) Complete an incident form outlining the facts surrounding the occurrence.

Scenario 2

Items 6–8

A 32-year-old male was admitted to the emergency department with partial and full thickness burns to his anterior chest, upper limbs and anterior thighs.

6. Using the Rule of Nines, what is the percentage of burns sustained by the client?

- (A) 27
- (B) 36
- ☒ (C) 45
- (D) 72

7. Which analgesic is MOST likely to be ordered for this client for pain management?

- (A) Ibuprofen (Motrin)
- (B) Tramadol (Ultram)
- (C) Diclofenac Sodium (Voltaren)
- ☒ (D) Morphine Sulphate (MS Contin)

8. Which complication in the first 48 hours would PRIORITY interventions target?

- ☒ (A) Shock
- (B) Infection
- (C) Hypothermia
- (D) Curling's ulcer

=====

9. Which of the following complications is the MOST likely cause of a decreased urinary output, from 30 ml per hour to 20 ml per hour, in an adult?

- (A) Hypertension
- ☒ (B) Hypovolaemia
- (C) Paralytic ileus occurrence
- (D) Adverse effect of analgesia

10. Which of the following laboratory assays would indicate that myocardial damage has occurred?

- (A) Elevated uric acid
- ☒ (B) Elevated troponin level
- (C) Elevated white blood count
- (D) Elevated erythrocyte sedimentation rate

11. A client is in a diabetic ketoacidosis state, secondary to infection. Which of the following symptoms would MOST likely be noted as the condition progresses?

- ☒ (A) Kussmaul's respiration and a fruity odour on the breath
- (B) Cheyne-Stokes respiration and foul-smelling urine
- (C) Decreased respiration and increased urine output
- (D) Shallow respiration and severe abdominal pain

12. An 85-year-old female is admitted to the accident and emergency department with moderate to severe dehydration.

Which of the following anatomical structures would be MOST appropriate in assessing for the severity of dehydration?

- (A) Abdomen
- (B) Back of the hand
- (C) Dorsal aspect of the forearm
- ☒ (D) Anterior chest, below the clavicle

13. Which of the following does NOT form part of the criteria for valid informed consent from a client?

- (A) Consent must be freely given.
- (B) A witness should always be present.
- (C) Consent should be given in writing, if possible.
- ☒ (D) Coercion is only done if requested by the doctor.

Scenario 3

- 7 -

Items 14–15

A 60-year-old male is admitted to the male surgical ward from the operating theatre, following open reduction and internal fixation for fracture of the pelvis.

The client develops urinary retention 24 hours postoperatively.

14. Which of the following nursing diagnoses should the nurse identify as **PRIORITY** for the client postoperatively?

- I. Acute pain related to surgical incision
- II. Risk for infection related to surgical incision
- III. Deficient knowledge related to postoperative self-care

- ☒ I and II only
- (B) I and III only
- (C) II and III only
- (D) I, II and III

15. Which of the following factors are **MOST** likely to have contributed to the client's urinary retention?

- (A) Epidural analgesia, poor hygienic practices, poor aseptic techniques
 - ☒ (B) Effects of anaesthesia, use of opioids, manipulation of the structures in the pelvis
 - (C) Intravenous fluids, removal of urethral catheter within the first 24 hours after surgery
 - (D) Foley catheter into the urethra, overflow of urine in drainage bag, inadequate oral intake of fluids
- =====

Scenario 4

Items 16-17

A 65-year-old diabetic has had repeated admissions to the male surgical ward due to retention of urine and severe pain over the suprapubic area. He is diagnosed with cancer of the prostate and is scheduled for prostatectomy.

16. Which of the following would be regarded as potential problems subsequent to prostatectomy?

- I. Sexual dysfunction related to the condition
- II. Fluid volume deficit related to genital bleeding
- III. Infection associated with surgical intervention
- IV. Alteration in comfort level associated with surgical procedure

- (A) I and II only
- (B) III and IV only
- (C) I, II and III only
- ☒ (D) I, II, III and IV

17. Which of the following would be suitable outcomes for the client after the FIRST 24 hours of surgery?

- I. Improved self-concept demonstrated by positive verbalization
- II. Pain relieved as manifested by a relaxed and comfortable appearance
- III. Correctly performs necessary procedures and explains reasons for actions
- IV. Adequate hydration as evidenced by stable vital signs and moist mucous membranes

- (A) I and III only
- (B) I and IV only
- (C) II and III only
- ☒ (D) II and IV only

=====

18. Which of the following is an expected outcome after administering Amlodipine (Norvasc) to a client?

- (A) Decreased arrhythmias
- (B) Increased urinary output
- ☒ (C) Decreased blood pressure
- (D) Decreased coronary vasodilation

Scenario 5**Item 19**

A 26-year-old female client was admitted to the medical ward with a history of fever, night sweats, weight loss and a productive cough of yellowish-greenish sputum for one month. She is being managed for pulmonary tuberculosis and is having Pyridoxine (vitamin B6) 100 mg po daily.

19. The MAIN reason for the administration of Pyridoxine to this client is to

- (A) increase nerve impulses
- ☒ (B) prevent the side effects of Isoniazid
- (C) potentiate the effect of Streptokinase
- (D) improve the client's nutritional intake

=====

20. Which of the following phases of the nursing process is utilized when a registered nurse interviews a client to determine if his pain was relieved after he was repositioned?

- (A) Diagnosis
- ☒ (B) Evaluation
- (C) Assessment
- (D) Implementation

21. A 68-year-old male was admitted to the emergency room with shortness of breath. The client has a history of chronic obstructive pulmonary disease.

Which of the following oxygen therapy regimes would the nurse MOST likely administer to the client?

- ☒ (A) 2–3 litres of humidified oxygen therapy via nasal cannula
- (B) 5–7 litres of humidified oxygen therapy via non-rebreather bag
- (C) 6–8 litres of humidified oxygen therapy via face mask
- (D) 8–10 litres of humidified oxygen therapy via non-rebreather bag

22. The nurse ascertains from taking a client's history that she has given birth to eleven children and has had two abortions. Six children are alive and she is now pregnant. The nurse records the client's data as
- (A) gravida eleven, para six, plus two
 - (B) gravida twelve, para six plus two
 - (C) gravida thirteen, para eleven plus two
 - ☒ (D) gravida fourteen, para eleven plus two

23. Which of the following are the most common complications associated with coronary artery disease?

- ☒ (A) Congestive heart failure, dysrhythmias, hypotension
- (B) Hypertension, diaphoresis, jugular vein distension
- (C) Bradycardia, vomiting, elevated blood pressure
- (D) Shortness of breath, dizziness, heartburn

24. Priority nursing care of a client who has undergone a tonsillectomy should focus on preventing


- (A) pain
- (B) vomiting
- (C) throat infection
- ☒ (D) airway obstruction

Scenario 6

Item 25

Postoperative orders for a 55-year-old male include intravenous fluid, 2.5 litres in 24 hours.

25. Which of the following flow rates would be utilized for the client's drip if the drop factor is 10 drops per ml?
- (A) 16 drops per min
 - ☒ (B) 17 drops per min
 - (C) 18 drops per min
 - (D) 24 drops per min



26. What should be the **first** concern of the nurse at the scene where a person has been seriously burned?

- ☒ (A) Cooling the burned area
- (B) Checking the scene for safety
- (C) Checking the victim's breathing and pulse
- (D) Calling the local emergency phone number

27. Which of the following drugs is the antidote for Heparin?

- (A) Naloxone
- (B) Phenytoin
- (C) Isoprenaline
- ☒ (D) Protamine sulfate

28. Which of the following conditions will warrant circumcision for a two-year-old?

- (A) Meatitis
- ☒ (B) Phimosis
- (C) Retractable foreskin
- (D) Urinary tract infection

29. Rocephin (Ceftriaxone) 600 mg twice per day is ordered for a two-year-old child diagnosed with meningitis. If the nurse has Rocephin (Ceftriaxone) 1 g/10 ml available, the amount of Rocephin (Ceftriaxone) **per dose** which would be administered to the client is

- (A) 0.6 ml
- (B) 1.0 ml
- ☒ (C) 6.0 ml
- (D) 12.0 ml

30. A 20-year-old female with sickle-cell anaemia is admitted to the accident and emergency department with an overdose of Morphine.

Which antagonist opioid drug would MOST likely be administered to the client?

- ☒ (A) Naloxone (Narcan)
- (B) Acrivestine (Benadryl)
- (C) Acetylcysteine (Mucomyst)
- (D) Spironolactone (Aldactone)

31. A male client experienced a right ankle sprain 12 hours ago. He asks the nurse for a heating pad to help relieve his discomfort. What should be the nurse's INITIAL action?

(A) Give him the heating pad.
☒ (B) Suggest that he use ice packs.
(C) Call the physician to report his discomfort.
(D) Tell him to alternate using heating pads and ice packs.

32. A three-year-old child is admitted to the accident and emergency department following a seizure. His mother states that this was his first episode of seizure. On examination, the child is in the postictal state.

Which of the following medications would MOST likely be administered to the child to reduce the incidence of further seizures?

(A) Haldol
☒ (B) Phenytoin
(C) Lorazepam
(D) Propranolol

33. A 38-year-old male client is rushed to the accident and emergency department in a collapsed state following a sporting event. The nurse prepares for administration of medications.

Which of the following drugs are MOST likely to be administered during resuscitation of the client?

☒ (A) Adrenaline and Atropine
(B) Hydralazine and Heparin
(C) Phenytoin and Adenosine
(D) Hydrocortisone and Piriton

34. A 58-year-old female is admitted to the intensive care unit with coronary artery disease. The client is intubated and comatose. The recording on the cardiac monitor shows that the client's vital signs are within normal parameters. Suddenly, the cardiac monitor alarms and reflects an asystole line.

Which sequence of actions should the nurse implement to increase the client's chance of survival?

- (A) Notify the attending physician; call for help; check for pulse.
- (B) Check for pulse; call for help; initiate cardiopulmonary resuscitation.
- (C) Initiate cardiopulmonary resuscitation; call for help; notify the attending physician.
- (D) Call for help; initiate cardiopulmonary resuscitation; check the client's level of responsiveness.

35. Which of the following methods of insulin administration would be used in the initial treatment of hyperglycaemia in a client with diabetic ketoacidosis?

- (A) Intradermal
- (B) Intramuscular
- (C) Subcutaneous
- (D) IV bolus, then continuous infusion

Scenario 7

Item 36

Immediately after being immunized against MMR, a one-year-old child develops acute respiratory distress, oedema of the face, erythematous rashes, tachycardia and skin pallor.

36. The MOST important nursing intervention is

- (A) notifying the doctor
- (B) administering an antidote
- (C) checking the immunization site
- (D) taking a medical and family history

=====

GO ON TO THE NEXT PAGE

37. Following an explosion at a factory, the health centre receives a number of workers who present with chemical burns to the eye from battery acid. The INITIAL action of the nurse in charge, in managing these clients, will be to

- ☒ (A) irrigate the eye with sterile normal saline
- (B) cover the eye with a pressure eye patch
- (C) irrigate with tap water
- (D) test visual acuity

Scenario 8

Item 38

A 40-year-old male walks to the accident and emergency department complaining of left-sided chest pain. He states that when the chest pain started he put a tablet under his tongue as was prescribed by his doctor; however, the tablet has not helped him.

38. What should be the nurse's INITIAL action on arrival of the client?

- (A) Initiate intravenous fluids.
- (B) Arrange for blood studies.
- ☒ (C) Assess the client's vital signs.
- (D) Commence 5 L of oxygen via face mask.

=====

A public health nurse is alone at the health centre of a rural community located miles away from the nearest hospital. An adult male who was involved in a physical altercation was rushed to the health centre by a family member. On assessment multiple lacerations are observed over the client's body and several areas of arms and legs are bleeding profusely.

Which of the following nursing interventions is MOST important for the nurse to perform, to prevent cardiovascular complications in the victim?

- ☒ (A) Administer Ringer's lactate intravenously.
- (B) Assess the victim's oxygen saturation rate.
- (C) Administer a loading dose of vitamin K intravenously to the victim.
- (D) Elevate the victim's head while giving oxygen therapy via face mask

Scenario 9

- 15 -

Item 40

A client comes to the accident and emergency department complaining of severe pains in his joints, swelling of his hands and feet and inability to walk. He is diagnosed with rheumatoid arthritis.

40. What PRIORITY intervention should the nurse implement for this client?
- (A) ☒ Apply heat to the affected limbs.
 - (B) ☐ Administer prescribed analgesia.
 - (C) ☐ Carry out passive range of motion.
 - (D) ☐ Schedule rest periods, alternating with activity.

41. Which of the following persons injured in a motor vehicle accident will the triage nurse manager ask the doctor to see FIRST?

- (A) ☐ An elderly client who has multiple abrasions
- (B) ☐ A teenager who sits quietly staring into space
- (C) ☐ An adult client who is calling loudly for attention
- (D) ☒ A child with tachycardia who is clutching his abdomen

42. Which of the following interventions is PRIORITY for a client exhibiting signs and symptoms of coronary artery disease?

- (A) ☐ Educating the client about his symptoms
- (B) ☐ Reassuring the client to decrease anxiety
- (C) ☐ Administering sublingual nitroglycerin as prescribed
- (D) ☒ Administering oxygen to enhance myocardial oxygenation

43. A nurse is caring for a four-year-old child who has been diagnosed with gastroenteritis. In which of the following situations will the need for strict supervised bed rest be BEST for this child?

- (A) ☐ The child complains of abdominal cramps.
- (B) ☐ The child is anxious, fretful and uncooperative.
- (C) ☒ The child shows signs of confusion and incoordination.
- (D) ☐ The child is losing interest in play and visual stimulation.

GO ON TO THE NEXT PAGE

44. A client arriving for dialysis treatment complains of having night chills and pain at the haemo-catheter site for the past 48 hours. Following assessment, the nurse should INITIALLY
- ☒ draw blood for culture
 - (B) commence dialysis treatment
 - (C) administer prescribed antibiotics
 - (D) draw blood for complete blood count
45. A 48-year-old client who had abdominal surgery two days ago complained of severe pain and numbness to her left calf.
- Which of the following should be the nurse's FIRST action?
- (A) Reposition the leg.
 - (B) Administer pain medication.
 - ☒ Assess the leg for warmth and colour.
 - (D) Assess the leg for oedema and range of motion.
46. A client with tuberculosis must take Streptomycin. Before therapy begins, the nurse should instruct the client to notify the doctor if which of the following health concerns occurs?
- (A) Impaired colour discrimination
 - (B) Increased urinary frequency
 - ☒ Decreased hearing acuity
 - (D) Increased appetite

Scenario 10

Item 47

A 30-year-old male is admitted to the male surgical ward with multiple gunshot wounds to the shoulder, chest and abdomen. Chest X-rays and exploratory surgery are done prior to admission. He has chest tubes inserted to supply oxygen, a blood transfusion and intravenous fluids — 4 L in 24 hours.

47. The nurse observes excessive bubbling in the client's underwater seal drainage. The PRIORITY action by the nurse is to
- (A) reposition the client
 - ☒ assess the tube for leaks
 - (C) auscultate breath sounds
 - (D) ask the client to cough and observe the tubing

48. Which of the following statements, made by a nurse on the ward during a telephone conversation, indicates the need for reinforcement of the institution's policy regarding confidentiality?
- (A) "All clients have the right to privacy."
 - (B) "I cannot provide any information about a client's admittance to the hospital."
 - (C) "I can take your name and number and give it to the client, if the person is here."
 - ☒ (D) "Yes, we do have that client admitted to the maternity unit who delivered earlier today."

49. A client who underwent surgery for underwater seal drainage is being transferred to the surgical unit.

Which of the following actions should the nurse take FIRST on arrival of the client to the unit?

- (A) Assess pain status.
 - (B) Assess oxygen saturation.
 - (C) Clean dressing site and ensure it is dry and intact.
 - ☒ (D) Check tubes for placement, patency and amount of drainage.
50. An 18-month-old child with a diagnosis of umbilical hernia has been scheduled for surgical repair in the next two weeks. The clinic nurse instructs the parents about the signs of possible hernia strangulation and informs them that the physician should be notified if which of the following signs/symptoms is observed?
- ☒ (A) Vomiting
 - (B) Diarrhoea
 - (C) Poor appetite
 - (D) Excessive sweating

51. A 75-year-old male client had a laparotomy one day ago. His medical order included Pethidine 75 mg q8h for the first 24–48 hours. During the change of shift, the night nurse noted that the medication was not administered during the afternoon shift.

What should be the FIRST action of the night nurse?

- (A) Ask her colleagues to seek legal counsel.
- ☒ (B) Inform the ward supervisor of the incident.
- (C) Call her colleagues and ask them what happened.
- (D) Write an incident report and place a copy in the client's record.

GO ON TO THE NEXT PAGE

52. A client suffers a cardiac arrest and the ward manager takes over the client's care, issuing orders and expecting staff to implement them immediately. Which of the following types of leadership styles is displayed by the ward manager?
- ☒ (A) Autocratic
 - (B) Democratic
 - (C) Laissez-faire
 - (D) Transactional
53. A nurse notices that there are external forces affecting the change process on the unit. Which of the following is NOT an external force?
- ☒ (A) Low morale of staff in the unit
 - (B) Exacting regulatory and accreditation standards
 - (C) Demands of the labour sector to increase wages
 - (D) Memo from the CEO to cut down on electrical consumption
54. In providing home care instructions to an adolescent with iron-deficiency anaemia, the nurse should tell the adolescent to take the iron supplement with
- (A) fresh milk
 - ☒ (B) cherry juice
 - (C) bottled water
 - (D) an energy drink

Scenario 11

Items 55-56

Forty-eight hours after admission, a 96-year-old client with congestive cardiac failure (CCF) became unresponsive. The nurse initiated resuscitative measures despite a do not resuscitate (DNR) order by the family.

55. The registered nurse who initiated resuscitative measures is liable for
- (A) maleficence, as the registered nurse failed to comply with the family's request
 - (B) breach of fidelity, as the registered nurse's action violated the trust of the client
 - ☒ (C) battery, since the registered nurse did not obtain consent to resuscitate the client
 - (D) malpractice, since the registered nurse's action breached normal practice standards
56. The MOST important principle which should guide the nurse in clinical decision-making is the
- (A) sanctity of life
 - (B) legal responsibility of the nurse
 - ☒ (C) client's right to self-determination
 - (D) client's right to informed consent
- =====
57. A doctor's order exceeds the recommended dosage for a particular drug. The nurse refuses to follow the order and consults with the doctor and her supervisor. Which component of the ICN code of ethics is the nurse upholding?
- (A) Nurses and people
 - ☒ (B) Nurses and practice
 - (C) Nurses and co-workers
 - (D) Nurses and the profession
58. A staff nurse has returned to work after four years of being a stay-at-home mother. The ward sister observes that her wound care technique is outdated. What is the MOST appropriate action for the ward sister to take in this situation?
- (A) Recommend her for wound care training.
 - ☒ (B) Select a nurse who will act as her mentor.
 - (C) Seek the opinion of another senior colleague.
 - (D) Refer her to the wound care policy and procedure manual.

GO ON TO THE NEXT PAGE

59. All clients or their next of kin must be given an opportunity to grant informed consent before treatment, unless there is a life-threatening emergency.

Which of the following is NOT a **major** requirement for informed consent?

- (A) Should be given voluntarily by the client or next of kin.
- ☒ (B) Should be witnessed by the client's significant other whenever he or she is present.
- (C) Should be given by an individual with the capacity and competence to understand.
- (D) The client should be given enough information to be the ultimate decision-maker.

60. The charge nurse on a medical ward is supervising student nurses and nursing assistants in the delivery of client care.

Which of the following actions by the student nurses and nursing assistants would indicate a need for further teaching?

- (A) The nurses wash hands after changing a dressing.
- ☒ (B) The nurses wear goggles while assisting with a venepuncture.
- (C) The nurses wear gloves to monitor the intravenous infusion rate.
- (D) The nursing assistants ambulate the elderly client using a gait belt.

61. A healthcare institution is using the health-wellness-illness continuum tool to evaluate the level of wellness of clients. Which of the following clients should be placed at the centre of the continuum?

- (A) A new mother with a urinary tract infection
- (B) A college student with influenza-like symptoms
- (C) An elderly client who is newly diagnosed with diabetes mellitus
- ☒ (D) An elderly client with a long history of controlled rheumatoid arthritis

62. A client diagnosed with Stage 4 colon cancer is experiencing severe abdominal pain.

Which of the following recommendations would be MOST effective for the client's pain control?

- (A) Take analgesics only when necessary.
- ☒ (B) Take the prescribed analgesic on an around-the-clock schedule to prevent pain.
- (C) Get adjusted to some pain and take less medication than needed to prevent addiction.
- (D) Take analgesics around the clock in order to sleep for twelve-hour intervals to block pain.

63. Which of the following activities should a charge nurse assign to a nursing assistant?
- I. Repositioning a client for pain relief
 - II. Teaching a client the correct use of the incentive spirometer
 - III. Emptying and measuring the indwelling urinary catheter collection bag

(A) I and II only
(B) I and III only
(C) II and III only
(D) I, II and III

64. A nurse manager observes that a nursing assistant is resisting change to the new work schedule. Which of the following approaches is BEST for the nurse manager to use in dealing with this situation?

(A) Exercise coercion with the nursing assistant.
(B) Ignore the resistance the nursing assistant displays.
(C) Meet with the nursing assistant and encourage verbalization of feelings.
(D) Provide a positive reward for the nursing assistant if she accepts the change.

65. Which of the following applies in the planning of care for a client for whom the physician has written a do not resuscitate (DNR) order?

(A) The nurse will continue to implement all treatments focused on comfort and symptom management.
(B) The client and family know that the client will most likely die within the next 48 hours.
(C) The client may no longer make decisions regarding his or her own health care.
(D) A DNR order from the previous admission is valid for the current admission.

66. The quality assurance committee has been mandated to evaluate the national primary healthcare programme. Which of the following observations indicates to the committee that there is a successful primary healthcare framework at the system level?

(A) A keen focus on improving health care during clients' hospitalization
(B) A high promotion of evidence-based practice when treating diseases
(C) Strong policies and programmes that support individual health and maintenance
(D) Generalized community involvement in determining the best way to meet local needs

GO ON TO THE NEXT PAGE

67. The MAIN reasons for the nurse reporting medication errors on an incident form are to
- I. provide legal evidence
 - II. prevent future accidents
 - III. hold the nurse responsible for her actions
 - IV. ensure that procedures are followed in the future
- (A) I and III only
(B) II and IV only
☒ (C) I, II and IV only
(D) I, II, III and IV
68. A physician's orders indicate that a surgical consent form needs to be signed. The nurse was not present when the surgeon discussed the surgical procedure with the client. Which statement by the nurse BEST illustrates fulfilment of the client-advocate role?
- (A) "Do you have any questions about the procedure?"
(B) "The doctor has asked that you sign this consent form."
☒ (C) "What were you told about the procedure that you are going to have?"
(D) "Remember that you can change your mind and cancel the procedure."
69. A client's daughter came to the nurse and said, "Sorry to bother you but I am here to ask about my father's condition." The nurse, with an annoyed look on her face, replied, "It's not a bother."
- On which aspect of communication does the nurse need to improve?
- ☒ (A) Congruence
(B) Relevance
(C) Simplicity
(D) Clarity
70. A 20-year-old client with leukaemia has refused a blood transfusion because of his religious beliefs. The nurse advises against the decision but recognizes the decision by the client to be one of
- (A) justice
☒ (B) autonomy
(C) beneficence
(D) non-maleficence

71. The nurse is caring for a client who says, "I don't want you to touch me. I'll take care of myself." Which response by the nurse is MOST appropriate?
- (A) "If you don't want our care, why did you come here?"
 - (B) "Why are you being so difficult? I only want to help you."
 - (C) "Okay, if that's what you want. I'll just leave you to yourself."
 - ☒ (D) "How can we work together so you can do things for yourself?"
72. Which of the following behaviours is a MAIN characteristic of an autocratic nurse leader?
- (A) Encourages group discussion and decision-making
 - ☒ (B) Makes decisions for staff and gives orders to the staff
 - (C) Acts as a facilitator, actively guiding a group towards achieving goals
 - (D) Relies on the organizational rules and policies to direct the work efforts of staff
73. A nurse manager notices that a staff nurse has been consistently late five days for the week. What action should the nurse manager take FIRST?
- (A) Send her a warning letter.
 - (B) Report the nurse to higher authority.
 - ☒ (C) Have a dialogue with her to determine the reasons for her lateness.
 - (D) Inform her that her lateness is unacceptable and will not be tolerated.
74. A 25-year-old client asks about the cause of anaemia in sickle-cell disease. The nurse correctly states that it results from the
- (A) low dietary intake of iron
 - (B) poor production of red blood cells
 - ☒ (C) rapid breakdown of red blood cells
 - (D) low intrinsic factor being produced by the stomach
75. A client who is 12 weeks pregnant is booked at the antenatal clinic. What will her gestational age be at the next routine visit?
- (A) 24/40
 - ☒ (B) 16/40
 - (C) 15/40
 - (D) 14/40

76. A pregnant woman goes through physiological signs and symptoms of pregnancy that can be quite challenging for herself and family to adapt to.

Which of the following categories of signs of pregnancy is MOST likely to be used by the nurse in the district clinic during antenatal care?

- (A) Possible, positive and proximity
- (B) Probable, positive and proximity
- ☒ (C) Presumptive, probable and positive
- (D) Predictable, possible and presumptive

77. A client is diagnosed with pulmonary tuberculosis. Which of the following measures should be of HIGHEST priority for this client?

- (A) Having sufficient rest
- (B) Eating a well-balanced diet
- (C) Living where there is clean air
- ☒ (D) Taking medications as prescribed

78. Which of the following sources is considered MOST reliable during the process of a literature review?

- (A) Electronic databases such as Wikipedia
- (B) Abstracts or brief descriptions of complete studies
- (C) Written reports by researchers who conducted a study
- ☒ (D) Recent high quality reviews on information about existing evidence

79. The registered nurse knows that for any organization to function effectively its members need to first understand the

- (A) functions of the manager
- ☒ (B) mission of the organization
- (C) management tools to be used
- (D) resources available to the organization

80. Which of the following are active health promotion strategies?

- I. Accountability
- II. Regular exercise
- III. Weight management

- (A) I and II only
- ☒ (B) I and III only
- ☒ (C) II and III only
- (D) I, II and III

81. A surgical nurse observes a client who was recently diagnosed with breast cancer becoming angry with the nursing staff when they approach her.
- The BEST strategy the nurse can use to diffuse this emotionally charged situation is to
- (A) allow the client and family members time alone
 - (B) arrange for the nursing supervisor to speak with the client
 - (C) ☒ arrange time for the client to speak with a cancer survivor
 - request a consultation from a social worker on the oncology unit

Scenario 12

Item 82

A 45-year-old female client is being admitted to the hospital for ovarian cystectomy under general anaesthesia. During the preoperative assessment she verbalizes feeling troubled about leaving her teenaged daughter and ten-year-old son at home with a relative.

82. Which of the following actions by the nurse is MOST appropriate when the client expresses being worried about her children?
- (A) Encourage the client to call the children in a couple of hours to ensure they are well.
 - (B) Reassure the client that her children will be fine and that she should not worry at this time.
 - (C) Contact the relative to determine his/her ability to be an adequate care provider for the children.
 - (C) ☒ Gather more information about the client's feelings and the arrangements made for care of the children.

=====

Items 83-85

Scenario 13

A Dutch tourist is admitted to the hospital for emergency surgery. The nurse is unable to get a full history because the client and his wife speak very little English. The hospital does not have any personnel who speak Dutch.

83. In the immediate admission period, the BEST way to manage the client is to
- ☒ use gestures and drawings to convey the message
 - (B) have the client's hotel send a Dutch translator
 - (C) refer the matter to the hospital administrator
 - (D) delay care until a translator can be sourced
84. Which of the following cultural barriers should the nurse AVOID when communicating with the client?
- I. Ethnocentrism
 - II. Ethnorelativism
 - III. Stereotyping
- (A) I and II only
 - ☒ I and III only
 - (C) II and III only
 - (D) I, II and III
85. Which of the following actions by the nurse will BEST portray cultural sensitivity when providing care for the client?
- (A) Informing the client of one's culture
 - (B) Adhering strictly to the hospital's policy
 - (C) Addressing the client by his first name
 - ☒ Asking the client how he prefers to be addressed
- =====

Scenario 14

Items 86–89

During a staff meeting at the accident and emergency (A&E) department, the nurses complained of the challenges they face trying to communicate with non-nationals, especially non-English speakers, who access health care.

86. When language is a barrier in communication, the nurses can BEST assist by
- ☒ (A) encouraging clients to attend classes to learn English
 - ☐ (B) showing a warm and caring attitude while attending to clients' needs
 - ☐ (C) writing all information and asking clients to get help reading it at home
 - ☐ (D) encouraging clients to have an interpreter when they visit the department
87. Which of the following statements by one of the nurses BEST demonstrates stereotyping?
- ☒ (A) "Spanish-speaking clients are very demanding of the health services."
 - ☐ (B) "I am unable to provide quality care to these clients because of the language barrier."
 - ☐ (C) "The young Spanish-speaking clients should be able to communicate better in English."
 - ☐ (D) "Some of the clients can be very loud, especially when they are unable to express themselves in English."
88. Which of the following statements by one of the nurses BEST indicates a lack of understanding of her responsibility?
- ☐ (A) "I feel very frustrated dealing with non-English-speaking clients."
 - ☐ (B) "Quality care is challenging to provide because the non-English-speaking clients cannot understand."
 - ☒ (C) "When the system provides foreign language training for me I will provide quality care to the clients."
 - ☐ (D) "Providing care would be easier if the non-English-speaking clients were accompanied by an interpreter."

89. The BEST solutions for the challenges faced by the staff at the A&E department are
- I. requesting the Ministry of Health to recruit foreign language-speaking nurses or doctors for the department
 - II. arranging for conversational foreign language classes for all staff members in the department
 - III. encouraging all non-English-speaking clients to attend English classes
- ☒ (A) I and II only
(B) I and III only
(C) II and III only
(D) I, II and III
- =====

90. Which of the following actions of a nurse manager demonstrates that she has reached the SECOND stage of change, according to Lewin?

- (A) Finds solutions to the problems
(B) Selects the best change strategy
☒ (C) Helps nursing staff learn new concepts
(D) Integrates the solutions to day-to-day problems

91. A ward sister is a preceptor for a new nursing graduate and is observing her as she organizes client care and other duties. The ward sister should intervene if the new nurse

- ☒ (A) documents after completing multiple tasks
(B) prioritizes client needs and daily duties
(C) provides time for unexpected duties
(D) lists the supplies needed for a task

92. A 19-year-old client is admitted to hospital for the management of depression. During the admission process the client tells the nurse, "I have always seen myself as a failure. That is why I wanted to die." Which of the following initial responses by the nurse would be MOST therapeutic?

- (A) "Do you think you have any positive traits in you?"
(B) "Don't you think you have a bright future ahead of you?"
☒ (C) "So, you've been feeling like a failure for quite a while now?"
(D) "It's not abnormal to feel like a failure at this stage of your life."

93. Which of the following activities would BEST demonstrate the Babinski reflex on a five-day-old infant during a neurological assessment?
- (A) Stroke the corner of the mouth.
 - (B) Turn the head to one side.
 - ☒ (C) Stroke the sole of the foot.
 - (D) Perform sharp handclap.
94. A 14-year-old client sustains a first degree laceration after delivery but refuses to be sutured. The midwife went ahead and repaired the laceration. The action taken by the midwife is BEST described as
- ☒ (A) battery
 - (B) breach of duty
 - (C) invasion of privacy
 - (D) intentional infliction of emotional distress
95. Two nurses on the ward disagree with regard to the need to make changes to the system. The nurse manager attempts to resolve conflict between the two nurses. Which communication skill should the manager use FIRST?
- (A) Clarification
 - (B) Confrontation
 - ☒ (C) Active listening
 - (D) Nonverbal acknowledgement
96. Nursing is considered a profession. Which of the following LEAST exemplifies professionalism?
- (A) Empowerment of individuals and teams
 - (B) Awareness of limitations and scope of practice
 - ☒ (C) Adherence to a moral code and seeking personal gains
 - (D) Motivation to deliver service and adherence to an ethical code
97. The professional nurse is one who
- I. achieves high academic standards
 - II. is committed to people-centred care
 - III. is a member of the Nurses' Association
 - IV. is responsible and accountable for nursing actions
- (A) I and II only
 - (B) II and III only
 - ☒ (C) I, II and IV only
 - (D) II, III and IV only

98. The MOST appropriate goal of nursing research is to
- (A) evaluate people and the nursing process
 - (B) maintain the care of people in the clinical setting
 - (C) develop minimal autonomy as a nursing profession
 - ☒ (D) provide evidence on which nursing practice is based

Items 99–100 refer to the following nursing actions.

- (A) Attend professional development workshops
- (B) Review the institution's procedure guidelines
- (C) Review current literature on the subject
- (D) Take a skill competency assessment

In answering items **99–100**, match each item with one of the options above. Each option may be used once, more than once or not at all.

99. A recent graduate is desirous of implementing a new intervention she thinks will be beneficial to her clients. Which of the actions above would she be advised to carry out FIRST?
100. The supervisor instructed a nurse to assist with a procedure that the nurse has not practised in the past six years. The nurse is concerned that he may not be able to demonstrate competency. What would be the BEST action for him to take in preparing for the assigned task?

=====

END OF TEST

TEST CODE 08270020

FOR
CARICOM COUNTRIES

2 hours 30 minutes

REGISTRATION NUMBER:

THIS TEST IS COPYRIGHT AND CONFIDENTIAL.

It should be used for no purpose other than the test in progress. Any unused copies should be returned to the CARIBBEAN EXAMINATIONS COUNCIL. In no circumstances should the contents of this test be divulged to any unauthorized person or persons, or copied or reproduced in whole or in part by any means (including photocopying or recording) or quoted in any way in any book, magazine or newspaper, or in the course of any sound or television performance.

Copyright © (2021)

RENK 08270020/APRIL 2021

1. During pregnancy, endocrine activity causes the pelvic ligaments to soften and allow the joints to 'give'. The MAIN significance of this phenomenon is that it
 - (A) may give rise to pain when walking
 - (B) allows delivery to progress at a faster pace
 - ☒ (C) allows nodding of the sacrum hence more comfort is provided
 - (D) provides more room for the foetal head as it passes through the pelvis
2. In caring for a client with active bleeding from a gunshot wound to the thigh, the nurse will give HIGHEST priority to
 - (A) getting a history
 - (B) taking the vital signs
 - ☒ (C) controlling the bleeding
 - (D) informing the surgeon on call
3. Which of the following actions would be considered MOST therapeutic when admitting a client suffering from depression?
 - ☒ (A) A person-centred approach
 - (B) Complimenting her achievements
 - (C) A firm, quick but humane admission
 - (D) Having a friend with her for moral support

Item 4

Scenario 1

A 15-year-old male client is admitted to the accident and emergency department following a road traffic accident. The client sustained multiple lacerations and is bleeding heavily.

4. For which of the following complications should the nurse monitor the client when replacing IV fluids?
 - (A) Cardiogenic shock
 - (B) Cardiac tamponade
 - ☒ (C) Cardiovascular overload
 - (D) Cardiovascular occlusion

=====

5. Which of the following behaviours exhibited by a client can be explained by the nurse as a normal psychosocial stage in the first trimester of pregnancy?
- ☒ (A) Unwanted support from partner
 - ☐ (B) Ambivalence regarding the pregnancy
 - ☐ (C) Reluctance to visit a healthcare provider
 - ☐ (D) Shared responsibility between family members and partner
6. Which of the following assessment data are objective?
- I. Blood pressure 130/98 mm Hg
 - II. Hb 12.0 g/dl
 - III. Headaches
 - IV. Blurred vision
- ☒ (A) I and II only
 - ☐ (B) III and IV only
 - ☐ (C) I, II and III only
 - ☐ (D) II, III and IV only

Item 7

Scenario 2

A 32-year-old male client is diagnosed with cancer of the colon and is scheduled for surgery.

7. During the initial postoperative assessment, the nurse finds that the client's stoma is brick-red in colour, with moderate oedema and minimal bleeding. The MOST appropriate interpretation of this finding is that there is
- ☒ (A) a viable stoma with high vascularity
 - ☐ (B) obstruction of the stoma with venous congestion
 - ☐ (C) inadequate blood supply to the stoma caused by oedema
 - ☐ (D) an abnormal stomal condition that should be reported to the surgeon

=====

8. On the third day following an abdominal hysterectomy and bilateral salpingo-oophorectomy, a client complains of nausea and abdominal discomfort. She is not passing flatus and has not had a bowel movement. What should the nurse do FIRST?
- (A) ☒ Encourage intake of high fibre foods.
 - (B) ☐ Perform an abdominal assessment.
 - (C) ☐ Administer a stool softener as ordered.
 - (D) ☐ Offer prescribed medication for pain and nausea.

Item 9

Scenario 3

A 45-year-old male client is admitted to the medical ward with a history of uncontrolled diabetes mellitus, a temperature of 38 °C (100.4 °F) and an HbA1c of 12%. He presents with a fruity odour on his breath.

9. The nurse immediately calls the doctor. The MOST appropriate action to be taken by the nurse while she waits for the doctor to arrive is to
- (A) ☐ elevate the foot of the bed
 - (B) ☐ screen the bed for privacy
 - (C) ☐ offer the client a sweetened drink
 - (D) ☒ ensure short-acting insulin is available

=====

10. The confirmative diagnosis of breast cancer relies PRIMARILY on
- (A) ☐ analysis of serum enzymes
 - (B) ☐ ultrasonographic examination
 - (C) ☐ extensive mammographic assessment
 - (D) ☒ pathologic examination of breast tissue
11. Which of the following is an appropriate fact to share when teaching a client about systemic lupus erythematosus?
- (A) ☐ Use protection from white light when inside.
 - (B) ☐ No joint pain or inflammation is experienced.
 - (C) ☒ Use protection from ultra violet light when outside.
 - (D) ☐ The importance of splints to prevent joint damage.


Scenario 4

A student is admitted to the hospital complaining of nausea and severe abdominal pain in the right lower quadrant. His temperature is 39°C (102.2°F).

12. If the student has a perforated appendix and develops peritonitis, the nurse should assess the student for an elevated temperature and

(A) diuresis
 (B) flatulence
 (C) hyperactivity
☒ abdominal rigidity

Item 13 refers to following electrocardiograph.



13. Which of the following electrolytes would MOST likely be the cause of the elevated T-wave above?

(A) Sodium
 (B) Calcium
 (C) Magnesium
☒ Potassium

14. In cases of severe asthma, steroids are used to
- ☒ (A) treat wheezing
 - (B) treat inflammation
 - (C) provide better delivery of oxygen
 - (D) allow smoother laminar flow into tighter airways
15. A 52-year-old female patient reports to the nurse that she is experiencing pain in her left lower leg. Which of the following assessments will the nurse perform if she suspects thrombophlebitis?
- ☒ (A) Measure calf circumference.
 - (B) Monitor vital signs four times daily.
 - (C) Palpate the skin over the tibia and fibula.
 - (D) Note any difficulty when patient ambulates.
16. A 21-year-old woman presents to the accident and emergency department with an acute onset of intermittent pain in the left lower abdomen. Her last normal menstrual period was approximately six weeks ago. A physical examination reveals a tender lower abdomen.
- Which of the following is the MOST appropriate diagnostic test for this client?
- (A) Pap smear
 - (B) Abdominal X-ray
 - (C) Complete blood count
 - ☒ (D) Human chorionic gonadotropin (hCG)
17. A nursing diagnosis of fluid volume excess was identified for a patient with cirrhosis of the liver. What related factor would be used to guide nursing interventions?
- ☒ (A) Reduced protein
 - (B) Excessive vomiting
 - (C) Decreased oral intake
 - (D) Localized inflammation
18. Which of the following questions would be BEST suited for the nurse to elicit information from a client regarding the quality of his or her pain?
- (A) "How long have you been experiencing pain?"
 - (B) "Is your pain preventing you from moving?"
 - ☒ (C) "What does your pain feel like?"
 - (D) "Are you having severe pain?"

19. Which of the following assessments would be MOST appropriate for a nurse to perform during the dwelling phase of peritoneal dialysis?

(A) Observe for urticarial.
(B) Check capillary refill time.
(C) Monitor electrolyte status.
☒ (D) Monitor respiratory status.

Items 20–21

Scenario 5

A two-year-old child is admitted to the paediatric ward with a history of sickle-cell crisis.

20. The appropriate nursing management for this child is

(A) bed rest, heparin therapy and hydration
☒ (B) aggressive analgesic, oxygen therapy and hydration
(C) oxygen therapy, blood transfusion and iron replacement
(D) aggressive analgesic, platelet administration and monitoring of CBC

21. The child receives medication for pain, yet he is crying constantly.

The MOST effective methods which the nurse could use to calm him are

I. using a puppet to talk to him
II. encouraging his mother to stay with him
III. encouraging him to say what is wrong
IV. staying close to him and speak soothingly

(A) I, II and III only
☒ (B) I, II and IV only
(C) I, III and IV only
(D) II, III and IV only

=====

22. A nurse must participate in ongoing staff development sessions in order to be an effective change agent. Which of the following will assist her in being successful in this role?

(A) Position in the hospital
(B) Educational background
☒ (C) Desire to produce change
(D) High technical knowledge

23. Which nursing intervention would be MOST appropriate if the flow of the dialysate stops before all the solution has drained?
- (A) Assist the client to ambulate.
 - (B) Instruct the client to sit in a chair.
 - (C) Reposition the peritoneal catheter.
 - ☒ (D) Reposition the client from side to side.
24. A client is diagnosed with peptic ulcer disease, the causative agent of which is *H. Pylori*. The MOST appropriate method of treatment for this client is the use of
- (A) analgesics and antibiotics
 - ☒ (B) proton-pump inhibitors and antibiotics
 - (C) analgesics and H₂ histamine blockers
 - (D) proton-pump inhibitors and steroids
25. A nurse discovers that a physician has prescribed an unusually large dosage of a medication. Which of the following is the MOST appropriate action for the nurse to perform?
- ☒ (A) Notify the physician.
 - (B) Call the pharmacist.
 - (C) Refuse to administer the medication.
 - (D) Administer a smaller dose of the medication.

Scenario 6

Item 26

In the follow-up care of a 17-year-old client with anorexia nervosa, the nurse notes that the client is pregnant.

26. Which of the following nursing diagnoses should be the PRIORITY concern for the nurse?
- (A) Risk for impaired parenting due to teenage pregnancy
 - (B) Risk for altered body perception due to weight gain in pregnancy
 - (C) Risk for imbalanced nutrition: More than body requirements, due to weight increase imposed by pregnancy
 - ☒ (D) Risk for imbalanced nutrition: Less than body requirements, due to increased requirements imposed by pregnancy


=====

Scenario 7

A 52-year-old male presents to the emergency room with acute myocardial ischemia. The nurse administers oxygen and nitroglycerine sublingually as prescribed by the doctor.

27. Which test should be done to ascertain the client's progress?

- (A) Chest X-ray
- ☒ (B) Echocardiogram
- (C) Electrocardiogram
- (D) Electroencephalogram



Scenario 8


A 20-year-old male who was recently diagnosed with diabetes mellitus is admitted to a male medical ward for stabilization. His treatment plan includes NPH insulin.

28. When teaching the client about his dietary AND exercise regimen, the nurse should explain how to

- (A) ensure good absorption of insulin
- (B) use the drug and promote compliance
- ☒ (C) prevent hypoglycaemic and hyperglycaemic episodes
- (D) improve the effectiveness of insulin and decrease the effects of the disease

29. When discussing the client's treatment plan, as it relates to the HbA1c blood test, the nurse should inform the client that

- (A) the test can be affected by the glucose challenge
- (B) fasting for eight hours before the test ensures accuracy
- (C) the test reflects the level of glucose in the blood after a meal
- ☒ (D) the test reflects a three-month average glucose level in the body



30. Following an amputation, a client experiences phantom pain and is later found by a nurse lying on the floor. The client reports headache and hip pain.
- How should the nurse document this incident?
- ☒ (A) Document the fall in the nurse's notes and complete an incident report.
 - (B) Complete an incident report and file a copy in the client's medical record.
 - (C) Record the incident and give a copy of the report to the client's caregiver.
 - (D) Record the incident in the client's chart and place a copy in the nurse's record.
31. Which of the following actions BEST reflects an ethical conflict between client autonomy and nurse beneficence in the provision of nursing care?
- (A) Responding to a client's request not to disclose her HIV status to her husband
 - (B) Deciding to save the life of a child rather than that of an adult with a terminal illness
 - (C) Advising clients about contraception although it is against the nurse's personal beliefs
 - ☒ (D) Shaving a client's head prior to craniotomy, although it is against the client's cultural beliefs
32. A charge nurse, who is the close friend of a male client, assigns himself to the client's care in an attempt to deliver preferential treatment. The client complains of pain and the nurse administers an unprescribed parenteral analgesic to him after failing to reach the doctor. The action of the charge nurse is BEST deemed
- (A) appropriate, as he is expected to promote comfort for the client in his care
 - (B) appropriate, as he is the charge nurse and was unable to reach the doctor
 - ☒ (C) inappropriate, as he breached the accepted standards of nursing practice
 - (D) inappropriate, as he violated the unit's protocol for medication administration
33. A nurse manager seeks to ensure that adequate resources are available at all times. The MOST effective means of accomplishing this is to
- (A) keep client count at a low level
 - (B) operate a tight budget each month
 - (C) track the resources available on a day-to-day basis
 - ☒ (D) discuss with staff how to effectively manage resources

34. A 26-year-old client diagnosed with narcolepsy asks the nurse, "What is wrong with me?" Which of the following is the MOST appropriate response, if the nurse has limited knowledge about the condition?
- ☒ (A) "I do not know all the facts, but I will investigate the condition."
 - (B) "I will ask another nurse to tell you about it."
 - (C) "Are you worried about your condition?"
 - (D) "Your doctor will tell you all about it."
35. The charge nurse is preparing to teach the nursing students about the common medical conditions on the unit. The nurse must FIRST
- (A) prioritize students' learning needs
 - ☒ (B) identify the students' preferred learning styles
 - (C) create objectives appropriate to the students' level
 - (D) determine the best methods of delivery of the content
36. Which potential complication should be assessed for in a postoperative patient with permanent pacemaker implantation?
- (A) Decreased pulse rate
 - (B) Decreased urinary output
 - (C) Decreased respiratory rate
 - ☒ (D) Bleeding at implantation site
37. Which of the following leadership styles is BEST, if ample time to make a decision is NOT available?
- (A) Situational
 - ☒ (B) Autocratic
 - (C) Democratic
 - (D) Laissez-faire

Scenario 9

Items 38-40

A nurse manager has been assigned as the leader of a committee to plan strategies to address the problem of staff shortage.

38. In which order should the nurse manager address the problem, in keeping with the stages in the staffing process?

(A) Planning, selecting, placement, interviewing
(B) Placement, planning, interviewing, selecting
☒ (C) Planning, interviewing, selecting, placement
(D) Interviewing, placement, selecting, planning

39. Which of the following actions implemented by the nurse manager are indicative of staffing functions?

I. Recruiting persons with specific educational qualifications
II. Promoting personal growth for staff to improve motivation
III. Noting the number and type of personnel in keeping with institutional policies

(A) I and II only
☒ (B) I and III only
(C) II and III only
(D) I, II and III

40. Which of the following strategies utilized by the nurse manager would be LEAST likely to result in a **long-term** solution to the nursing shortage?

(A) Providing attractive remuneration ☒
(B) Improving the work environment
(C) Providing opportunities for continuing education
☒ (D) Fostering collaboration among nursing personnel

=====

41. A nurse's neighbour has been admitted to a ward where the nurse is assigned. A mutual friend meets the nurse in town and asks about the neighbour's diagnosis. The MOST appropriate response of the nurse would be
- (A) "Call me later. I will tell you in private."
 - (B) "Perhaps you can ask her sister. She just visited."
 - ☒ (C) "I'm sorry, you will need to ask the client that yourself."
 - (D) "I'm sorry, all I can say is that she was admitted for surgery."
42. In evaluating the effectiveness of interventions for a diagnosis of 'imbalanced nutrition: less than body requirement' the nurse is expected to find
- ☒ (A) weight gain of 1 kg
 - (B) serum albumin < 3.5 g/dL
 - (C) an increase in Hb by 1%
 - (D) diminishing sacral oedema
43. Which of the following legal guidelines is maintained when a client is educated about all alternative treatments?
- (A) Confidentiality
 - (B) Right to justice
 - ☒ (C) Informed consent
 - (D) Advanced directives
4. A patient had surgery to correct her uterine displacement. Twenty-four hours after surgery, the patient develops a vaginal haematoma. The nurse's BEST response would be to
- (A) ask the patient to sit over hot water
 - ☒ (B) inform the attending surgeon immediately
 - (C) inform the administrative sister and then the surgeon
 - (D) raise the patient's legs 90 degrees above the level of the heart
- ☒


Scenario 10

Item 45

A five-year-old child is admitted to the paediatric unit with a history of vomiting and diarrhoea for two days and a diagnosis of gastroenteritis with moderate dehydration is made. His potassium level is 2.0 mEq/L. Treatment includes intravenous infusion with additive of potassium chloride.

45. Which of the following observations would FIRST alert the nurse to suspect that the child is developing circulatory overload?

- ☒ (A) Auscultation of moist crackles
- (B) A decrease in blood pressure
- (C) An increase in urinary output
- (D) Change to slow respirations



46. During preoperative care, the nurse concludes that a client who is scheduled for abdominal surgery does not understand the procedure. The MOST appropriate nursing action would be to

- (A) attempt to explain the procedure to the client
- (B) document the knowledge gap in the client's chart
- (C) request that the nurse in charge explain the procedure to the client
- ☒ (D) request that the attending physician explain the procedure to the client

Scenario 11

A 45-year-old client who received spinal anaesthesia four hours ago is transferred to the surgical ward and, after one and a half hours, reports severe incisional pain. The client's temperature is 37.2 °C (99 °F), and blood pressure is 170/90 mmHg, pulse 108 beats/min, and respirations are 30 breaths/min. The client's skin is pale and the surgical dressing is dry and intact.

47. The MOST appropriate nursing intervention for the client is to
- (A) administer oxygen while the client is in a high-Fowler's position
 - ☒ (B) administer the prescribed pain medication
 - (C) inform the surgeon and anaesthetist
 - (D) provide diversional therapy

=====

48. Which of the following is the correct sequence in the communication process?

- I. Encode
- II. Feedback
- III. Decode
- IV. Channel
- V. Sender
- VI. Receiver

- (A) I, IV, V, II, III, VI
- ☒ (B) V, I, IV, VI, III, II
- (C) V, IV, I, III, II, VI
- (D) VI, V, III, I, IV, II

49. A 26-year-old female is concerned about her first baby who is diagnosed with hydrocephalus. The mother tells the nurse, "I do not feel comfortable caring for my baby at home." Which of the following responses would be MOST appropriate for the nurse to make?

- ☒ (A) "What concerns do you have about caring for your baby at home?"
- (B) "What exactly makes you so unhappy about your baby going home?"
- (C) "We have good paediatricians who will care for the baby even at home."
- (D) "As a mother you have to try and cope with your baby's condition at home."

50. Which of the following activities should receive the LOWEST priority when planning nursing care for an elderly, mentally alert client confined to bed?
- (A) Prophylactic skincare
 - (B) Range of motion exercises
 - ☒ (C) The use of disposable diapers
 - (D) Adequate hydration and nutrition
51. A 45-year-old married man on aldomet (Methyldopa) treatment for hypertension tells the nurse that he is experiencing impotence. The client tells the nurse, "I'd rather die than continue experiencing this embarrassment." Which of the following responses by the nurse is MOST appropriate?
- (A) "Are you thinking about killing yourself?"
 - (B) "Would you like me to ask the doctor to change your medication?"
 - (C) "I can make an appointment for you to talk to the counsellor."
 - ☒ (D) "Tell me more about your concerns regarding your medication."
52. When evaluating the leadership style of a nursing unit, which characteristic would lead the nurse to determine that a laissez-faire leadership style is being used?
- ☒ (A) Each staff member works independently.
 - (B) Activities are delegated to all staff members.
 - (C) One person is responsible for all decision-making.
 - (D) The leader shows concern for others, taking risks as necessary.
53. Student nurses were given an assignment to develop a hypothesis to investigate a clinical problem. Which of the following represents a hypothesis?
- (A) What are the factors that contribute to nosocomial infections among clients on a surgical unit?
 - ☒ (B) Subjects receiving antiemetic therapy by a client-controlled pump will consume less medication than subjects receiving the therapy by nurse administration.
 - (C) To test the relative effectiveness of alternative procedures on medication consumption and the control of side effects.
 - (D) Is there a relationship between client-controlled and nurse-administered antiemetic therapy for controlling nausea and vomiting?

54. A nurse was evaluating the care given to a male client, from a different culture, who became irritable when asked about the use of alternative therapies. Which of the following is the BEST explanation for what the nurse should do in response?

- ☒ (A) Ask the question, because knowledge about actual use of other therapies is imperative.
- (B) Don't ask the question, because it is important to not upset the irritable client any further.
- (C) Ask the question, because the nurse might learn about therapies used by a different culture.
- (D) Don't ask the question, because the client needs to choose to initiate discussion of other therapies.

55. A new graduate nurse is assigned to a ward which is very busy. Two staff nurses reported sick and another, who was late, was heard arguing with the nurse in charge. The new graduate, who was already quite nervous, was given an assignment that she perceives to be difficult.

The new graduate would BEST demonstrate the use of emotional intelligence to solve the dilemma by

- (A) explaining to the charge nurse why she is not doing the assignment
- ☒ (B) asking the charge nurse to discuss the assignment with her
- (C) calling the supervisor to report the unsafe client condition
- (D) asking the other nurses what their assignments are

56. Which of the following is NOT a preventative measure for reducing the possibility of developing cancer?

- (A) Encouraging people to stop smoking
- (B) Encouraging regular physical examination
- ☒ (C) Advising people to reduce dietary intake of fibre
- (D) Advising people to adhere to safety practices in the work environment

57. If a nurse makes decisions on behalf of a client without the client's knowledge or consent, this is known as

- (A) authority
- (B) advocacy
- (C) collaboration
- ☒ (D) paternalism

58. A nurse is assessing a 45-year-old client newly diagnosed with Type 2 diabetes mellitus. His random blood glucose is 18.8 mmol/L (338.4 g/dL). What is the MOST appropriate nursing action?
- (A) Call the physician immediately.
 - (B) Monitor the client's vital signs.
 - ☒ (C) Administer insulin as prescribed.
 - (D) Prepare for administration of IV 5% dextrose water (DW).
59. A 16-year-old epileptic client suddenly has a generalized seizure while sitting at her bedside. Which of the following actions should the nurse undertake FIRST?
- (A) Lift the client onto her bed.
 - ☒ (B) Ease the client to the floor.
 - (C) Monitor the nature of the seizure.
 - (D) Insert a padded tongue blade inside the mouth.
60. Which of the following management functions relates to the evaluation of the performance of subordinates?
- ☒ (A) Controlling
 - (B) Organizing
 - (C) Directing
 - (D) Staffing
61. Which of the following measures are MOST likely to reduce a three-year-old child's anxiety while he is in the health centre?
- I. Approach him quietly and calmly.
 - II. Allow a family member to stay with him.
 - III. Allow family members to verbalize their fears.
 - IV. Give simple explanations for procedures.
- (A) I and III only
 - (B) II and IV only
 - ☒ (C) I, II and IV only
 - (D) II, III and IV only
62. A senior nurse suggests that staff use touch and gestures in communicating with non-English-speaking clients. This type of communication is BEST described as
- (A) therapeutic
 - ☒ (B) nonverbal
 - (C) didactic
 - (D) verbal

GO ON TO THE NEXT PAGE

63. A staff nurse described an elderly client as having 'a flat affect'. Which of the following observations made by the nurse would BEST describe the client's behaviour?

- (A) Emotional response limited at times
- ☒ (B) Blank look with a fixed facial expression
- (C) Laughing and mumbling at times to himself
- (D) Body language not in keeping with conversation

64. The accident and emergency nursing supervisor informs the charge nurse of the surgical unit that a client, who has been diagnosed with a fractured femur and has a history of hypertension (HTN), will be coming to the ward. The operating room is also sending two clients, one who had a total abdominal hysterectomy and another who had a right hip replacement.

The charge nurse should assign

- ☒ (A) an experienced registered nurse (RN) to the postoperative client with the hip replacement
- (B) a first-year student/nursing assistant to the client with a fractured femur and HTN
- (C) an experienced nursing assistant to the client who had the abdominal hysterectomy
- (D) an RN on orientation to the postoperative client who underwent hip replacement

65. A nursing supervisor receives a call from a client's relative who is requesting information about the client's condition for health insurance purpose. How should the nurse respond to the client's relative?

- (A) "Call back in half an hour and I will provide you with the information."
- (B) "I can provide you with your relative's surgical procedure only, nothing else."
- (C) "Your relative is doing a lot better; she'll be discharged within the next few days."
- ☒ (D) "Privacy regulations preclude me from disclosing information about our clients."

66. A client at the family planning clinic is due to commence oral contraceptives. Which of the following aspects of the client's profile MOST likely indicates to the nurse that oral contraceptives are contraindicated?

- (A) Presence of renal calculi
- (B) Apical rate of 72 beats/minute
- (C) Blood pressure of 108/72 mmHg
- ☒ (D) Thrombotic stroke at 35 years of age

54. A nurse was evaluating the care given to a male client, from a different culture, who became irritable when asked about the use of alternative therapies. Which of the following is the BEST explanation for what the nurse should do in response?

- ☒ (A) Ask the question, because knowledge about actual use of other therapies is imperative.
- (B) Don't ask the question, because it is important to not upset the irritable client any further.
- (C) Ask the question, because the nurse might learn about therapies used by a different culture.
- (D) Don't ask the question, because the client needs to choose to initiate discussion of other therapies.

55. A new graduate nurse is assigned to a ward which is very busy. Two staff nurses reported sick and another, who was late, was heard arguing with the nurse in charge. The new graduate, who was already quite nervous, was given an assignment that she perceives to be difficult.

The new graduate would BEST demonstrate the use of emotional intelligence to solve the dilemma by

- (A) explaining to the charge nurse why she is not doing the assignment
- ☒ (B) asking the charge nurse to discuss the assignment with her
- (C) calling the supervisor to report the unsafe client condition
- (D) asking the other nurses what their assignments are

56. Which of the following is NOT a preventative measure for reducing the possibility of developing cancer?

- (A) Encouraging people to stop smoking
- (B) Encouraging regular physical examination
- ☒ (C) Advising people to reduce dietary intake of fibre
- (D) Advising people to adhere to safety practices in the work environment

57. If a nurse makes decisions on behalf of a client without the client's knowledge or consent, this is known as

- (A) authority
- (B) advocacy
- (C) collaboration
- ☒ (D) paternalism

Scenario 12

A client presents with feelings of nervousness and irritability, diaphoresis, palpitations and exophthalmos. A diagnosis of hyperthyroidism is made and propylthiouracil (Propacil) is prescribed.

70. The assessment technique that would have been of LEAST value when examining the client is
- (A) palpation
 - (B) inspection
 - ☒ (C) percussion
 - (D) auscultation
71. Which of the following clinical manifestations is characteristic of exophthalmos?
- (A) Sunken eyeballs
 - (B) Halo around the eyeballs
 - ☒ (C) Protrusion of the eyeballs
 - (D) Darkness around the eyeballs
72. The nursing intervention that would be MOST helpful in preventing the client's eyes from drying while asleep is
- (A) massaging the eye before sleeping
 - ☒ (B) instilling artificial tears before sleeping
 - (C) taping the eyelids closed with a non-irritating tape
 - (D) covering both eyes with gauze dipped in normal saline
73. Which of the following side effects of propylthiouracil should the nurse instruct the client to report IMMEDIATELY?
- (A) Hair loss
 - (B) Diarrhoea
 - ☒ (C) Joint pain
 - (D) Constipation

Scenario 12 (cont'd)

Items 74-76

Oral iodine treatment is ordered to be given to the client daily for ten days prior to being admitted for a subtotal thyroidectomy.

74. The PRIMARY reason for the administration of iodine is to
- ☒ (A) reduce the size of the thyroid gland
 - (B) increase the vascularity of the thyroid gland
 - (C) decrease the body's ability to store thyroxine
 - (D) increase the body's ability to produce thyroxine
75. Which of the following items should be placed in the client's room to treat complications that may develop postoperatively?
- I. Bed cradle
 - II. Ice collar
 - III. Tracheostomy set
 - IV. Suction machine
- (A) I, II and III only
 - (B) I, II and IV only
 - (C) I, III and IV only
 - ☒ (D) II, III and IV only
76. Included in the client's discharge instructions would be the importance of seeking medical attention IMMEDIATELY if the client experiences
- (A) weight gain and increased fatigue
 - (B) joint pain and frequency of urination
 - ☒ (C) muscle spasms and difficulty swallowing
 - (D) increased appetite and substantial weight loss
- =====

Scenario 13

A 22-year-old man is admitted to the hospital with a history of pleuritic chest pain aggravated on inspiration and coughing. Assessment findings include nasal flaring, use of accessory muscles of respiration, sudden onset of chills and a rapid rise in temperature ranging from 38.5 to 39.5 °C (101.3 to 103 °F). The doctor diagnoses pneumonia.

77. Which of the following actions would NOT be necessary for the nurse to take in order to determine whether the client is developing complications while in the hospital?

- ☒ (A) Monitor heart sounds.
- (B) Assess alterations in mental status.
- (C) Monitor respiration every four hours.
- (D) Assess for resistant fever or return of fever every two hours.

78. Which TWO interventions should the nurse initiate to improve gas exchange in the client?

- I. Administer oxygen.
- II. Auscultate the lungs for crackles.
- III. Place client in a high-Fowler's position.
- IV. Monitor for cyanosis, dyspnoea and tachycardia.

- ☒ (A) I and III
- (B) I and IV
- (C) II and III
- (D) II and IV

79. To relieve the client's pleuritic pain, the nurse should

- I. administer prescribed analgesics
- II. encourage bed rest during febrile periods
- III. advise the client to avoid suppressing a productive cough

- (A) I and II only
- (B) I and III only
- (C) II and III only
- ☒ (D) I, II and III

=====

80. The nurse in a diabetic clinic is monitoring a client with Type 1 diabetes mellitus. Today's blood investigations reveal a glycosylated haemoglobin (HbA1c) level of 10%. Which of the following conclusions by the nurse is justified?
- (A) A normal value, indicating that the client is managing blood glucose control well: no need for additional teaching plan.
 - (B) A value that does not offer information regarding the client's management of the disease: further testing is required.
 - (C) A low value, indicating that the client is not managing blood glucose control very well: create a teaching plan.
 - ☒ (D) A high value, indicating that the client is not managing blood glucose control very well: create a teaching plan.
81. Which of the following diet instructions is appropriate when teaching a client who is in the early stages of chronic renal failure but not receiving dialysis treatment?
- (A) Increase fluid intake to flush the kidneys.
 - (B) Fresh vegetables may be eaten as desired.
 - (C) Sodium found in processed foods can be consumed.
 - ☒ (D) Dietary protein should come from high biological value sources.
82. A 46-year-old client, seen in the emergency department, receives a diagnosis of pelvic inflammatory disease. Before discharge, the nurse should provide the client with health teaching regarding which of the following?
- (A) Menopause
 - (B) Endometriosis
 - (C) Ovarian hyperstimulation
 - ☒ (D) Sexually transmitted infections
83. The INITIAL nursing intervention for a client with severe anxiety is to
- (A) change the immediate environment
 - (B) use value clarification to resolve conflicts
 - (C) ask the client to describe intensity of feelings
 - ☒ (D) encourage deep breathing and relaxation techniques

GO ON TO THE NEXT PAGE

84. A middle-aged client with a body mass index (BMI) of 31 was recently diagnosed with Type 2 diabetes mellitus. The nurse recognizes that dietary teaching has been effective when the client states

- (A) "If I lose 25 pounds, my diabetes will not be as serious."
- (B) "I can eat everything I like as long as I eat smaller portions."
- ☒ (C) "I need to follow the meal plan for diabetes from the dietitian."
- (D) "If I lose 25 pounds, then I will not have to take any more medication to control my diabetes."

85. A nurse is teaching a client about preventing complications related to prosthesis and residual limb care. The nurse determines that the client has understood the instructions if the client states that he should

- (A) wear a clean nylon sock over the residual limb every day
- (B) use a mirror to inspect all areas of the residual limb each day
- (C) toughen the skin of the residual limb by rubbing it with alcohol
- ☒ (D) prevent cracking of the skin of the residual limb by applying lotion daily

86. An oncologist in the clinic examines a client with severe bone marrow depression and subsequently admits him to the hospital. The client's therapy includes radiation and chemotherapy. The nursing diagnosis that will take PRIORITY in the client's care plan is

- (A) imbalanced nutrition
- ☒ (B) risk for infection
- (C) risk for injury
- (D) pain

87. A four-year-old child is admitted to the paediatric unit with a diagnosis of fractured humerus. The type of pain rating scale which would be BEST/MOST suitable for the nurse to use in assessing this client is the

- (A) McGill Pain Scale
- (B) Numeric Pain Intensity Scale
- ☒ (C) Wong-Baker FACES Pain Scale
- (D) Memorial Pain Assessment Scale

88. A client with Parkinson's disease has begun therapy with Levodopa (Dopar). The nurse determines that the client understands the action of the medication if the client states that the effects would be apparent within

- (A) 24 hours
- (B) 1 week
- (C) 5 to 7 days
- ☒ (D) 2 to 3 weeks

89. A component that separates occupations from professions is commitment. Which of the following is the BEST way that nurses can show commitment to each other?
- (A) ☒ Reading the professional literature
 - (B) ☐ Mentoring nursing students and novice nurses
 - (C) ☐ Making a financial contribution to a professional organization
 - (D) ☐ Reporting substandard practice by unlicensed care assistants

Scenario 14

Items 90–92

An 88-year-old resident at a nursing home, who was previously continent, is observed to be urinating in bed since one week ago. The nurse recognizes the need to adjust the client's existing care plan.

90. The purpose of applying critical thinking skills during the INITIAL stage of the nursing process is to
- (A) ☒ direct the assessment in a meaningful and purposeful way
 - (B) ☐ review the assessment of other healthcare workers
 - (C) ☐ determine that nursing care was delivered
 - (D) ☐ anticipate the client's response to care
91. Which of the following nursing actions is PRIORITY in the management of incontinence in this client?
- (A) ☐ Prioritize goals to prevent further urinary accidents.
 - (B) ☐ Place a disposable diaper on the client and encourage its use.
 - (C) ☐ Note that the client started experiencing incontinence one week ago.
 - (D) ☒ Implement bladder retraining, medication assessment and patterned voiding.
92. In applying the critical thinking approach, the nurse's FIRST action should be to
- (A) ☐ limit the fluid intake of the client
 - (B) ☐ place the client near to the bathroom
 - (C) ☐ place a commode near the client's bed
 - (D) ☒ assess the client's ability to recognize the urge
- =====

GO ON TO THE NEXT

93. A nurse has identified an error in the documentation of the opioid/narcotic drugs which are kept in the locked cupboard on the ward. Which of the following actions should the nurse perform IMMEDIATELY upon recognition of the error?
- ☒ (A) Notify the nurse in charge of the ward.
 - (B) Confront the nurse who made the error.
 - (C) Contact the hospital's legal department.
 - (D) Correct the error which was documented.
94. The doctor prescribes antibiotics for a client, who has a positive Group B streptococcus result. Prior to administration of the antibiotic, the nurse checks the client's file for any known allergies and explains the side effects to the client. Which ethical principle is the nurse portraying?
- ☒ (A) Beneficence
 - (B) Paternalism
 - (C) Malpractice
 - (D) Autonomy
95. A nurse has decided to pursue further education. Which of the following groups are MOST likely to provide physical and financial support to this nurse?
- (A) Employers
 - ☒ (B) Family and friends
 - (C) Nursing associations
 - (D) Nursing organizations
96. A nurse indicates to her supervisor her interest in applying for a job that was advertised and requests an evaluation to accompany her letter of application. The supervisor agrees to honour the request but has avoided the nurse since the request was made. Two days prior to the deadline for application, the nurse did not receive the evaluation from the supervisor. What would be the BEST action for the nurse to take in this situation?
- ☒ (A) Seek out the supervisor to ask about her failure to honour the request.
 - (B) Request a meeting with the senior nursing officer to discuss the issue.
 - (C) Approach another supervisor with whom she previously worked to get an evaluation.
 - (D) Submit the application indicating that the supervisor was asked to submit an evaluation.

Scenario 15

- 29 -

Item 97

A nurse has been asked to participate in an in-service education workshop, the objective of which is to improve client education on the ward.

97. Which of the following is LEAST appropriate for evaluating the effectiveness of client teaching/learning activities on the ward?
- (A) Role-playing
 - (B) Verbal feedback
 - (C) Open discussion
 - ☒ (D) Observing behaviour

=====

98. A nursing director received a complaint concerning a senior nurse who was making derogatory remarks about the junior nurses. The director did not believe the complaint because the nurse in question does remarkable work.

What should be the director's plan of action?

- (A) Ignore the complaint.
- (B) Ask a junior nurse to verify the complaint.
- ☒ (C) Question the senior nurse about the matter.
- (D) Interview one of the clients to verify the details.

99. Every professional nurse should be aware of the need to update and expand his or her knowledge and skills. Which of the following is fundamentally the LEAST important in relation to the acquisition of updated skills and knowledge?

- ☒ (A) The employer providing time off
- (B) A commitment to personal learning needs
- (C) Searching for and finding appropriate resources
- (D) Becoming self-directed in respect of learning needs

100. A nurse enters a client's room to perform an assessment and observes the client grimacing and guarding his abdomen. When asked about the current level of pain, the client states, "It is fine", rating the pain as 2 on the pain scale.

The nurse concludes that the client is having difficulty with which of the following factors regarding therapeutic communication?

- (A) Attitude
- (B) Adaptability
- (C) Territoriality
- ☒ (D) Congruence