

```
{
  "header": {
    "schema_version": "3.0.0",
    "derived_from": "2.3.0",
    "derivation_method": "extraction-by-hands",
    "total_weight_units": 896600
  },
  "domains": [
    {
      "id": "INTEL_CORE",
      "name": "Intelligence Foundations and Governance",
      "path": "root.layers.analytical_core.weights.categories[0]",
      "weight_units": 22000,
      "normalized_weight": 0.024537140307829577
    },
    {
      "id": "INTEL_ANALYSIS",
      "name": "Intelligence Analysis",
      "path":
"root.layers.analytical_core.weights.categories[0].domains[0]",
      "weight_units": 6200,
      "normalized_weight": 0.006915012268570154
    },
    {
      "id": "INTEL_OVERSIGHT",
      "name": "Intelligence Oversight and Accountability",
      "path":
"root.layers.analytical_core.weights.categories[0].domains[1]",
      "weight_units": 3800,
      "normalized_weight": 0.004238233325897837
    },
    {
      "id": "ETHICS_INTEL",
      "name": "Ethics in Intelligence",
      "path":
"root.layers.analytical_core.weights.categories[0].domains[2]",
      "weight_units": 3400,
      "normalized_weight": 0.0037921035021191165
    },
    {
      "id": "DECISION_ANALYSIS",
      "name": "Decision Analysis Intelligence",
      "path":
"root.layers.analytical_core.weights.categories[0].domains[3]",
      "weight_units": 2600,
      "normalized_weight": 0.0028998438545616775
    },
    {
      "id": "KNOWLEDGE_MGMT",
      "name": "Knowledge Management Intelligence",
      "path":
"root.layers.analytical_core.weights.categories[0].domains[4]",
      "weight_units": 2200,
      "normalized_weight": 0.002453714030782958
    }
  ]
}
```

```
    },
    {
      "id": "INTEL_EDU",
      "name": "Intelligence Education and Tradecraft",
      "path":
"root.layers.analytical_core.weights.categories[0].domains[5]",
      "weight_units": 2000,
      "normalized_weight": 0.002230649118893598
    },
    {
      "id": "OSINT_INTEL",
      "name": "Open-Source Intelligence (OSINT) Discipline",
      "path":
"root.layers.analytical_core.weights.categories[0].domains[6]",
      "weight_units": 1800,
      "normalized_weight": 0.002007584207004238
    },
    {
      "id": "COG_HUM",
      "name": "Cognitive, Human, and Behavioral Intelligence",
      "path": "root.layers.analytical_core.weights.categories[1]",
      "weight_units": 18000,
      "normalized_weight": 0.02007584207004238
    },
    {
      "id": "COGNITIVE_SECURITY",
      "name": "Cognitive Security Intelligence",
      "path":
"root.layers.analytical_core.weights.categories[1].domains[0]",
      "weight_units": 3000,
      "normalized_weight": 0.0033459736783403972
    },
    {
      "id": "COGNITIVE_WARFARE",
      "name": "Cognitive Warfare Intelligence",
      "path":
"root.layers.analytical_core.weights.categories[1].domains[1]",
      "weight_units": 3100,
      "normalized_weight": 0.003457506134285077
    },
    {
      "id": "BEHAVIORAL_ANALYSIS",
      "name": "Behavioral Analysis Intelligence",
      "path":
"root.layers.analytical_core.weights.categories[1].domains[2]",
      "weight_units": 3000,
      "normalized_weight": 0.0033459736783403972
    },
    {
      "id": "BIAS_MITIGATION",
      "name": "Cognitive Bias Mitigation Intelligence",
      "path":
"root.layers.analytical_core.weights.categories[1].domains[3]",
      "weight_units": 2600,
```

```

    "normalized_weight": 0.0028998438545616775
  },
  {
    "id": "HUMAN_MACHINE",
    "name": "Human\u2013Machine Interface Intelligence",
    "path":
"root.layers.analytical_core.weights.categories[1].domains[4]",
    "weight_units": 2300,
    "normalized_weight": 0.0025652464867276376
  },
  {
    "id": "MENTAL_HEALTH",
    "name": "Mental Health Intelligence",
    "path":
"root.layers.analytical_core.weights.categories[1].domains[5]",
    "weight_units": 2400,
    "normalized_weight": 0.0026767789426723177
  },
  {
    "id": "DISINFO_RESILIENCE",
    "name": "Disinformation, Misinformation, and Narrative
Resilience Intelligence",
    "path":
"root.layers.analytical_core.weights.categories[1].domains[6]",
    "weight_units": 1600,
    "normalized_weight": 0.0017845192951148785
  },
  {
    "id": "AI_DATA",
    "name": "AI, Data, and Computational Intelligence",
    "path": "root.layers.analytical_core.weights.categories[2]",
    "weight_units": 20000,
    "normalized_weight": 0.02230649118893598
  },
  {
    "id": "AI_INTEL",
    "name": "Artificial Intelligence in Intelligence",
    "path":
"root.layers.analytical_core.weights.categories[2].domains[0]",
    "weight_units": 3200,
    "normalized_weight": 0.003569038590229757
  },
  {
    "id": "XAI",
    "name": "Explainable AI Intelligence",
    "path":
"root.layers.analytical_core.weights.categories[2].domains[1]",
    "weight_units": 3600,
    "normalized_weight": 0.004015168414008476
  },
  {
    "id": "PRED_ANALYTICS",
    "name": "Predictive Analytics Intelligence",
    "path":

```

```

"root.layers.analytical_core.weights.categories[2].domains[2]",
  "weight_units": 2800,
  "normalized_weight": 0.0031229087664510374
},
{
  "id": "DATA_FUSION",
  "name": "Data Fusion Intelligence",
  "path":
"root.layers.analytical_core.weights.categories[2].domains[3]",
  "weight_units": 2800,
  "normalized_weight": 0.0031229087664510374
},
{
  "id": "ANOMALY_DET",
  "name": "Anomaly Detection Intelligence",
  "path":
"root.layers.analytical_core.weights.categories[2].domains[4]",
  "weight_units": 2600,
  "normalized_weight": 0.0028998438545616775
},
{
  "id": "GRAPH_ANALYTICS",
  "name": "Graph Databases and Link Analysis Intelligence",
  "path":
"root.layers.analytical_core.weights.categories[2].domains[5]",
  "weight_units": 2200,
  "normalized_weight": 0.002453714030782958
},
{
  "id": "ENTITY_RESOLUTION",
  "name": "Entity Resolution",
  "path":
"root.layers.analytical_core.weights.categories[2].domains[5].leaves
[0]",
  "weight_units": 600,
  "normalized_weight": 0.0006691947356680794
},
{
  "id": "SOCIAL_NETWORK_ANALYSIS",
  "name": "Social Network Analysis",
  "path":
"root.layers.analytical_core.weights.categories[2].domains[5].leaves
[1]",
  "weight_units": 600,
  "normalized_weight": 0.0006691947356680794
},
{
  "id": "KNOWLEDGE_GRAPHS",
  "name": "Knowledge Graphs",
  "path":
"root.layers.analytical_core.weights.categories[2].domains[5].leaves
[2]",
  "weight_units": 500,
  "normalized_weight": 0.0005576622797233995

```

```

    },
    {
      "id": "PATH_LINK_ANALYSIS",
      "name": "Path and Link Analysis",
      "path":
"root.layers.analytical_core.weights.categories[2].domains[5].leaves
[3]",
      "weight_units": 500,
      "normalized_weight": 0.0005576622797233995
    },
    {
      "id": "DATA_GOVERNANCE",
      "name": "Data Governance and Stewardship Intelligence",
      "path":
"root.layers.analytical_core.weights.categories[2].domains[6]",
      "weight_units": 1600,
      "normalized_weight": 0.0017845192951148785
    },
    {
      "id": "LLM_SECURITY",
      "name": "Foundation Model / LLM Security Intelligence",
      "path":
"root.layers.analytical_core.weights.categories[2].domains[7]",
      "weight_units": 1200,
      "normalized_weight": 0.0013383894713361588
    },
    {
      "id": "SEC_DEF",
      "name": "Security, Defense, and Hybrid Threat Intelligence",
      "path": "root.layers.analytical_core.weights.categories[3]",
      "weight_units": 16000,
      "normalized_weight": 0.017845192951148784
    },
    {
      "id": "HYBRID_WAR",
      "name": "Hybrid Warfare Intelligence",
      "path":
"root.layers.analytical_core.weights.categories[3].domains[0]",
      "weight_units": 3600,
      "normalized_weight": 0.004015168414008476
    },
    {
      "id": "COUNTERTERROR",
      "name": "Counter-Terrorism Intelligence",
      "path":
"root.layers.analytical_core.weights.categories[3].domains[1]",
      "weight_units": 3400,
      "normalized_weight": 0.0037921035021191165
    },
    {
      "id": "CYBER_DEF",
      "name": "Cyber Defense Intelligence",
      "path":
"root.layers.analytical_core.weights.categories[3].domains[2]",

```

```

    "weight_units": 3200,
    "normalized_weight": 0.003569038590229757
  },
  {
    "id": "CTI",
    "name": "Cyber Threat Intelligence",
    "path":
"root.layers.analytical_core.weights.categories[3].domains[3]",
    "weight_units": 3000,
    "normalized_weight": 0.0033459736783403972
  },
  {
    "id": "APT",
    "name": "Advanced Persistent Threats",
    "path":
"root.layers.analytical_core.weights.categories[3].domains[3].leaves
[0]",
    "weight_units": 700,
    "normalized_weight": 0.0007807271916127593
  },
  {
    "id": "MALWARE",
    "name": "Malware Analysis",
    "path":
"root.layers.analytical_core.weights.categories[3].domains[3].leaves
[1]",
    "weight_units": 500,
    "normalized_weight": 0.0005576622797233995
  },
  {
    "id": "INTRUSION",
    "name": "Intrusion Detection",
    "path":
"root.layers.analytical_core.weights.categories[3].domains[3].leaves
[2]",
    "weight_units": 400,
    "normalized_weight": 0.00044612982377871963
  },
  {
    "id": "THREAT_HUNT",
    "name": "Threat Hunting",
    "path":
"root.layers.analytical_core.weights.categories[3].domains[3].leaves
[3]",
    "weight_units": 500,
    "normalized_weight": 0.0005576622797233995
  },
  {
    "id": "VULNERABILITY_INTEL",
    "name": "Vulnerability Intelligence",
    "path":
"root.layers.analytical_core.weights.categories[3].domains[3].leaves
[4]",
    "weight_units": 500,

```

```

    "normalized_weight": 0.0005576622797233995
  },
  {
    "id": "PHISHING_SOCENG",
    "name": "Phishing and Social Engineering",
    "path":
"root.layers.analytical_core.weights.categories[3].domains[3].leaves
[5]",
    "weight_units": 400,
    "normalized_weight": 0.00044612982377871963
  },
  {
    "id": "COUNTERINTEL",
    "name": "Counterintelligence",
    "path":
"root.layers.analytical_core.weights.categories[3].domains[4]",
    "weight_units": 2800,
    "normalized_weight": 0.0031229087664510374
  },
  {
    "id": "ECON_SYS",
    "name": "Economic, Trade, and Systemic Risk Intelligence",
    "path": "root.layers.analytical_core.weights.categories[4]",
    "weight_units": 14000,
    "normalized_weight": 0.015614543832255186
  },
  {
    "id": "ECON_INTEL",
    "name": "Economic Intelligence",
    "path":
"root.layers.analytical_core.weights.categories[4].domains[0]",
    "weight_units": 1800,
    "normalized_weight": 0.002007584207004238
  },
  {
    "id": "GLOBAL_TRADE",
    "name": "Global Trade Intelligence",
    "path":
"root.layers.analytical_core.weights.categories[4].domains[1]",
    "weight_units": 2600,
    "normalized_weight": 0.0028998438545616775
  },
  {
    "id": "GEOECON",
    "name": "Goeconomics Intelligence",
    "path":
"root.layers.analytical_core.weights.categories[4].domains[2]",
    "weight_units": 2400,
    "normalized_weight": 0.0026767789426723177
  },
  {
    "id": "FIN_CRIME",
    "name": "Financial Crime Investigation Intelligence",
    "path":

```

```
"root.layers.analytical_core.weights.categories[4].domains[3]",
  "weight_units": 2200,
  "normalized_weight": 0.002453714030782958
},
{
  "id": "SANCTIONS",
  "name": "Economic Sanctions Intelligence",
  "path":
"root.layers.analytical_core.weights.categories[4].domains[4]",
  "weight_units": 2000,
  "normalized_weight": 0.002230649118893598
},
{
  "id": "SUPPLY_CHAIN_INTEL",
  "name": "Supply Chain and Logistics Intelligence",
  "path":
"root.layers.analytical_core.weights.categories[4].domains[5]",
  "weight_units": 1800,
  "normalized_weight": 0.002007584207004238
},
{
  "id": "ENERGY_MARKETS_INTEL",
  "name": "Energy Markets and Energy Security Intelligence",
  "path":
"root.layers.analytical_core.weights.categories[4].domains[6]",
  "weight_units": 1200,
  "normalized_weight": 0.0013383894713361588
},
{
  "id": "ENV_BIO",
  "name": "Environmental, Biological, and Health Intelligence",
  "path": "root.layers.analytical_core.weights.categories[5]",
  "weight_units": 10000,
  "normalized_weight": 0.01115324559446799
},
{
  "id": "CLIMATE_SEC",
  "name": "Climate Change and Security Intelligence",
  "path":
"root.layers.analytical_core.weights.categories[5].domains[0]",
  "weight_units": 2600,
  "normalized_weight": 0.0028998438545616775
},
{
  "id": "PUBLIC_HEALTH",
  "name": "Public Health Intelligence",
  "path":
"root.layers.analytical_core.weights.categories[5].domains[1]",
  "weight_units": 2200,
  "normalized_weight": 0.002453714030782958
},
{
  "id": "EPIDEMIOLOGY",
  "name": "Epidemiology Intelligence",
```



```

    "path":
"root.layers.analytical_core.weights.categories[5].domains[2]",
    "weight_units": 2000,
    "normalized_weight": 0.002230649118893598
  },
  {
    "id": "BIOSECURITY",
    "name": "Biosecurity Threat Intelligence",
    "path":
"root.layers.analytical_core.weights.categories[5].domains[3]",
    "weight_units": 1700,
    "normalized_weight": 0.0018960517510595582
  },
  {
    "id": "ONE_HEALTH_INTEL",
    "name": "One Health (Human\u2013Animal\u2013Environment)
Intelligence",
    "path":
"root.layers.analytical_core.weights.categories[5].domains[4]",
    "weight_units": 1500,
    "normalized_weight": 0.0016729868391701986
  },
  {
    "id": "CAGD_EXTENSION",
    "name": "CAGD: Structural Authority",
    "path": "root.layers.analytical_core.weights.categories[6]",
    "weight_units": 10000,
    "normalized_weight": 0.01115324559446799
  },
  {
    "id": "EXTENSION_STAGES",
    "name": "Extension Stages",
    "path":
"root.layers.analytical_core.weights.categories[6].domains[0]",
    "weight_units": 10000,
    "normalized_weight": 0.01115324559446799
  },
  {
    "id": "EX01",
    "name": "Domain Detection",
    "path":
"root.layers.analytical_core.weights.categories[6].domains[0].leaves
[0]",
    "weight_units": 1500,
    "normalized_weight": 0.0016729868391701986
  },
  {
    "id": "EX02",
    "name": "Schema & Weight Validation",
    "path":
"root.layers.analytical_core.weights.categories[6].domains[0].leaves
[1]",
    "weight_units": 2000,
    "normalized_weight": 0.002230649118893598
  }

```

```

    },
    {
      "id": "EX03",
      "name": "Envelope Compatibility Check",
      "path":
"root.layers.analytical_core.weights.categories[6].domains[0].leaves
[2]",
      "weight_units": 2000,
      "normalized_weight": 0.002230649118893598
    },
    {
      "id": "EX04",
      "name": "Inline Instantiation",
      "path":
"root.layers.analytical_core.weights.categories[6].domains[0].leaves
[3]",
      "weight_units": 1500,
      "normalized_weight": 0.0016729868391701986
    },
    {
      "id": "EX05",
      "name": "Locking & Immutability",
      "path":
"root.layers.analytical_core.weights.categories[6].domains[0].leaves
[4]",
      "weight_units": 1500,
      "normalized_weight": 0.0016729868391701986
    },
    {
      "id": "EX06",
      "name": "Execution Authorization",
      "path":
"root.layers.analytical_core.weights.categories[6].domains[0].leaves
[5]",
      "weight_units": 1500,
      "normalized_weight": 0.0016729868391701986
    },
    {
      "id": "CAGD_ANALYTICS",
      "name": "CAGD: Analytics",
      "path": "root.layers.analytical_core.weights.categories[7]",
      "weight_units": 10000,
      "normalized_weight": 0.01115324559446799
    },
    {
      "id": "ANA01",
      "name": "Descriptive Analytics and Data Exploration",
      "path":
"root.layers.analytical_core.weights.categories[7].domains[0]",
      "weight_units": 1000,
      "normalized_weight": 0.001115324559446799
    },
    {
      "id": "ANA02",

```

```

        "name": "Diagnostic Analytics and Root Cause Analysis",
        "path":
"root.layers.analytical_core.weights.categories[7].domains[1]",
        "weight_units": 1100,
        "normalized_weight": 0.001226857015391479
    },
    {
        "id": "ANA03",
        "name": "Predictive Analytics and Forecasting",
        "path":
"root.layers.analytical_core.weights.categories[7].domains[2]",
        "weight_units": 1300,
        "normalized_weight": 0.0014499219272808388
    },
    {
        "id": "ANA04",
        "name": "Prescriptive Analytics and Optimization",
        "path":
"root.layers.analytical_core.weights.categories[7].domains[3]",
        "weight_units": 1200,
        "normalized_weight": 0.0013383894713361588
    },
    {
        "id": "ANA05",
        "name": "Statistical Analysis and Inference",
        "path":
"root.layers.analytical_core.weights.categories[7].domains[4]",
        "weight_units": 1200,
        "normalized_weight": 0.0013383894713361588
    },
    {
        "id": "ANA06",
        "name": "Time Series, Trend, and Signal Analysis",
        "path":
"root.layers.analytical_core.weights.categories[7].domains[5]",
        "weight_units": 1100,
        "normalized_weight": 0.001226857015391479
    },
    {
        "id": "ANA07",
        "name": "Causal Analysis and Impact Assessment",
        "path":
"root.layers.analytical_core.weights.categories[7].domains[6]",
        "weight_units": 1000,
        "normalized_weight": 0.001115324559446799
    },
    {
        "id": "ANA08",
        "name": "Risk, Sensitivity, and Uncertainty Analysis",
        "path":
"root.layers.analytical_core.weights.categories[7].domains[7]",
        "weight_units": 900,
        "normalized_weight": 0.001003792103502119
    },
    },

```

```

{
  "id": "ANA09",
  "name": "Visualization, Reporting, and Decision
Communication",
  "path":
"root.layers.analytical_core.weights.categories[7].domains[8]",
  "weight_units": 800,
  "normalized_weight": 0.0008922596475574393
},
{
  "id": "ANA10",
  "name": "Advanced Analytics and Hybrid Methods",
  "path":
"root.layers.analytical_core.weights.categories[7].domains[9]",
  "weight_units": 400,
  "normalized_weight": 0.00044612982377871963
},
{
  "id": "CAGD_ANALYST",
  "name": "CAGD: Analyst",
  "path": "root.layers.analytical_core.weights.categories[8]",
  "weight_units": 10000,
  "normalized_weight": 0.01115324559446799
},
{
  "id": "ANL01",
  "name": "Analytic Foundations and Critical Thinking",
  "path":
"root.layers.analytical_core.weights.categories[8].domains[0]",
  "weight_units": 1100,
  "normalized_weight": 0.001226857015391479
},
{
  "id": "ANL02",
  "name": "Problem Structuring and Decomposition",
  "path":
"root.layers.analytical_core.weights.categories[8].domains[1]",
  "weight_units": 1100,
  "normalized_weight": 0.001226857015391479
},
{
  "id": "ANL03",
  "name": "Evidence Evaluation and Source Reliability",
  "path":
"root.layers.analytical_core.weights.categories[8].domains[2]",
  "weight_units": 1300,
  "normalized_weight": 0.0014499219272808388
},
{
  "id": "ANL04",
  "name": "Hypothesis Generation and Testing",
  "path":
"root.layers.analytical_core.weights.categories[8].domains[3]",
  "weight_units": 1200,

```

```

    "normalized_weight": 0.0013383894713361588
  },
  {
    "id": "ANL05",
    "name": "Cognitive Biases and Debiasing Techniques",
    "path":
"root.layers.analytical_core.weights.categories[8].domains[4]",
    "weight_units": 1200,
    "normalized_weight": 0.0013383894713361588
  },
  {
    "id": "ANL06",
    "name": "Structured Analytic Techniques",
    "path":
"root.layers.analytical_core.weights.categories[8].domains[5]",
    "weight_units": 1200,
    "normalized_weight": 0.0013383894713361588
  },
  {
    "id": "ANL07",
    "name": "Uncertainty, Probability, and Confidence Assessment",
    "path":
"root.layers.analytical_core.weights.categories[8].domains[6]",
    "weight_units": 1000,
    "normalized_weight": 0.001115324559446799
  },
  {
    "id": "ANL08",
    "name": "Scenario Analysis and Alternative Futures",
    "path":
"root.layers.analytical_core.weights.categories[8].domains[7]",
    "weight_units": 900,
    "normalized_weight": 0.001003792103502119
  },
  {
    "id": "ANL09",
    "name": "Decision Support and Policy Analysis",
    "path":
"root.layers.analytical_core.weights.categories[8].domains[8]",
    "weight_units": 1000,
    "normalized_weight": 0.001115324559446799
  },
  {
    "id": "CAGD_SIMULATOR",
    "name": "CAGD: Simulator",
    "path": "root.layers.analytical_core.weights.categories[9]",
    "weight_units": 10000,
    "normalized_weight": 0.01115324559446799
  },
  {
    "id": "SIM01",
    "name": "Classical Physics-Based Simulation",
    "path":
"root.layers.analytical_core.weights.categories[9].domains[0]",

```

```

    "weight_units": 1300,
    "normalized_weight": 0.0014499219272808388
  },
  {
    "id": "SIM02",
    "name": "Numerical Methods and Solvers",
    "path":
"root.layers.analytical_core.weights.categories[9].domains[1]",
    "weight_units": 1200,
    "normalized_weight": 0.0013383894713361588
  },
  {
    "id": "SIM03",
    "name": "Multi-Body and Rigid/Flexible Dynamics",
    "path":
"root.layers.analytical_core.weights.categories[9].domains[2]",
    "weight_units": 1100,
    "normalized_weight": 0.001226857015391479
  },
  {
    "id": "SIM04",
    "name": "Computational Fluid Dynamics (CFD)",
    "path":
"root.layers.analytical_core.weights.categories[9].domains[3]",
    "weight_units": 1200,
    "normalized_weight": 0.0013383894713361588
  },
  {
    "id": "SIM05",
    "name": "Thermal, Structural, and Multiphysics Simulation",
    "path":
"root.layers.analytical_core.weights.categories[9].domains[4]",
    "weight_units": 1100,
    "normalized_weight": 0.001226857015391479
  },
  {
    "id": "SIM06",
    "name": "Stochastic, Monte Carlo, and Uncertainty Simulation",
    "path":
"root.layers.analytical_core.weights.categories[9].domains[5]",
    "weight_units": 900,
    "normalized_weight": 0.001003792103502119
  },
  {
    "id": "SIM07",
    "name": "Agent-Based and Multi-Agent Simulation",
    "path":
"root.layers.analytical_core.weights.categories[9].domains[6]",
    "weight_units": 900,
    "normalized_weight": 0.001003792103502119
  },
  {
    "id": "SIM08",
    "name": "Discrete-Event and System Dynamics Simulation",

```

```

    "path":
"root.layers.analytical_core.weights.categories[9].domains[7]",
    "weight_units": 800,
    "normalized_weight": 0.0008922596475574393
  },
  {
    "id": "SIM09",
    "name": "Real-Time, Hardware-in-the-Loop, and Digital Twins",
    "path":
"root.layers.analytical_core.weights.categories[9].domains[8]",
    "weight_units": 800,
    "normalized_weight": 0.0008922596475574393
  },
  {
    "id": "SIM10",
    "name": "Simulation Verification, Validation, and Sensitivity
Analysis",
    "path":
"root.layers.analytical_core.weights.categories[9].domains[9]",
    "weight_units": 700,
    "normalized_weight": 0.0007807271916127593
  },
  {
    "id": "CAGD_MATH",
    "name": "CAGD: Math",
    "path": "root.layers.analytical_core.weights.categories[10]",
    "weight_units": 10000,
    "normalized_weight": 0.01115324559446799
  },
  {
    "id": "M01",
    "name": "Foundations of Mathematics and Logic",
    "path":
"root.layers.analytical_core.weights.categories[10].domains[0]",
    "weight_units": 1200,
    "normalized_weight": 0.0013383894713361588
  },
  {
    "id": "M02",
    "name": "Algebra (Linear, Abstract, Computational)",
    "path":
"root.layers.analytical_core.weights.categories[10].domains[1]",
    "weight_units": 1500,
    "normalized_weight": 0.0016729868391701986
  },
  {
    "id": "M03",
    "name": "Analysis (Real, Complex, Functional)",
    "path":
"root.layers.analytical_core.weights.categories[10].domains[2]",
    "weight_units": 1600,
    "normalized_weight": 0.0017845192951148785
  },
  },
  {

```

```

        "id": "M04",
        "name": "Geometry and Topology",
        "path":
"root.layers.analytical_core.weights.categories[10].domains[3]",
        "weight_units": 1100,
        "normalized_weight": 0.001226857015391479
    },
    {
        "id": "M05",
        "name": "Probability Theory and Statistics",
        "path":
"root.layers.analytical_core.weights.categories[10].domains[4]",
        "weight_units": 1600,
        "normalized_weight": 0.0017845192951148785
    },
    {
        "id": "M06",
        "name": "Applied Mathematics and Mathematical Modeling",
        "path":
"root.layers.analytical_core.weights.categories[10].domains[5]",
        "weight_units": 1300,
        "normalized_weight": 0.0014499219272808388
    },
    {
        "id": "M07",
        "name": "Numerical Analysis and Scientific Computing",
        "path":
"root.layers.analytical_core.weights.categories[10].domains[6]",
        "weight_units": 900,
        "normalized_weight": 0.001003792103502119
    },
    {
        "id": "M08",
        "name": "Optimization and Operations Research",
        "path":
"root.layers.analytical_core.weights.categories[10].domains[7]",
        "weight_units": 800,
        "normalized_weight": 0.0008922596475574393
    },
    {
        "id": "CAGD_PSY",
        "name": "CAGD: Psy",
        "path": "root.layers.analytical_core.weights.categories[11]",
        "weight_units": 10000,
        "normalized_weight": 0.01115324559446799
    },
    {
        "id": "PSY01",
        "name": "Cognitive Biases and Heuristics",
        "path":
"root.layers.analytical_core.weights.categories[11].domains[0]",
        "weight_units": 2200,
        "normalized_weight": 0.002453714030782958
    },
    },

```



```

{
  "id": "PSY02",
  "name": "Perception and Information Processing",
  "path":
"root.layers.analytical_core.weights.categories[11].domains[1]",
  "weight_units": 1500,
  "normalized_weight": 0.0016729868391701986
},
{
  "id": "PSY03",
  "name": "Judgment Under Uncertainty",
  "path":
"root.layers.analytical_core.weights.categories[11].domains[2]",
  "weight_units": 1700,
  "normalized_weight": 0.0018960517510595582
},
{
  "id": "PSY04",
  "name": "Organizational and Social Influences",
  "path":
"root.layers.analytical_core.weights.categories[11].domains[3]",
  "weight_units": 1500,
  "normalized_weight": 0.0016729868391701986
},
{
  "id": "PSY05",
  "name": "Analytic Mindsets and Styles",
  "path":
"root.layers.analytical_core.weights.categories[11].domains[4]",
  "weight_units": 1300,
  "normalized_weight": 0.0014499219272808388
},
{
  "id": "PSY06",
  "name": "Bias Mitigation Techniques",
  "path":
"root.layers.analytical_core.weights.categories[11].domains[5]",
  "weight_units": 1000,
  "normalized_weight": 0.001115324559446799
},
{
  "id": "PSY07",
  "name": "Learning, Feedback, and Calibration",
  "path":
"root.layers.analytical_core.weights.categories[11].domains[6]",
  "weight_units": 800,
  "normalized_weight": 0.0008922596475574393
},
{
  "id": "CAGD_AI",
  "name": "CAGD: Ai",
  "path": "root.layers.analytical_core.weights.categories[12]",
  "weight_units": 11100,
  "normalized_weight": 0.012380102609859469
}

```

```

    },
    {
      "id": "AI01",
      "name": "Foundations of Artificial Intelligence",
      "path":
"root.layers.analytical_core.weights.categories[12].domains[0]",
      "weight_units": 900,
      "normalized_weight": 0.001003792103502119
    },
    {
      "id": "AI02",
      "name": "Machine Learning",
      "path":
"root.layers.analytical_core.weights.categories[12].domains[1]",
      "weight_units": 1200,
      "normalized_weight": 0.0013383894713361588
    },
    {
      "id": "AI03",
      "name": "Deep Learning",
      "path":
"root.layers.analytical_core.weights.categories[12].domains[2]",
      "weight_units": 1200,
      "normalized_weight": 0.0013383894713361588
    },
    {
      "id": "AI04",
      "name": "Generative Artificial Intelligence",
      "path":
"root.layers.analytical_core.weights.categories[12].domains[3]",
      "weight_units": 1100,
      "normalized_weight": 0.001226857015391479
    },
    {
      "id": "AI05",
      "name": "Time Series Analysis and Forecasting",
      "path":
"root.layers.analytical_core.weights.categories[12].domains[4]",
      "weight_units": 900,
      "normalized_weight": 0.001003792103502119
    },
    {
      "id": "AI06",
      "name": "Symbolic AI and Knowledge Representation",
      "path":
"root.layers.analytical_core.weights.categories[12].domains[5]",
      "weight_units": 900,
      "normalized_weight": 0.001003792103502119
    },
    {
      "id": "AI07",
      "name": "Reinforcement Learning and Decision Making",
      "path":
"root.layers.analytical_core.weights.categories[12].domains[6]",

```

```

    "weight_units": 900,
    "normalized_weight": 0.001003792103502119
  },
  {
    "id": "AI08",
    "name": "Natural Language Processing",
    "path":
"root.layers.analytical_core.weights.categories[12].domains[7]",
    "weight_units": 900,
    "normalized_weight": 0.001003792103502119
  },
  {
    "id": "AI09",
    "name": "Computer Vision and Perception",
    "path":
"root.layers.analytical_core.weights.categories[12].domains[8]",
    "weight_units": 800,
    "normalized_weight": 0.0008922596475574393
  },
  {
    "id": "AI10",
    "name": "Multi-Agent Systems and Swarm Intelligence",
    "path":
"root.layers.analytical_core.weights.categories[12].domains[9]",
    "weight_units": 700,
    "normalized_weight": 0.0007807271916127593
  },
  {
    "id": "AI11",
    "name": "AI Simulation, Modeling, and Digital Twins",
    "path":
"root.layers.analytical_core.weights.categories[12].domains[10]",
    "weight_units": 800,
    "normalized_weight": 0.0008922596475574393
  },
  {
    "id": "AI12",
    "name": "AI Safety, Ethics, and Alignment",
    "path":
"root.layers.analytical_core.weights.categories[12].domains[11]",
    "weight_units": 800,
    "normalized_weight": 0.0008922596475574393
  },
  {
    "id": "CAGD_NETWORKING",
    "name": "CAGD: Networking",
    "path": "root.layers.analytical_core.weights.categories[13]",
    "weight_units": 10000,
    "normalized_weight": 0.01115324559446799
  },
  {
    "id": "NET01",
    "name": "Network Foundations and Models (OSI, TCP/IP)",
    "path":

```

```

"root.layers.analytical_core.weights.categories[13].domains[0]",
  "weight_units": 1000,
  "normalized_weight": 0.001115324559446799
},
{
  "id": "NET02",
  "name": "Physical and Data Link Layer Technologies",
  "path":
"root.layers.analytical_core.weights.categories[13].domains[1]",
  "weight_units": 1100,
  "normalized_weight": 0.001226857015391479
},
{
  "id": "NET03",
  "name": "Routing, Switching, and Network Topologies",
  "path":
"root.layers.analytical_core.weights.categories[13].domains[2]",
  "weight_units": 1400,
  "normalized_weight": 0.0015614543832255187
},
{
  "id": "NET04",
  "name": "Transport and Application Layer Protocols",
  "path":
"root.layers.analytical_core.weights.categories[13].domains[3]",
  "weight_units": 1300,
  "normalized_weight": 0.0014499219272808388
},
{
  "id": "NET05",
  "name": "Wireless, Mobile, and Sensor Networks",
  "path":
"root.layers.analytical_core.weights.categories[13].domains[4]",
  "weight_units": 1100,
  "normalized_weight": 0.001226857015391479
},
{
  "id": "NET06",
  "name": "Network Security and Cryptographic Protocols",
  "path":
"root.layers.analytical_core.weights.categories[13].domains[5]",
  "weight_units": 1300,
  "normalized_weight": 0.0014499219272808388
},
{
  "id": "NET07",
  "name": "Distributed Systems and Cloud Networking",
  "path":
"root.layers.analytical_core.weights.categories[13].domains[6]",
  "weight_units": 1100,
  "normalized_weight": 0.001226857015391479
},
{
  "id": "NET08",

```

```

        "name": "Network Performance, Monitoring, and Optimization",
        "path":
"root.layers.analytical_core.weights.categories[13].domains[7]",
        "weight_units": 900,
        "normalized_weight": 0.001003792103502119
    },
    {
        "id": "NET09",
        "name": "Software-Defined Networking and Network
Virtualization",
        "path":
"root.layers.analytical_core.weights.categories[13].domains[8]",
        "weight_units": 800,
        "normalized_weight": 0.0008922596475574393
    },
    {
        "id": "CAGD_YAML_EDITOR",
        "name": "CAGD: Yaml Editor",
        "path": "root.layers.analytical_core.weights.categories[14]",
        "weight_units": 10000,
        "normalized_weight": 0.01115324559446799
    },
    {
        "id": "YA01",
        "name": "YAML Syntax",
        "path":
"root.layers.analytical_core.weights.categories[14].domains[0]",
        "weight_units": 3000,
        "normalized_weight": 0.0033459736783403972
    },
    {
        "id": "YA02",
        "name": "Schema and Validation",
        "path":
"root.layers.analytical_core.weights.categories[14].domains[1]",
        "weight_units": 2500,
        "normalized_weight": 0.0027883113986169974
    },
    {
        "id": "YA03",
        "name": "Configuration Management",
        "path":
"root.layers.analytical_core.weights.categories[14].domains[2]",
        "weight_units": 2000,
        "normalized_weight": 0.002230649118893598
    },
    {
        "id": "YA04",
        "name": "Tooling",
        "path":
"root.layers.analytical_core.weights.categories[14].domains[3]",
        "weight_units": 1500,
        "normalized_weight": 0.0016729868391701986
    },
    },

```

```

{
  "id": "YA05",
  "name": "Best Practices",
  "path":
"root.layers.analytical_core.weights.categories[14].domains[4]",
  "weight_units": 1000,
  "normalized_weight": 0.001115324559446799
},
{
  "id": "CAGD_JSON_EDITOR",
  "name": "CAGD: Json Editor",
  "path": "root.layers.analytical_core.weights.categories[15]",
  "weight_units": 10000,
  "normalized_weight": 0.01115324559446799
},
{
  "id": "JS01",
  "name": "Schema Design",
  "path":
"root.layers.analytical_core.weights.categories[15].domains[0]",
  "weight_units": 3000,
  "normalized_weight": 0.0033459736783403972
},
{
  "id": "JS02",
  "name": "Validation",
  "path":
"root.layers.analytical_core.weights.categories[15].domains[1]",
  "weight_units": 2500,
  "normalized_weight": 0.0027883113986169974
},
{
  "id": "JS03",
  "name": "Transformation",
  "path":
"root.layers.analytical_core.weights.categories[15].domains[2]",
  "weight_units": 2000,
  "normalized_weight": 0.002230649118893598
},
{
  "id": "JS04",
  "name": "Tooling",
  "path":
"root.layers.analytical_core.weights.categories[15].domains[3]",
  "weight_units": 1500,
  "normalized_weight": 0.0016729868391701986
},
{
  "id": "JS05",
  "name": "Best Practices",
  "path":
"root.layers.analytical_core.weights.categories[15].domains[4]",
  "weight_units": 1000,
  "normalized_weight": 0.001115324559446799
}

```

```

    },
    {
      "id": "CAGD_PROG_C_CPP",
      "name": "CAGD: Prog C Cpp",
      "path": "root.layers.analytical_core.weights.categories[16]",
      "weight_units": 10000,
      "normalized_weight": 0.01115324559446799
    },
    {
      "id": "C01",
      "name": "Language Fundamentals",
      "path":
"root.layers.analytical_core.weights.categories[16].domains[0]",
      "weight_units": 2200,
      "normalized_weight": 0.002453714030782958
    },
    {
      "id": "C02",
      "name": "Memory Management",
      "path":
"root.layers.analytical_core.weights.categories[16].domains[1]",
      "weight_units": 2100,
      "normalized_weight": 0.002342181574838278
    },
    {
      "id": "C03",
      "name": "Standard Libraries",
      "path":
"root.layers.analytical_core.weights.categories[16].domains[2]",
      "weight_units": 1600,
      "normalized_weight": 0.0017845192951148785
    },
    {
      "id": "C04",
      "name": "Systems Programming",
      "path":
"root.layers.analytical_core.weights.categories[16].domains[3]",
      "weight_units": 1500,
      "normalized_weight": 0.0016729868391701986
    },
    {
      "id": "C05",
      "name": "Performance Optimization",
      "path":
"root.layers.analytical_core.weights.categories[16].domains[4]",
      "weight_units": 1200,
      "normalized_weight": 0.0013383894713361588
    },
    {
      "id": "C06",
      "name": "Security Standards and Secure Coding",
      "path":
"root.layers.analytical_core.weights.categories[16].domains[5]",
      "weight_units": 1400,

```

```

    "normalized_weight": 0.0015614543832255187
  },
  {
    "id": "CAGD_PHARMACOLOGY",
    "name": "CAGD: Pharmacology",
    "path": "root.layers.analytical_core.weights.categories[17]",
    "weight_units": 10000,
    "normalized_weight": 0.01115324559446799
  },
  {
    "id": "PHA01",
    "name": "Pharmacodynamics",
    "path":
"root.layers.analytical_core.weights.categories[17].domains[0]",
    "weight_units": 2500,
    "normalized_weight": 0.0027883113986169974
  },
  {
    "id": "PHA02",
    "name": "Pharmacokinetics",
    "path":
"root.layers.analytical_core.weights.categories[17].domains[1]",
    "weight_units": 2500,
    "normalized_weight": 0.0027883113986169974
  },
  {
    "id": "PHA03",
    "name": "Drug Development",
    "path":
"root.layers.analytical_core.weights.categories[17].domains[2]",
    "weight_units": 2000,
    "normalized_weight": 0.002230649118893598
  },
  {
    "id": "PHA04",
    "name": "Toxicology",
    "path":
"root.layers.analytical_core.weights.categories[17].domains[3]",
    "weight_units": 1500,
    "normalized_weight": 0.0016729868391701986
  },
  {
    "id": "PHA05",
    "name": "Clinical Applications",
    "path":
"root.layers.analytical_core.weights.categories[17].domains[4]",
    "weight_units": 1500,
    "normalized_weight": 0.0016729868391701986
  },
  {
    "id": "CAGD_MICROELECTRONICS",
    "name": "CAGD: Microelectronics",
    "path": "root.layers.analytical_core.weights.categories[18]",
    "weight_units": 10000,

```



```

    "normalized_weight": 0.01115324559446799
  },
  {
    "id": "ME01",
    "name": "Semiconductor Physics",
    "path":
"root.layers.analytical_core.weights.categories[18].domains[0]",
    "weight_units": 2500,
    "normalized_weight": 0.0027883113986169974
  },
  {
    "id": "ME02",
    "name": "Integrated Circuits",
    "path":
"root.layers.analytical_core.weights.categories[18].domains[1]",
    "weight_units": 3000,
    "normalized_weight": 0.0033459736783403972
  },
  {
    "id": "ME03",
    "name": "Microfabrication",
    "path":
"root.layers.analytical_core.weights.categories[18].domains[2]",
    "weight_units": 2000,
    "normalized_weight": 0.002230649118893598
  },
  {
    "id": "ME04",
    "name": "Embedded Systems",
    "path":
"root.layers.analytical_core.weights.categories[18].domains[3]",
    "weight_units": 1500,
    "normalized_weight": 0.0016729868391701986
  },
  {
    "id": "ME05",
    "name": "Hardware Testing",
    "path":
"root.layers.analytical_core.weights.categories[18].domains[4]",
    "weight_units": 1000,
    "normalized_weight": 0.001115324559446799
  },
  {
    "id": "CAGD_GNU_KALI",
    "name": "CAGD: Gnu Kali",
    "path": "root.layers.analytical_core.weights.categories[19]",
    "weight_units": 10000,
    "normalized_weight": 0.01115324559446799
  },
  {
    "id": "GK01",
    "name": "GNU/Linux Fundamentals",
    "path":
"root.layers.analytical_core.weights.categories[19].domains[0]",

```

```

    "weight_units": 2500,
    "normalized_weight": 0.0027883113986169974
  },
  {
    "id": "GK02",
    "name": "Kali Tooling",
    "path":
"root.layers.analytical_core.weights.categories[19].domains[1]",
    "weight_units": 3000,
    "normalized_weight": 0.0033459736783403972
  },
  {
    "id": "GK03",
    "name": "Penetration Testing",
    "path":
"root.layers.analytical_core.weights.categories[19].domains[2]",
    "weight_units": 2000,
    "normalized_weight": 0.002230649118893598
  },
  {
    "id": "GK04",
    "name": "Exploit Development",
    "path":
"root.layers.analytical_core.weights.categories[19].domains[3]",
    "weight_units": 1500,
    "normalized_weight": 0.0016729868391701986
  },
  {
    "id": "GK05",
    "name": "Operational Security",
    "path":
"root.layers.analytical_core.weights.categories[19].domains[4]",
    "weight_units": 1000,
    "normalized_weight": 0.001115324559446799
  },
  {
    "id": "CAGD_FORENSICS",
    "name": "CAGD: Forensics",
    "path": "root.layers.analytical_core.weights.categories[20]",
    "weight_units": 10000,
    "normalized_weight": 0.01115324559446799
  },
  {
    "id": "FOR01",
    "name": "Crime Scene Analysis",
    "path":
"root.layers.analytical_core.weights.categories[20].domains[0]",
    "weight_units": 2200,
    "normalized_weight": 0.002453714030782958
  },
  {
    "id": "FOR02",
    "name": "Digital Forensics",
    "path":

```

```

"root.layers.analytical_core.weights.categories[20].domains[1]",
  "weight_units": 2500,
  "normalized_weight": 0.0027883113986169974
},
{
  "id": "FOR03",
  "name": "Biological Forensics",
  "path":
"root.layers.analytical_core.weights.categories[20].domains[2]",
  "weight_units": 1800,
  "normalized_weight": 0.002007584207004238
},
{
  "id": "FOR04",
  "name": "Trace Evidence",
  "path":
"root.layers.analytical_core.weights.categories[20].domains[3]",
  "weight_units": 1500,
  "normalized_weight": 0.0016729868391701986
},
{
  "id": "FOR05",
  "name": "Forensic Reporting",
  "path":
"root.layers.analytical_core.weights.categories[20].domains[4]",
  "weight_units": 2000,
  "normalized_weight": 0.002230649118893598
},
{
  "id": "CAGD_LANG_YUA",
  "name": "CAGD: Lang Yua",
  "path": "root.layers.analytical_core.weights.categories[21]",
  "weight_units": 10000,
  "normalized_weight": 0.01115324559446799
},
{
  "id": "YUA01",
  "name": "Grammar and Morphosyntax",
  "path":
"root.layers.analytical_core.weights.categories[21].domains[0]",
  "weight_units": 2300,
  "normalized_weight": 0.0025652464867276376
},
{
  "id": "YUA02",
  "name": "Lexicon and Vocabulary",
  "path":
"root.layers.analytical_core.weights.categories[21].domains[1]",
  "weight_units": 2000,
  "normalized_weight": 0.002230649118893598
},
{
  "id": "YUA03",
  "name": "Phonology and Phonetics",

```

```

    "path":
"root.layers.analytical_core.weights.categories[21].domains[2]",
    "weight_units": 1500,
    "normalized_weight": 0.0016729868391701986
  },
  {
    "id": "YUA04",
    "name": "Writing Systems and Orthography",
    "path":
"root.layers.analytical_core.weights.categories[21].domains[3]",
    "weight_units": 1200,
    "normalized_weight": 0.0013383894713361588
  },
  {
    "id": "YUA05",
    "name": "Oral Tradition and Discourse",
    "path":
"root.layers.analytical_core.weights.categories[21].domains[4]",
    "weight_units": 1200,
    "normalized_weight": 0.0013383894713361588
  },
  {
    "id": "YUA06",
    "name": "Historical Development of the Yucatec Maya Language",
    "path":
"root.layers.analytical_core.weights.categories[21].domains[5]",
    "weight_units": 1800,
    "normalized_weight": 0.002007584207004238
  },
  {
    "id": "CAGD_LANG_ES",
    "name": "CAGD: Lang Es",
    "path": "root.layers.analytical_core.weights.categories[22]",
    "weight_units": 10000,
    "normalized_weight": 0.01115324559446799
  },
  {
    "id": "ES01",
    "name": "Grammar",
    "path":
"root.layers.analytical_core.weights.categories[22].domains[0]",
    "weight_units": 2500,
    "normalized_weight": 0.0027883113986169974
  },
  {
    "id": "ES02",
    "name": "Vocabulary",
    "path":
"root.layers.analytical_core.weights.categories[22].domains[1]",
    "weight_units": 2500,
    "normalized_weight": 0.0027883113986169974
  },
  {
    "id": "ES03",

```

```

        "name": "Reading Comprehension",
        "path":
"root.layers.analytical_core.weights.categories[22].domains[2]",
        "weight_units": 2000,
        "normalized_weight": 0.002230649118893598
    },
    {
        "id": "ES04",
        "name": "Writing",
        "path":
"root.layers.analytical_core.weights.categories[22].domains[3]",
        "weight_units": 1500,
        "normalized_weight": 0.0016729868391701986
    },
    {
        "id": "ES05",
        "name": "Spoken Spanish",
        "path":
"root.layers.analytical_core.weights.categories[22].domains[4]",
        "weight_units": 1500,
        "normalized_weight": 0.0016729868391701986
    },
    {
        "id": "CAGD_CYBERNETICS",
        "name": "CAGD: Cybernetics",
        "path": "root.layers.analytical_core.weights.categories[23]",
        "weight_units": 10000,
        "normalized_weight": 0.01115324559446799
    },
    {
        "id": "CYB01",
        "name": "General Systems Theory",
        "path":
"root.layers.analytical_core.weights.categories[23].domains[0]",
        "weight_units": 1500,
        "normalized_weight": 0.0016729868391701986
    },
    {
        "id": "CYB02",
        "name": "Control Theory (Linear, Nonlinear, Optimal)",
        "path":
"root.layers.analytical_core.weights.categories[23].domains[1]",
        "weight_units": 1800,
        "normalized_weight": 0.002007584207004238
    },
    {
        "id": "CYB03",
        "name": "Feedback, Regulation, and Homeostasis",
        "path":
"root.layers.analytical_core.weights.categories[23].domains[2]",
        "weight_units": 1500,
        "normalized_weight": 0.0016729868391701986
    },
    {

```

```

        "id": "CYB04",
        "name": "Information, Communication, and Signals",
        "path":
"root.layers.analytical_core.weights.categories[23].domains[3]",
        "weight_units": 1400,
        "normalized_weight": 0.0015614543832255187
    },
    {
        "id": "CYB05",
        "name": "Cybernetics of Biological Systems",
        "path":
"root.layers.analytical_core.weights.categories[23].domains[4]",
        "weight_units": 1200,
        "normalized_weight": 0.0013383894713361588
    },
    {
        "id": "CYB06",
        "name": "Cognitive and Social Cybernetics",
        "path":
"root.layers.analytical_core.weights.categories[23].domains[5]",
        "weight_units": 1100,
        "normalized_weight": 0.001226857015391479
    },
    {
        "id": "CYB07",
        "name": "Adaptive, Self-Organizing, and Complex Systems",
        "path":
"root.layers.analytical_core.weights.categories[23].domains[6]",
        "weight_units": 1500,
        "normalized_weight": 0.0016729868391701986
    },
    {
        "id": "CAGD_DATABASES",
        "name": "CAGD: Databases",
        "path": "root.layers.analytical_core.weights.categories[24]",
        "weight_units": 10000,
        "normalized_weight": 0.01115324559446799
    },
    {
        "id": "DB01",
        "name": "Relational Database Systems (SQL)",
        "path":
"root.layers.analytical_core.weights.categories[24].domains[0]",
        "weight_units": 1600,
        "normalized_weight": 0.0017845192951148785
    },
    {
        "id": "DB02",
        "name": "NoSQL Databases (Key-Value, Document, Column)",
        "path":
"root.layers.analytical_core.weights.categories[24].domains[1]",
        "weight_units": 1400,
        "normalized_weight": 0.0015614543832255187
    },

```

```

{
  "id": "DB03",
  "name": "Distributed and Cloud Databases",
  "path":
"root.layers.analytical_core.weights.categories[24].domains[2]",
  "weight_units": 1500,
  "normalized_weight": 0.0016729868391701986
},
{
  "id": "DB04",
  "name": "Transactional Systems and ACID Models",
  "path":
"root.layers.analytical_core.weights.categories[24].domains[3]",
  "weight_units": 1100,
  "normalized_weight": 0.001226857015391479
},
{
  "id": "DB05",
  "name": "Analytical Databases and Data Warehousing",
  "path":
"root.layers.analytical_core.weights.categories[24].domains[4]",
  "weight_units": 1100,
  "normalized_weight": 0.001226857015391479
},
{
  "id": "DB06",
  "name": "Time-Series and Streaming Databases",
  "path":
"root.layers.analytical_core.weights.categories[24].domains[5]",
  "weight_units": 900,
  "normalized_weight": 0.001003792103502119
},
{
  "id": "DB07",
  "name": "Graph and Knowledge Graph Databases",
  "path":
"root.layers.analytical_core.weights.categories[24].domains[6]",
  "weight_units": 900,
  "normalized_weight": 0.001003792103502119
},
{
  "id": "DB08",
  "name": "Vector Databases and Similarity Search",
  "path":
"root.layers.analytical_core.weights.categories[24].domains[7]",
  "weight_units": 900,
  "normalized_weight": 0.001003792103502119
},
{
  "id": "DB09",
  "name": "Database Theory, Indexing, and Storage Engines",
  "path":
"root.layers.analytical_core.weights.categories[24].domains[8]",
  "weight_units": 600,

```

```

    "normalized_weight": 0.0006691947356680794
  },
  {
    "id": "CAGD_BROKER_IT",
    "name": "CAGD: Broker It",
    "path": "root.layers.analytical_core.weights.categories[25]",
    "weight_units": 10000,
    "normalized_weight": 0.01115324559446799
  },
  {
    "id": "BIT01",
    "name": "Trading Systems",
    "path":
"root.layers.analytical_core.weights.categories[25].domains[0]",
    "weight_units": 2500,
    "normalized_weight": 0.0027883113986169974
  },
  {
    "id": "BIT02",
    "name": "Market Data Infrastructure",
    "path":
"root.layers.analytical_core.weights.categories[25].domains[1]",
    "weight_units": 2000,
    "normalized_weight": 0.002230649118893598
  },
  {
    "id": "BIT03",
    "name": "Risk Management Systems",
    "path":
"root.layers.analytical_core.weights.categories[25].domains[2]",
    "weight_units": 1800,
    "normalized_weight": 0.002007584207004238
  },
  {
    "id": "BIT04",
    "name": "Compliance and Reporting",
    "path":
"root.layers.analytical_core.weights.categories[25].domains[3]",
    "weight_units": 1700,
    "normalized_weight": 0.0018960517510595582
  },
  {
    "id": "BIT05",
    "name": "Low-Latency Architecture",
    "path":
"root.layers.analytical_core.weights.categories[25].domains[4]",
    "weight_units": 2000,
    "normalized_weight": 0.002230649118893598
  },
  {
    "id": "CAGD_BALLISTICS",
    "name": "CAGD: Ballistics",
    "path": "root.layers.analytical_core.weights.categories[26]",
    "weight_units": 10000,

```



```

    "normalized_weight": 0.01115324559446799
  },
  {
    "id": "BAL01",
    "name": "Internal Ballistics and Propulsion Physics",
    "path":
"root.layers.analytical_core.weights.categories[26].domains[0]",
    "weight_units": 1100,
    "normalized_weight": 0.001226857015391479
  },
  {
    "id": "BAL02",
    "name": "External Ballistics and Aerodynamic Flight",
    "path":
"root.layers.analytical_core.weights.categories[26].domains[1]",
    "weight_units": 1300,
    "normalized_weight": 0.0014499219272808388
  },
  {
    "id": "BAL03",
    "name": "Terminal Ballistics and Impact Mechanics",
    "path":
"root.layers.analytical_core.weights.categories[26].domains[2]",
    "weight_units": 1100,
    "normalized_weight": 0.001226857015391479
  },
  {
    "id": "BAL04",
    "name": "Flight Mechanics and Trajectory Dynamics",
    "path":
"root.layers.analytical_core.weights.categories[26].domains[3]",
    "weight_units": 1400,
    "normalized_weight": 0.0015614543832255187
  },
  {
    "id": "BAL05",
    "name": "Orbital Mechanics and Spaceflight Ballistics",
    "path":
"root.layers.analytical_core.weights.categories[26].domains[4]",
    "weight_units": 1400,
    "normalized_weight": 0.0015614543832255187
  },
  {
    "id": "BAL06",
    "name": "Hypersonic and High-Energy Regimes",
    "path":
"root.layers.analytical_core.weights.categories[26].domains[5]",
    "weight_units": 1200,
    "normalized_weight": 0.0013383894713361588
  },
  {
    "id": "BAL07",
    "name": "Atmospheric Reentry and Thermal Physics",
    "path":

```

```

"root.layers.analytical_core.weights.categories[26].domains[6]",
  "weight_units": 1000,
  "normalized_weight": 0.001115324559446799
},
{
  "id": "BAL08",
  "name": "Guidance, Navigation, and Control (GNC)",
  "path":
"root.layers.analytical_core.weights.categories[26].domains[7]",
  "weight_units": 600,
  "normalized_weight": 0.0006691947356680794
},
{
  "id": "BAL09",
  "name": "Ballistic Simulation and Numerical Modeling",
  "path":
"root.layers.analytical_core.weights.categories[26].domains[8]",
  "weight_units": 900,
  "normalized_weight": 0.001003792103502119
},
{
  "id": "CAGD_ECON",
  "name": "CAGD: Econ",
  "path": "root.layers.analytical_core.weights.categories[27]",
  "weight_units": 10000,
  "normalized_weight": 0.01115324559446799
},
{
  "id": "EC01",
  "name": "Microeconomics",
  "path":
"root.layers.analytical_core.weights.categories[27].domains[0]",
  "weight_units": 1200,
  "normalized_weight": 0.0013383894713361588
},
{
  "id": "EC02",
  "name": "Macroeconomics",
  "path":
"root.layers.analytical_core.weights.categories[27].domains[1]",
  "weight_units": 1500,
  "normalized_weight": 0.0016729868391701986
},
{
  "id": "EC03",
  "name": "Monetary Economics and Central Banking",
  "path":
"root.layers.analytical_core.weights.categories[27].domains[2]",
  "weight_units": 1500,
  "normalized_weight": 0.0016729868391701986
},
{
  "id": "EC04",
  "name": "Banking Systems and Financial Intermediation",

```

```

    "path":
"root.layers.analytical_core.weights.categories[27].domains[3]",
    "weight_units": 1600,
    "normalized_weight": 0.0017845192951148785
  },
  {
    "id": "EC05",
    "name": "Financial Markets and Asset Pricing",
    "path":
"root.layers.analytical_core.weights.categories[27].domains[4]",
    "weight_units": 1400,
    "normalized_weight": 0.0015614543832255187
  },
  {
    "id": "EC06",
    "name": "International Economics and Global Finance",
    "path":
"root.layers.analytical_core.weights.categories[27].domains[5]",
    "weight_units": 1200,
    "normalized_weight": 0.0013383894713361588
  },
  {
    "id": "EC07",
    "name": "Political Economy and Economic Institutions",
    "path":
"root.layers.analytical_core.weights.categories[27].domains[6]",
    "weight_units": 1100,
    "normalized_weight": 0.001226857015391479
  },
  {
    "id": "EC08",
    "name": "Economic Forecasting and Quantitative Modeling",
    "path":
"root.layers.analytical_core.weights.categories[27].domains[7]",
    "weight_units": 500,
    "normalized_weight": 0.0005576622797233995
  },
  {
    "id": "CAGD_MATERIAL_SCIENCE",
    "name": "Material Science and Engineering",
    "path": "root.layers.analytical_core.weights.categories[28]",
    "weight_units": 12000,
    "normalized_weight": 0.013383894713361589
  },
  {
    "id": "MAT_01",
    "name": "Nanomaterials",
    "path":
"root.layers.analytical_core.weights.categories[28].domains[0]",
    "weight_units": 2000,
    "normalized_weight": 0.002230649118893598
  },
  {
    "id": "MAT_02",

```

```

    "name": "Polymers",
    "path":
"root.layers.analytical_core.weights.categories[28].domains[1]",
    "weight_units": 2000,
    "normalized_weight": 0.002230649118893598
  },
  {
    "id": "MAT_03",
    "name": "Metals",
    "path":
"root.layers.analytical_core.weights.categories[28].domains[2]",
    "weight_units": 2000,
    "normalized_weight": 0.002230649118893598
  },
  {
    "id": "MAT_04",
    "name": "Composites",
    "path":
"root.layers.analytical_core.weights.categories[28].domains[3]",
    "weight_units": 2000,
    "normalized_weight": 0.002230649118893598
  },
  {
    "id": "MAT_05",
    "name": "Smart Materials",
    "path":
"root.layers.analytical_core.weights.categories[28].domains[4]",
    "weight_units": 2000,
    "normalized_weight": 0.002230649118893598
  },
  {
    "id": "MAT_06",
    "name": "Ceramics",
    "path":
"root.layers.analytical_core.weights.categories[28].domains[5]",
    "weight_units": 2000,
    "normalized_weight": 0.002230649118893598
  },
  {
    "id": "P01",
    "name": "Classical and Continuum Physics",
    "path": "root.domains.physics.domains[0]",
    "weight_units": 1800,
    "normalized_weight": 0.002007584207004238
  },
  {
    "id": "P02",
    "name": "Quantum Physics",
    "path": "root.domains.physics.domains[1]",
    "weight_units": 2200,
    "normalized_weight": 0.002453714030782958
  },
  {
    "id": "P03",

```

```

    "name": "Relativistic and Cosmological Physics",
    "path": "root.domains.physics.domains[2]",
    "weight_units": 1500,
    "normalized_weight": 0.0016729868391701986
  },
  {
    "id": "P04",
    "name": "Statistical and Complex Systems",
    "path": "root.domains.physics.domains[3]",
    "weight_units": 1300,
    "normalized_weight": 0.0014499219272808388
  },
  {
    "id": "P05",
    "name": "Nuclear, Particle, and Plasma Physics",
    "path": "root.domains.physics.domains[4]",
    "weight_units": 1700,
    "normalized_weight": 0.0018960517510595582
  },
  {
    "id": "P06",
    "name": "Applied and Computational Physics",
    "path": "root.domains.physics.domains[5]",
    "weight_units": 1500,
    "normalized_weight": 0.0016729868391701986
  },
  {
    "id": "INTEL_CORE",
    "name": "Intelligence Foundations and Governance",
    "path":
"root.integrated_layers.all_in_one_v1_1_1.content.weights.categories
[0]",
    "weight_units": 22000,
    "normalized_weight": 0.024537140307829577
  },
  {
    "id": "INTEL_ANALYSIS",
    "name": "Intelligence Analysis",
    "path":
"root.integrated_layers.all_in_one_v1_1_1.content.weights.categories
[0].domains[0]",
    "weight_units": 6200,
    "normalized_weight": 0.006915012268570154
  },
  {
    "id": "INTEL_OVERSIGHT",
    "name": "Intelligence Oversight and Accountability",
    "path":
"root.integrated_layers.all_in_one_v1_1_1.content.weights.categories
[0].domains[1]",
    "weight_units": 3800,
    "normalized_weight": 0.004238233325897837
  },
  {

```

```

        "id": "ETHICS_INTEL",
        "name": "Ethics in Intelligence",
        "path":
"root.integrated_layers.all_in_one_v1_1_1.content.weights.categories
[0].domains[2]",
        "weight_units": 3400,
        "normalized_weight": 0.0037921035021191165
    },
    {
        "id": "DECISION_ANALYSIS",
        "name": "Decision Analysis Intelligence",
        "path":
"root.integrated_layers.all_in_one_v1_1_1.content.weights.categories
[0].domains[3]",
        "weight_units": 2600,
        "normalized_weight": 0.0028998438545616775
    },
    {
        "id": "KNOWLEDGE_MGMT",
        "name": "Knowledge Management Intelligence",
        "path":
"root.integrated_layers.all_in_one_v1_1_1.content.weights.categories
[0].domains[4]",
        "weight_units": 2200,
        "normalized_weight": 0.002453714030782958
    },
    {
        "id": "INTEL_EDU",
        "name": "Intelligence Education and Tradecraft",
        "path":
"root.integrated_layers.all_in_one_v1_1_1.content.weights.categories
[0].domains[5]",
        "weight_units": 2000,
        "normalized_weight": 0.002230649118893598
    },
    {
        "id": "OSINT_INTEL",
        "name": "Open-Source Intelligence (OSINT) Discipline",
        "path":
"root.integrated_layers.all_in_one_v1_1_1.content.weights.categories
[0].domains[6]",
        "weight_units": 1800,
        "normalized_weight": 0.002007584207004238
    },
    {
        "id": "COG_HUM",
        "name": "Cognitive, Human, and Behavioral Intelligence",
        "path":
"root.integrated_layers.all_in_one_v1_1_1.content.weights.categories
[1]",
        "weight_units": 18000,
        "normalized_weight": 0.02007584207004238
    },
    {

```

```

        "id": "COGNITIVE_SECURITY",
        "name": "Cognitive Security Intelligence",
        "path":
"root.integrated_layers.all_in_one_v1_1_1.content.weights.categories
[1].domains[0]",
        "weight_units": 3000,
        "normalized_weight": 0.0033459736783403972
    },
    {
        "id": "COGNITIVE_WARFARE",
        "name": "Cognitive Warfare Intelligence",
        "path":
"root.integrated_layers.all_in_one_v1_1_1.content.weights.categories
[1].domains[1]",
        "weight_units": 3100,
        "normalized_weight": 0.003457506134285077
    },
    {
        "id": "BEHAVIORAL_ANALYSIS",
        "name": "Behavioral Analysis Intelligence",
        "path":
"root.integrated_layers.all_in_one_v1_1_1.content.weights.categories
[1].domains[2]",
        "weight_units": 3000,
        "normalized_weight": 0.0033459736783403972
    },
    {
        "id": "BIAS_MITIGATION",
        "name": "Cognitive Bias Mitigation Intelligence",
        "path":
"root.integrated_layers.all_in_one_v1_1_1.content.weights.categories
[1].domains[3]",
        "weight_units": 2600,
        "normalized_weight": 0.0028998438545616775
    },
    {
        "id": "HUMAN_MACHINE",
        "name": "Human\u2013Machine Interface Intelligence",
        "path":
"root.integrated_layers.all_in_one_v1_1_1.content.weights.categories
[1].domains[4]",
        "weight_units": 2300,
        "normalized_weight": 0.0025652464867276376
    },
    {
        "id": "MENTAL_HEALTH",
        "name": "Mental Health Intelligence",
        "path":
"root.integrated_layers.all_in_one_v1_1_1.content.weights.categories
[1].domains[5]",
        "weight_units": 2400,
        "normalized_weight": 0.0026767789426723177
    },
    {

```

```

        "id": "DISINFO_RESILIENCE",
        "name": "Disinformation, Misinformation, and Narrative
Resilience Intelligence",
        "path":
"root.integrated_layers.all_in_one_v1_1_1.content.weights.categories
[1].domains[6]",
        "weight_units": 1600,
        "normalized_weight": 0.0017845192951148785
    },
    {
        "id": "AI_DATA",
        "name": "AI, Data, and Computational Intelligence",
        "path":
"root.integrated_layers.all_in_one_v1_1_1.content.weights.categories
[2]",
        "weight_units": 20000,
        "normalized_weight": 0.02230649118893598
    },
    {
        "id": "AI_INTEL",
        "name": "Artificial Intelligence in Intelligence",
        "path":
"root.integrated_layers.all_in_one_v1_1_1.content.weights.categories
[2].domains[0]",
        "weight_units": 3200,
        "normalized_weight": 0.003569038590229757
    },
    {
        "id": "XAI",
        "name": "Explainable AI Intelligence",
        "path":
"root.integrated_layers.all_in_one_v1_1_1.content.weights.categories
[2].domains[1]",
        "weight_units": 3600,
        "normalized_weight": 0.004015168414008476
    },
    {
        "id": "PRED_ANALYTICS",
        "name": "Predictive Analytics Intelligence",
        "path":
"root.integrated_layers.all_in_one_v1_1_1.content.weights.categories
[2].domains[2]",
        "weight_units": 2800,
        "normalized_weight": 0.0031229087664510374
    },
    {
        "id": "DATA_FUSION",
        "name": "Data Fusion Intelligence",
        "path":
"root.integrated_layers.all_in_one_v1_1_1.content.weights.categories
[2].domains[3]",
        "weight_units": 2800,
        "normalized_weight": 0.0031229087664510374
    },

```



```

{
  "id": "ANOMALY_DET",
  "name": "Anomaly Detection Intelligence",
  "path":
"root.integrated_layers.all_in_one_v1_1_1.content.weights.categories
[2].domains[4]",
  "weight_units": 2600,
  "normalized_weight": 0.0028998438545616775
},
{
  "id": "GRAPH_ANALYTICS",
  "name": "Graph Databases and Link Analysis Intelligence",
  "path":
"root.integrated_layers.all_in_one_v1_1_1.content.weights.categories
[2].domains[5]",
  "weight_units": 2200,
  "normalized_weight": 0.002453714030782958
},
{
  "id": "ENTITY_RESOLUTION",
  "name": "Entity Resolution",
  "path":
"root.integrated_layers.all_in_one_v1_1_1.content.weights.categories
[2].domains[5].leaves[0]",
  "weight_units": 600,
  "normalized_weight": 0.0006691947356680794
},
{
  "id": "SOCIAL_NETWORK_ANALYSIS",
  "name": "Social Network Analysis",
  "path":
"root.integrated_layers.all_in_one_v1_1_1.content.weights.categories
[2].domains[5].leaves[1]",
  "weight_units": 600,
  "normalized_weight": 0.0006691947356680794
},
{
  "id": "KNOWLEDGE_GRAPHS",
  "name": "Knowledge Graphs",
  "path":
"root.integrated_layers.all_in_one_v1_1_1.content.weights.categories
[2].domains[5].leaves[2]",
  "weight_units": 500,
  "normalized_weight": 0.0005576622797233995
},
{
  "id": "PATH_LINK_ANALYSIS",
  "name": "Path and Link Analysis",
  "path":
"root.integrated_layers.all_in_one_v1_1_1.content.weights.categories
[2].domains[5].leaves[3]",
  "weight_units": 500,
  "normalized_weight": 0.0005576622797233995
},

```

```

    {
      "id": "DATA_GOVERNANCE",
      "name": "Data Governance and Stewardship Intelligence",
      "path":
"root.integrated_layers.all_in_one_v1_1_1.content.weights.categories
[2].domains[6]",
      "weight_units": 1600,
      "normalized_weight": 0.0017845192951148785
    },
    {
      "id": "LLM_SECURITY",
      "name": "Foundation Model / LLM Security Intelligence",
      "path":
"root.integrated_layers.all_in_one_v1_1_1.content.weights.categories
[2].domains[7]",
      "weight_units": 1200,
      "normalized_weight": 0.0013383894713361588
    },
    {
      "id": "SEC_DEF",
      "name": "Security, Defense, and Hybrid Threat Intelligence",
      "path":
"root.integrated_layers.all_in_one_v1_1_1.content.weights.categories
[3]",
      "weight_units": 16000,
      "normalized_weight": 0.017845192951148784
    },
    {
      "id": "HYBRID_WAR",
      "name": "Hybrid Warfare Intelligence",
      "path":
"root.integrated_layers.all_in_one_v1_1_1.content.weights.categories
[3].domains[0]",
      "weight_units": 3600,
      "normalized_weight": 0.004015168414008476
    },
    {
      "id": "COUNTERTERROR",
      "name": "Counter-Terrorism Intelligence",
      "path":
"root.integrated_layers.all_in_one_v1_1_1.content.weights.categories
[3].domains[1]",
      "weight_units": 3400,
      "normalized_weight": 0.0037921035021191165
    },
    {
      "id": "CYBER_DEF",
      "name": "Cyber Defense Intelligence",
      "path":
"root.integrated_layers.all_in_one_v1_1_1.content.weights.categories
[3].domains[2]",
      "weight_units": 3200,
      "normalized_weight": 0.003569038590229757
    },
  ],

```

```

{
  "id": "CTI",
  "name": "Cyber Threat Intelligence",
  "path":
"root.integrated_layers.all_in_one_v1_1_1.content.weights.categories
[3].domains[3]",
  "weight_units": 3000,
  "normalized_weight": 0.0033459736783403972
},
{
  "id": "APT",
  "name": "Advanced Persistent Threats",
  "path":
"root.integrated_layers.all_in_one_v1_1_1.content.weights.categories
[3].domains[3].leaves[0]",
  "weight_units": 700,
  "normalized_weight": 0.0007807271916127593
},
{
  "id": "MALWARE",
  "name": "Malware Analysis",
  "path":
"root.integrated_layers.all_in_one_v1_1_1.content.weights.categories
[3].domains[3].leaves[1]",
  "weight_units": 500,
  "normalized_weight": 0.0005576622797233995
},
{
  "id": "INTRUSION",
  "name": "Intrusion Detection",
  "path":
"root.integrated_layers.all_in_one_v1_1_1.content.weights.categories
[3].domains[3].leaves[2]",
  "weight_units": 400,
  "normalized_weight": 0.00044612982377871963
},
{
  "id": "THREAT_HUNT",
  "name": "Threat Hunting",
  "path":
"root.integrated_layers.all_in_one_v1_1_1.content.weights.categories
[3].domains[3].leaves[3]",
  "weight_units": 500,
  "normalized_weight": 0.0005576622797233995
},
{
  "id": "VULNERABILITY_INTEL",
  "name": "Vulnerability Intelligence",
  "path":
"root.integrated_layers.all_in_one_v1_1_1.content.weights.categories
[3].domains[3].leaves[4]",
  "weight_units": 500,
  "normalized_weight": 0.0005576622797233995
},

```

```

{
  "id": "PHISHING_SOCENG",
  "name": "Phishing and Social Engineering",
  "path":
"root.integrated_layers.all_in_one_v1_1_1.content.weights.categories
[3].domains[3].leaves[5]",
  "weight_units": 400,
  "normalized_weight": 0.00044612982377871963
},
{
  "id": "COUNTERINTEL",
  "name": "Counterintelligence",
  "path":
"root.integrated_layers.all_in_one_v1_1_1.content.weights.categories
[3].domains[4]",
  "weight_units": 2800,
  "normalized_weight": 0.0031229087664510374
},
{
  "id": "ECON_SYS",
  "name": "Economic, Trade, and Systemic Risk Intelligence",
  "path":
"root.integrated_layers.all_in_one_v1_1_1.content.weights.categories
[4]",
  "weight_units": 14000,
  "normalized_weight": 0.015614543832255186
},
{
  "id": "ECON_INTEL",
  "name": "Economic Intelligence",
  "path":
"root.integrated_layers.all_in_one_v1_1_1.content.weights.categories
[4].domains[0]",
  "weight_units": 1800,
  "normalized_weight": 0.002007584207004238
},
{
  "id": "GLOBAL_TRADE",
  "name": "Global Trade Intelligence",
  "path":
"root.integrated_layers.all_in_one_v1_1_1.content.weights.categories
[4].domains[1]",
  "weight_units": 2600,
  "normalized_weight": 0.0028998438545616775
},
{
  "id": "GEOECON",
  "name": "Goeconomics Intelligence",
  "path":
"root.integrated_layers.all_in_one_v1_1_1.content.weights.categories
[4].domains[2]",
  "weight_units": 2400,
  "normalized_weight": 0.0026767789426723177
},

```

```

{
  "id": "FIN_CRIME",
  "name": "Financial Crime Investigation Intelligence",
  "path":
"root.integrated_layers.all_in_one_v1_1_1.content.weights.categories
[4].domains[3]",
  "weight_units": 2200,
  "normalized_weight": 0.002453714030782958
},
{
  "id": "SANCTIONS",
  "name": "Economic Sanctions Intelligence",
  "path":
"root.integrated_layers.all_in_one_v1_1_1.content.weights.categories
[4].domains[4]",
  "weight_units": 2000,
  "normalized_weight": 0.002230649118893598
},
{
  "id": "SUPPLY_CHAIN_INTEL",
  "name": "Supply Chain and Logistics Intelligence",
  "path":
"root.integrated_layers.all_in_one_v1_1_1.content.weights.categories
[4].domains[5]",
  "weight_units": 1800,
  "normalized_weight": 0.002007584207004238
},
{
  "id": "ENERGY_MARKETS_INTEL",
  "name": "Energy Markets and Energy Security Intelligence",
  "path":
"root.integrated_layers.all_in_one_v1_1_1.content.weights.categories
[4].domains[6]",
  "weight_units": 1200,
  "normalized_weight": 0.0013383894713361588
},
{
  "id": "ENV_BIO",
  "name": "Environmental, Biological, and Health Intelligence",
  "path":
"root.integrated_layers.all_in_one_v1_1_1.content.weights.categories
[5]",
  "weight_units": 10000,
  "normalized_weight": 0.01115324559446799
},
{
  "id": "CLIMATE_SEC",
  "name": "Climate Change and Security Intelligence",
  "path":
"root.integrated_layers.all_in_one_v1_1_1.content.weights.categories
[5].domains[0]",
  "weight_units": 2600,
  "normalized_weight": 0.0028998438545616775
},

```

```

    {
      "id": "PUBLIC_HEALTH",
      "name": "Public Health Intelligence",
      "path":
"root.integrated_layers.all_in_one_v1_1_1.content.weights.categories
[5].domains[1]",
      "weight_units": 2200,
      "normalized_weight": 0.002453714030782958
    },
    {
      "id": "EPIDEMIOLOGY",
      "name": "Epidemiology Intelligence",
      "path":
"root.integrated_layers.all_in_one_v1_1_1.content.weights.categories
[5].domains[2]",
      "weight_units": 2000,
      "normalized_weight": 0.002230649118893598
    },
    {
      "id": "BIOSECURITY",
      "name": "Biosecurity Threat Intelligence",
      "path":
"root.integrated_layers.all_in_one_v1_1_1.content.weights.categories
[5].domains[3]",
      "weight_units": 1700,
      "normalized_weight": 0.0018960517510595582
    },
    {
      "id": "ONE_HEALTH_INTEL",
      "name": "One Health (Human\u2013Animal\u2013Environment)
Intelligence",
      "path":
"root.integrated_layers.all_in_one_v1_1_1.content.weights.categories
[5].domains[4]",
      "weight_units": 1500,
      "normalized_weight": 0.0016729868391701986
    }
  ]
}

```