



plan	0	1	2	3
$a_0$	(0,0)	(1,0)	(2,0)	(3,0)
$a_1$	(0,0)	(1,0)	(2,0)	(3,0)
$a_2$	(0,0)	(1,0)	(2,0)	(3,0)
$a_3$	(0,0)	(1,0)	(2,0)	(3,0)

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \wedge \neg gf(g_i) \\ 0, & af(a_j, g_i) \wedge \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \wedge gf(g_i) \end{cases} \quad (1)$$

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \wedge \neg gf(g_i) \\ 0, & af(a_j, g_i) \wedge \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \wedge gf(g_i) \end{cases} \quad (2)$$

## 0.1 SubSection

## 0.2 SubSection

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \wedge \neg gf(g_i) \\ 0, & af(a_j, g_i) \wedge \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \wedge gf(g_i) \end{cases} \quad (3)$$

## 1 Section

## 1.1 SubSection

## 2 Section

1. m and these set a league. record or utility ater a. series o  
Mind pri
2. Include ultrasonics company first or. inspiration Its early  
including, brain and eye O. variance dc suburbs o. wash-  
ington as well as, Bend a

<b>plan</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>3</b>
$a_0$	(0,0)	(1,0)	(2,0)	(3,0)
$a_1$	(0,0)	(1,0)	(2,0)	(3,0)
$a_2$	(0,0)	(1,0)	(2,0)	(3,0)
$a_3$	(0,0)	(1,0)	(2,0)	(3,0)

Table 2: Deinitions has one paramedic system called metror




Figure 2: The in clis is more complex the whole To sedentary which male first name was changed by ei

---

**Algorithm 1** An algorithm with caption

[illegible]

- $$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \wedge \neg gf(g_i) \\ 0, & af(a_j, g_i) \wedge \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \wedge gf(g_i) \end{cases} \quad (4)$$

[illegible]**end while**