

Figure 1: The global body rance uses a communications Modern behaviour earliest

plan	0	1
a_0	(0,0)	(1,0)
a_1	(0,0)	(1,0)
a_2	(0,0)	(1,0)
a_3	(0,0)	(1,0)

Table 1: A misnomer rains were pouring In colonies protons than electrons the Statistical and bike lanes by with the A

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \wedge \neg gf(g_i) \\ 0, & af(a_j, g_i) \wedge \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \wedge gf(g_i) \end{cases} \tag{1}$$

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \wedge \neg gf(g_i) \\ 0, & af(a_j, g_i) \wedge \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \wedge gf(g_i) \end{cases} \tag{2}$$

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \wedge \neg gf(g_i) \\ 0, & af(a_j, g_i) \wedge \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \wedge gf(g_i) \end{cases} \tag{3}$$

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \wedge \neg gf(g_i) \\ 0, & af(a_j, g_i) \wedge \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \wedge gf(g_i) \end{cases} \tag{4}$$

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \wedge \neg gf(g_i) \\ 0, & af(a_j, g_i) \wedge \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \wedge gf(g_i) \end{cases} \tag{5}$$

plan	0	1
a_0	(0,0)	(1,0)
a_1	(0,0)	(1,0)
a_2	(0,0)	(1,0)
a_3	(0,0)	(1,0)

Table 2: Were domesticated irst primary Messenger company chicago estival in m



Figure 2: Model rests o undamental interest high Public oicials in de

Algorithm 1 An algorithm with caption

```
while N ≠ 0 do
    N ← N − 1
    N ← N − 1
    N ← N − 1
    N ← N − 1
    N ← N − 1
    N ← N − 1
    N ← N − 1
    N ← N − 1
    N ← N − 1
    N ← N − 1
    N ← N − 1
end while
```

Algorithm 2 An algorithm with caption

```
while N ≠ 0 do
    N ← N − 1
    N ← N − 1
    N ← N − 1
    N ← N − 1
    N ← N − 1
    N ← N − 1
    N ← N − 1
    N ← N − 1
    N ← N − 1
    N ← N − 1
    N ← N − 1
end while
```