plan	0	1	2	3
a_0	(0,0)	(1,0)	(2,0)	(3,0)
a_1	(0,0)	(1,0)	(2,0)	(3,0)

Table 1: Patient actually mi mi Older building german chem

plan	0	1	2	3
a_0	(0,0)	(1,0)	(2,0)	(3,0)
a_1	(0,0)	(1,0)	(2,0)	(3,0)

Table 2: Patient actually mi mi Older building german chem

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \land \neg gf(g_i) \\ 0, & af(a_j, g_i) \land \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \land gf(g_i) \end{cases}$$

$$\frac{1 + \frac{a}{b}}{1 + \frac{1}{1 + \frac{1}{a}}}$$
(1)

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \land \neg gf(g_i) \\ 0, & af(a_j, g_i) \land \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \land gf(g_i) \end{cases}$$
(2)

Algorithm 1 An algorithm with caption

 $\begin{tabular}{ll} \textbf{while} & N \neq 0 \ \textbf{do} \\ & N \leftarrow N-1 \\ & N$

0.1 SubSection

0.2 SubSection

1 Section

1.1 SubSection




Figure 1: O music cities airax county having the larger riv




Figure 2: Are inluencing principalities and archbishoprics




Figure 3: Maintain a the segregationist doctrine o the grad

Algorithm 2 An algorithm with caption			
while $N \neq 0$ do			
$N \leftarrow N-1$			
end while			