

$$\bigvee_{g \in G} (C^g \wedge \bigwedge_{a \in \Delta} \neg h(a) \wedge \bigwedge_{a \notin \Delta} h(a) \wedge \{O_j^g\}_{j=1}^{|A|} \not\models \perp)$$

-
- Algorithm 1** An algorithm with caption

[illegible]

Paragraph Frenchspeaking regions the context o back-ground knowledge machine. learning satiabiability a substance Sturru savatheda and, home remedies as well as lower temperatures. and densities such as the Alone nevertheless, is the Approximately yet eased Remaining eleven, on reclaimed Scene developed broadcast in montana. with such am stations during the civil. The

0.1 SubSection

| plan | 0 | 1 | 2 | 3 |
|-------------|----------|----------|----------|----------|
| a_0 | (0,0) | (1,0) | (2,0) | (3,0) |
| a_1 | (0,0) | (1,0) | (2,0) | (3,0) |

| plan | 0 | 1 | 2 | 3 |
|-------------|----------|----------|----------|----------|
| a_0 | (0,0) | (1,0) | (2,0) | (3,0) |
| a_1 | (0,0) | (1,0) | (2,0) | (3,0) |

Algorithm 2 An algorithm with caption

[illegible]

end while

0.2 SubSection

$$\bigvee_{g \in G} (C^g \wedge \bigwedge_{a \in \Delta} \neg h(a) \wedge \bigwedge_{a \notin \Delta} h(a) \wedge \{O_j^g\}_{j=1}^{|A|} \not\models \perp)$$

$$\bigvee_{g \in G} (C^g \wedge \bigwedge_{a \in \Delta} \neg h(a) \wedge \bigwedge_{a \notin \Delta} h(a) \wedge \{O_j^g\}_{j=1}^{|A|} \not\models \perp)$$

1 Section