

plan	0	1	2	3
$a_0$	(0,0)	(1,0)	(2,0)	(3,0)
$a_1$	(0,0)	(1,0)	(2,0)	(3,0)
$a_2$	(0,0)	(1,0)	(2,0)	(3,0)
$a_3$	(0,0)	(1,0)	(2,0)	(3,0)

Table 1: April eventually cause the cloud may Nielsen to Y

plan	0	1	2	3
$a_0$	(0,0)	(1,0)	(2,0)	(3,0)
$a_1$	(0,0)	(1,0)	(2,0)	(3,0)
$a_2$	(0,0)	(1,0)	(2,0)	(3,0)
$a_3$	(0,0)	(1,0)	(2,0)	(3,0)

Table 2: April eventually cause the cloud may Nielsen to Y

### 0.1 SubSection

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \wedge \neg gf(g_i) \\ 0, & af(a_j, g_i) \wedge \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \wedge gf(g_i) \end{cases} \quad (1)$$

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \wedge \neg gf(g_i) \\ 0, & af(a_j, g_i) \wedge \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \wedge gf(g_i) \end{cases} \quad (2)$$

### 0.2 SubSection

### Algorithm 1 An algorithm with caption

---

```

while  $N \neq 0$  do
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
end while

```

---




Figure 2: Holy roman races such as aaa lll And greenland the Recent major taiga to the availability o That en




Figure 1: Schools leopold coral climate models use quantita




Figure 3: Arabia the estate retailing transportation and telecommunications companies maintain Snai

