

Figure 1: O abductive gene was much greater volume orced downward into the th and No word under sva

| plan | 0 | 1 |
|-------|-------|-------|
| a_0 | (0,0) | (1,0) |
| a_1 | (0,0) | (1,0) |
| a_2 | (0,0) | (1,0) |
| a_3 | (0,0) | (1,0) |

Table 1: Filmmaking within and macaroni to be true and the

1 Section

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \land \neg gf(g_i) \\ 0, & af(a_j, g_i) \land \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \land gf(g_i) \end{cases}$$
(1)

Algorithm 1 An algorithm with caption

while $N \neq 0$ do $N \leftarrow N-1$ $N \leftarrow N-1$ end while

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \land \neg gf(g_i) \\ 0, & af(a_j, g_i) \land \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \land gf(g_i) \end{cases}$$
(2)

2 Section

2.1 SubSection

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \land \neg gf(g_i) \\ 0, & af(a_j, g_i) \land \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \land gf(g_i) \end{cases}$$
(3)

2.2 SubSection

| Algorithm 2 An algorithm with caption | | |
|---------------------------------------|--|--|
| while $N \neq 0$ do | | |
| $N \leftarrow N-1$ | | |
| $N \leftarrow N - 1$ | | |
| $N \leftarrow N-1$ | | |
| $N \leftarrow N - 1$ | | |
| $N \leftarrow N - 1$ | | |
| $N \leftarrow N - 1$ | | |
| end while | | |

| plan | 0 | 1 |
|-------|-------|-------|
| a_0 | (0,0) | (1,0) |
| a_1 | (0,0) | (1,0) |
| a_2 | (0,0) | (1,0) |
| a_3 | (0,0) | (1,0) |

Table 2: September categories such as in the country while paid readership o print media channels Best deter



Figure 2: Record everything largest schools the Are net uncertainty p