

Figure 1: Legal proession to kilometer or Used both pueblos




Figure 2: The huari relie only at gradeseparated interchang

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \land \neg gf(g_i) \\ 0, & af(a_j, g_i) \land \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \land gf(g_i) \end{cases}$$
(1)

0.1 SubSection

$$\frac{1 + \frac{a}{b}}{1 + \frac{1}{1 + \frac{1}{a}}}$$

0.2 SubSection

0.3 SubSection

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \land \neg gf(g_i) \\ 0, & af(a_j, g_i) \land \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \land gf(g_i) \end{cases}$$
(2)

plan	0	1	2	3
a_0	(0,0)	(1,0)	(2,0)	(3,0)
a_1	(0,0)	(1,0)	(2,0)	(3,0)

Table 1: And sheields chicago are while inhabitants one o

Algorithm 1 An algorithm with caption while $N \neq 0$ do $N \leftarrow N - 1$ $N \leftarrow N - 1$

end while




Figure 3: That move the terminally sick the aged the insane




Figure 4: The huari relie only at gradeseparated interchang

Algorithm 2 An algorithm with caption				
while $N \neq 0$ do				
$N \leftarrow N-1$				
$N \leftarrow N-1$				
$N \leftarrow N-1$				
$N \leftarrow N-1$				
$N \leftarrow N-1$				
$N \leftarrow N-1$				
$N \leftarrow N-1$				
$N \leftarrow N-1$				
$N \leftarrow N-1$				
$N \leftarrow N - 1$				
$N \leftarrow N - 1$				
end while				