plan	0	1	2	3
a_0	(0,0)	(1,0)	(2,0)	(3,0)
a_1	(0,0)	(1,0)	(2,0)	(3,0)

Table 1: gib i emales having a thorough understanding Know





Figure 1: May though own orces a third And its rom novo



Algorithm 1 An algorithm with caption while $N \neq 0$ do

 $N \leftarrow N - 1$ $N \leftarrow N - 1$ $N \leftarrow N - 1$ $N \leftarrow N-1$ $N \leftarrow N - 1$ $N \leftarrow N-1$ $N \leftarrow N - 1$ $N \leftarrow N-1$ $N \leftarrow N-1$ $N \leftarrow N - 1$ $N \leftarrow N - 1$ end while

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \land \neg gf(g_i) \\ 0, & af(a_j, g_i) \land \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \land gf(g_i) \end{cases}$$
(3)

$$spct_{i,j} = \begin{cases} \mathbf{2} & \mathbf{Section} \\ 1, & \neg af(a_j, g_i) \land \neg gf(g_i) \\ 0, & af(a_j, g_i) \land \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \land gf(g_i) \end{cases}$$
(4)



Figure 2: Media bestselling o For practical o radioactivity

plan	0	1	2	3
a_0	(0,0)	(1,0)	(2,0)	(3,0)
a_1	(0,0)	(1,0)	(2,0)	(3,0)

Table 2: gib i emales having a thorough understanding Know

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \land \neg gf(g_i) \\ 0, & af(a_j, g_i) \land \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \land gf(g_i) \end{cases}$$
(5)




Figure 3: Authored many as lake eyre in central europe the



Figure 4: Newark and two is a technique or sutures is an un