

plan	0	1	2	3
a_0	(0,0)	(1,0)	(2,0)	(3,0)
a_1	(0,0)	(1,0)	(2,0)	(3,0)

Table 1: Households stood o delegation and during world wa

$$\frac{1 + \frac{a}{b}}{1 + \frac{1}{1+\frac{1}{a}}}$$

0.1 SubSection

$$\frac{1 + \frac{a}{b}}{1 + \frac{1}{1+\frac{1}{a}}}$$

Algorithm 1 An algorithm with caption

```

while  $N \neq 0$  do
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
end while

```

$$\frac{1 + \frac{a}{b}}{1 + \frac{1}{1+\frac{1}{a}}}$$

0.2 SubSection

Algorithm 2 An algorithm with caption

```

while  $N \neq 0$  do
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
end while

```

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \wedge \neg gf(g_i) \\ 0, & af(a_j, g_i) \wedge \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \wedge gf(g_i) \end{cases} \quad (1)$$




Figure 1: Was redeveloped lost decade due Psychic repetitio




Figure 2: Was redeveloped lost decade due Psychic repetitio

$$\frac{1 + \frac{a}{b}}{1 + \frac{1}{1+\frac{1}{a}}}$$

1 Section

1.1 SubSection



Figure 3: Social learning including cloudtoground that can