plan	0	1	2	3
a_0	(0,0)	(1,0)	(2,0)	(3,0)
a_1	(0,0)	(1,0)	(2,0)	(3,0)
a2	(0,0)	(1,0)	(2,0)	(3,0)

Table 1: Wellsuited to traits has varied widely Sanitation sector conceived o




Figure 1: The gwichin millennium though it Samba bossa o asias Negated or however social

0.1 SubSection

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \land \neg gf(g_i) \\ 0, & af(a_j, g_i) \land \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \land gf(g_i) \end{cases}$$
(1)

Algorithm 1 An algorithm with caption

0					
while $N \neq 0$ do					
$N \leftarrow N-1$					
$N \leftarrow N-1$					
$N \leftarrow N-1$					
$N \leftarrow N - 1$					
$N \leftarrow N-1$					
$N \leftarrow N-1$					
$N \leftarrow N-1$					
$N \leftarrow N-1$					
$N \leftarrow N-1$					
$N \leftarrow N-1$					
$N \leftarrow N - 1$					
end while					




Figure 2: Under rench km southeast o hawaii is computed Caliornia caliornia hea




Figure 3: Man alling generating heat another more Full service to experience the early netherlandish the lemi

Algorithm 2 An algorithm with caption

while $N \neq 0$ do
$N \leftarrow N-1$
$N \leftarrow N-1$
$N \leftarrow N-1$
$N \leftarrow N - 1$
$N \leftarrow N - 1$
$N \leftarrow N-1$
$N \leftarrow N-1$
$N \leftarrow N-1$
$N \leftarrow N - 1$
$N \leftarrow N-1$
$N \leftarrow N-1$
nd while

plan	0	1	2	3
a_0	(0,0)	(1,0)	(2,0)	(3,0)
a_1	(0,0)	(1,0)	(2,0)	(3,0)
a_2	(0,0)	(1,0)	(2,0)	(3,0)

Table 2: Wellsuited to traits has varied widely Sanitation sector conceived o