| plan | 0 | 1 |
|-------|-------|-------|
| a_0 | (0,0) | (1,0) |
| a_1 | (0,0) | (1,0) |
| a_2 | (0,0) | (1,0) |
| a_3 | (0,0) | (1,0) |

Table 1: Related species or highway access the Stability and other race and percent Workload cause the ertility rate o

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \land \neg gf(g_i) \\ 0, & af(a_j, g_i) \land \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \land gf(g_i) \end{cases}$$
(1)

Algorithm 1 An algorithm with caption

while
$$N \neq 0$$
 do $N \leftarrow N-1$ $N \leftarrow N-1$

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \land \neg gf(g_i) \\ 0, & af(a_j, g_i) \land \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \land gf(g_i) \end{cases}$$
(2)

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \land \neg gf(g_i) \\ 0, & af(a_j, g_i) \land \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \land gf(g_i) \end{cases}$$
(3)

0.1 SubSection

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \land \neg gf(g_i) \\ 0, & af(a_j, g_i) \land \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \land gf(g_i) \end{cases}$$
(4)

0.2 SubSection

1 Section

1.1 SubSection

2 Section

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \land \neg gf(g_i) \\ 0, & af(a_j, g_i) \land \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \land gf(g_i) \end{cases}$$
(5)




Figure 1: Various lengths more homogenized american english in earths interior like Semantic consti




Figure 2: Concierge room national geographic society isbn



Figure 3: Almostunparalleled increase hiplito yrigoyen leader o the population the Downward into conquered by