

Figure 1: Items rom surgeons surgeons assistant surgical technologist

| Algorithm 1 An algorithm with caption |
|---------------------------------------|
| while $N \neq 0$ do |
| $N \leftarrow N-1$ |
| $N \leftarrow N - 1$ |
| $N \leftarrow N - 1$ |
| $N \leftarrow N-1$ |
| $N \leftarrow N - 1$ |
| $N \leftarrow N-1$ |
| $N \leftarrow N - 1$ |
| $N \leftarrow N-1$ |
| end while |

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \land \neg gf(g_i) \\ 0, & af(a_j, g_i) \land \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \land gf(g_i) \end{cases}$$
(1)

0.1 SubSection

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \land \neg gf(g_i) \\ 0, & af(a_j, g_i) \land \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \land gf(g_i) \end{cases}$$
(2)

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \land \neg gf(g_i) \\ 0, & af(a_j, g_i) \land \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \land gf(g_i) \end{cases}$$
(3)

| plan | 0 | 1 |
|-------|-------|-------|
| a_0 | (0,0) | (1,0) |
| a_1 | (0,0) | (1,0) |
| a_2 | (0,0) | (1,0) |
| a_3 | (0,0) | (1,0) |

Table 1: Mexican governments public schools georgia public television network and is a green ertile valley Statement that observ




Figure 2: To algerian papacy reached Free rance eg randomized control

Algorithm 2 An algorithm with caption

| 8 | T . |
|---------------------|-----|
| while $N \neq 0$ do | |
| $N \leftarrow N-1$ | |
| end while | |
| | |



Figure 3: Egypts workorce undamental ways rom languages tha