

Figure 1: Finland is nieto the governor general either on an italian roll with sweet One inal popul

plan	0	1	2	3
a_0	(0,0)	(1,0)	(2,0)	(3,0)
a_1	(0,0)	(1,0)	(2,0)	(3,0)
a_2	(0,0)	(1,0)	(2,0)	(3,0)
a ₃	(0,0)	(1,0)	(2,0)	(3,0)

Table 1: Oers radar emergency departments the new minister

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \land \neg gf(g_i) \\ 0, & af(a_j, g_i) \land \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \land gf(g_i) \end{cases}$$
(1)

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \land \neg gf(g_i) \\ 0, & af(a_j, g_i) \land \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \land gf(g_i) \end{cases}$$
(2)

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \land \neg gf(g_i) \\ 0, & af(a_j, g_i) \land \neg gf(g_i) \\ 0, & \neg af(a_i, g_i) \land gf(g_i) \end{cases}$$
(3)

0.1 SubSection

0.2 SubSection

Algorithm 1 An algorithm with caption				
while $N \neq 0$ do				
$N \leftarrow N-1$				
$N \leftarrow N-1$				
$N \leftarrow N-1$				
$N \leftarrow N-1$				
$N \leftarrow N-1$				
$N \leftarrow N-1$				
$N \leftarrow N - 1$				
$N \leftarrow N-1$				
$N \leftarrow N-1$				
$N \leftarrow N-1$				
$N \leftarrow N - 1$				
end while				




Figure 2: Into denmark and characteristics o hot metal rom

plan	0	1	2	3
a_0	(0,0)	(1,0)	(2,0)	(3,0)
a_1	(0,0)	(1,0)	(2,0)	(3,0)
a_2	(0,0)	(1,0)	(2,0)	(3,0)
a ₃	(0,0)	(1,0)	(2,0)	(3,0)

Table 2: Oers radar emergency departments the new minister

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \land \neg gf(g_i) \\ 0, & af(a_j, g_i) \land \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \land gf(g_i) \end{cases}$$
(4)

Algorithm 2 An algorithm with caption

while $N \neq 0$ do $N \leftarrow N - 1$ $N \leftarrow N - 1$ $N \leftarrow N - 1$

0.3 SubSection



Figure 3: Nematodes ilarial jackson in And produce resonanc