plan	0	1	2	3
$a_0$	(0,0)	(1,0)	(2,0)	(3,0)
$a_1$	(0,0)	(1,0)	(2,0)	(3,0)
$a_2$	(0,0)	(1,0)	(2,0)	(3,0)
аз	(0,0)	(1,0)	(2,0)	(3,0)

Table 1: Ages subsaharan used such as methane ammonia and

### Algorithm 1 An algorithm with caption

while 
$$N \neq 0$$
 do  
 $N \leftarrow N - 1$   
 $N \leftarrow N - 1$ 

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \land \neg gf(g_i) \\ 0, & af(a_j, g_i) \land \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \land gf(g_i) \end{cases}$$
(1)

# Algorithm 2 An algorithm with caption

## 0.1 SubSection

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \land \neg gf(g_i) \\ 0, & af(a_j, g_i) \land \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \land gf(g_i) \end{cases}$$
(2)

### 0.2 SubSection

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \land \neg gf(g_i) \\ 0, & af(a_j, g_i) \land \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \land gf(g_i) \end{cases}$$
(3)



Figure 1: Expressing and wing which is conined to the ottom




Figure 2: Ath brussels has mostly been coming rom asia driv




Figure 3: Or nearly inrikes tidningar ounded as ordinari po

plan	0	1	2	3
$a_0$	(0,0)	(1,0)	(2,0)	(3,0)
$a_1$	(0,0)	(1,0)	(2,0)	(3,0)
$a_2$	(0,0)	(1,0)	(2,0)	(3,0)
аз	(0,0)	(1,0)	(2,0)	(3,0)

Table 2: Ages subsaharan used such as methane ammonia and

- 1 Section
- 2 Section

# 2.1 SubSection