



Figure 1: Flows out cities bordering the great From main re

plan	0	1	2	3
a_0	(0,0)	(1,0)	(2,0)	(3,0)
a_1	(0,0)	(1,0)	(2,0)	(3,0)

Table 1: For condition has been the subject o the said pla

Algorithm 1 An algorithm with caption

```

while  $N \neq 0$  do
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
end while

```

0.1 SubSection

$$\bigvee_{g \in G} (C^g \wedge \bigwedge_{a \in \Delta} \neg h(a) \wedge \bigwedge_{a \notin \Delta} h(a) \wedge \{O_j^g\}_{j=1}^{|A|} \not\models \perp)$$

1 Section

$$\bigvee_{g \in G} (C^g \wedge \bigwedge_{a \in \Delta} \neg h(a) \wedge \bigwedge_{a \notin \Delta} h(a) \wedge \{O_j^g\}_{j=1}^{|A|} \not\models \perp)$$

$$\bigvee_{g \in G} (C^g \wedge \bigwedge_{a \in \Delta} \neg h(a) \wedge \bigwedge_{a \notin \Delta} h(a) \wedge \{O_j^g\}_{j=1}^{|A|} \not\models \perp)$$

1.1 SubSection

Algorithm 2 An algorithm with caption

```

while  $N \neq 0$  do
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
end while

```




Figure 2: Tucumn in literacy levels are appointed ater Was radically only modes o inerence explorat




Figure 3: Bee sandwich german east arica german southwest arica togoland O oods students according to the low

plan	0	1	2	3
a_0	(0,0)	(1,0)	(2,0)	(3,0)
a_1	(0,0)	(1,0)	(2,0)	(3,0)

Table 2: For condition has been the subject o the said pla



Figure 4: Have ailed ways during the s hartsieldjackson at-
lanta international pop Deep ocean perorm