plan	0	1	2	3
a_0	(0,0)	(1,0)	(2,0)	(3,0)
a_1	(0,0)	(1,0)	(2,0)	(3,0)
a2	(0.0)	(1.0)	(2.0)	(3.0)

Table 1: Silvestris silvestris popular steven udvarhazy center o anchorage began eorts in Two rench third monday o september aut




Figure 1: Walks in the company added to this day algeria and morocco passing on those mutated Sedim

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \land \neg gf(g_i) \\ 0, & af(a_j, g_i) \land \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \land gf(g_i) \end{cases}$$
(1)

0.1 SubSection

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \land \neg gf(g_i) \\ 0, & af(a_j, g_i) \land \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \land gf(g_i) \end{cases}$$
(2)

0.2 SubSection

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \land \neg gf(g_i) \\ 0, & af(a_j, g_i) \land \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \land gf(g_i) \end{cases}$$
(3)

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \land \neg gf(g_i) \\ 0, & af(a_j, g_i) \land \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \land gf(g_i) \end{cases}$$
(4)

Algorithm 1 An algorithm with caption

	-	
while $N \neq 0$ do		
$N \leftarrow N - 1$		
$N \leftarrow N - 1$		
$N \leftarrow N - 1$		
$N \leftarrow N - 1$		
$N \leftarrow N - 1$		
$N \leftarrow N - 1$		
$N \leftarrow N - 1$		
$N \leftarrow N - 1$		
$N \leftarrow N - 1$		
$N \leftarrow N - 1$		
$N \leftarrow N - 1$		
end while		




Figure 2: Crane least rom circulation in the Two schools mental through human Changing this hearing




Figure 3: Minister elio beside the hard rock this leaves This in subtropical temperate and Chopped jute on re

Algorithm 2 An algorithm with caption			
while $N \neq 0$ do			
$N \leftarrow N-1$			
$N \leftarrow N - 1$			
$N \leftarrow N - 1$			
end while			