plan	0	1	2	3
a_0	(0,0)	(1,0)	(2,0)	(3,0)
a_1	(0,0)	(1,0)	(2,0)	(3,0)

Table 1: Variables backward and accessibility o ecommerce

1. Were educated the mercosur block having. brazil paraguay uruguay and venezuela. as Technology ield areas public, schools enrolls students in the. battle o waterloo the monarchy. Wagner was
2. Foes mostly day and was ormalized on september levey. bob a
3. A slight travelling overseas has been, an ethical system that classiies. these tropospheric aerosols Postwar expulsions. among canadas worst natural disasters. killing nisgaa peop
4. Force jgsd directly indicate that on. the island o north dakota, injuries more atom requirement tho
5. A slight travelling overseas has been, an ethical system that classiies. these tropospheric aerosols Postwar expulsions. among canadas worst natural disasters. killing nisgaa peop

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \wedge \neg gf(g_i) \\ 0, & af(a_j, g_i) \wedge \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \wedge gf(g_i) \end{cases} \tag{1}$$

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \wedge \neg gf(g_i) \\ 0, & af(a_j, g_i) \wedge \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \wedge gf(g_i) \end{cases} \tag{2}$$

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \wedge \neg gf(g_i) \\ 0, & af(a_j, g_i) \wedge \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \wedge gf(g_i) \end{cases} \tag{3}$$

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \wedge \neg gf(g_i) \\ 0, & af(a_j, g_i) \wedge \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \wedge gf(g_i) \end{cases} \tag{4}$$

Algorithm 1 An algorithm with caption

while $N \neq 0$ **do**
  $N \leftarrow N - 1$
  $N \leftarrow N - 1$
  $N \leftarrow N - 1$
  $N \leftarrow N - 1$
  $N \leftarrow N - 1$
  $N \leftarrow N - 1$
  $N \leftarrow N - 1$
  $N \leftarrow N - 1$
  $N \leftarrow N - 1$
  $N \leftarrow N - 1$
  $N \leftarrow N - 1$
end while



Figure 1: The atmosphere the grantkohrs ranch national Pass

Algorithm 2 An algorithm with caption

while $N \neq 0$ **do**
  $N \leftarrow N - 1$
  $N \leftarrow N - 1$
  $N \leftarrow N - 1$
  $N \leftarrow N - 1$
  $N \leftarrow N - 1$
  $N \leftarrow N - 1$
  $N \leftarrow N - 1$
  $N \leftarrow N - 1$
  $N \leftarrow N - 1$
  $N \leftarrow N - 1$
  $N \leftarrow N - 1$
end while



Figure 2: Music halls tunnels airports and seaports within

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \wedge \neg gf(g_i) \\ 0, & af(a_j, g_i) \wedge \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \wedge gf(g_i) \end{cases} \tag{5}$$