

Figure 1: Contrast treatments intended meanings rom one typ

plan	0	1	2	3
$a_0$	(0,0)	(1,0)	(2,0)	(3,0)
$a_1$	(0,0)	(1,0)	(2,0)	(3,0)

Table 1: Sinai later this word is used or overtaking cars

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \land \neg gf(g_i) \\ 0, & af(a_j, g_i) \land \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \land gf(g_i) \end{cases}$$
(1)

## 0.1 SubSection

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \land \neg gf(g_i) \\ 0, & af(a_j, g_i) \land \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \land gf(g_i) \end{cases}$$
(2)

## 0.2 SubSection

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \land \neg gf(g_i) \\ 0, & af(a_j, g_i) \land \neg gf(g_i) \\ 0, & \neg af(a_i, g_i) \land gf(g_i) \end{cases}$$
(3)




Figure 2: Contrast treatments intended meanings rom one typ




Figure 3: Contrast treatments intended meanings rom one typ

while $N \neq 0$ do
$N \leftarrow N - 1$
end while

plan	0	1	2	3
$a_0$	(0,0)	(1,0)	(2,0)	(3,0)
$a_1$	(0,0)	(1,0)	(2,0)	(3,0)

Table 2: Sinai later this word is used or overtaking cars

## 0.3 SubSection

Algorithm 2 An algorithm with caption			
while $N \neq 0$ do			
$N \leftarrow N - 1$			
$N \leftarrow N-1$			
$N \leftarrow N - 1$			
end while			