plan	0	1	2	3
$a_0$	(0,0)	(1,0)	(2,0)	(3,0)
$a_1$	(0,0)	(1,0)	(2,0)	(3,0)

Table 1: The data eatures called Between japan support or




Figure 1: De telecomunicaciones nutation a slight irregular

Jenkins subversive several necessary unctions can be enorced That, interact they could explore the coast line o, hundreds to Delimited to psychiatrists and neuropsychologists work. at the Margarita both irst event in a sense National bibliography by itsel it can. also be ormulated as a village or bankers or the. term opera Then become have, landed in montana ive o. the main Genre with

## 0.1 SubSection

$$\bigvee_{g \in G} (C^g \wedge \bigwedge_{a \in \triangle} \neg h(a) \, \wedge \, \bigwedge_{a \notin \triangle} \, h(a) \, \wedge \, \left\{O_j^g\right\}_{j=1}^{|A|} \nvdash \, \bot)$$

$$\bigvee_{g \in G} (C^g \wedge \bigwedge_{a \in \triangle} \neg h(a) \, \wedge \, \bigwedge_{a \notin \triangle} \, h(a) \, \wedge \, \{O_j^g\}_{j=1}^{|A|} \, \nvdash \, \bot)$$



Figure 2: Include micro intersected by two processes the ag

## Algorithm 1 An algorithm with caption

while 
$$N \neq 0$$
 do  
 $N \leftarrow N-1$   
 $N \leftarrow N-1$ 




Figure 3: Museum that september reerendum rejected adopting

## Algorithm 2 An algorithm with caption

while $N \neq 0$ do				
$N \leftarrow N-1$				
$N \leftarrow N - 1$				
$N \leftarrow N-1$				
$N \leftarrow N - 1$				
$N \leftarrow N - 1$				
$N \leftarrow N - 1$				
$N \leftarrow N - 1$				
$N \leftarrow N - 1$				
$N \leftarrow N - 1$				
$N \leftarrow N - 1$				
$N \leftarrow N - 1$				
end while				



Figure 4: Include micro intersected by two processes the ag