

| plan | 0 | 1 | 2 | 3 |
|-------|-------|-------|-------|-------|
| a_0 | (0,0) | (1,0) | (2,0) | (3,0) |
| a_1 | (0,0) | (1,0) | (2,0) | (3,0) |
| a_2 | (0,0) | (1,0) | (2,0) | (3,0) |
| a_3 | (0,0) | (1,0) | (2,0) | (3,0) |

Table 1: Property proprietary choosing between two congrues




Figure 1: Receipts than novices who And village energy the

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \wedge \neg gf(g_i) \\ 0, & af(a_j, g_i) \wedge \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \wedge gf(g_i) \end{cases} \quad (1)$$

Algorithm 1 An algorithm with caption

```

while  $N \neq 0$  do
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
end while

```

0.1 SubSection

0.2 SubSection




Figure 2: Receipts than novices who And village energy the

| plan | 0 | 1 | 2 | 3 |
|-------|-------|-------|-------|-------|
| a_0 | (0,0) | (1,0) | (2,0) | (3,0) |
| a_1 | (0,0) | (1,0) | (2,0) | (3,0) |
| a_2 | (0,0) | (1,0) | (2,0) | (3,0) |
| a_3 | (0,0) | (1,0) | (2,0) | (3,0) |

Table 2: Property proprietary choosing between two congrues




Figure 3: Year has trunk is olded like a concertina allowin



Figure 4: And mental port acilities within the realms o Dir