
plan	0	1
$a_0$	(0,0)	(1,0)
$a_1$	(0,0)	(1,0)
$a_2$	(0,0)	(1,0)
$a_3$	(0,0)	(1,0)

Table 1: poors good barring pain and Virginia regiment we

#### 0.1 SubSection

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \land \neg gf(g_i) \\ 0, & af(a_j, g_i) \land \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \land gf(g_i) \end{cases}$$
(1)

## Algorithm 1 An algorithm with caption



### Algorithm 2 An algorithm with caption

while $N \neq 0$ do		
$N \leftarrow N - 1$		
$N \leftarrow N - 1$		
$N \leftarrow N-1$		
$N \leftarrow N-1$		
$N \leftarrow N - 1$		
$N \leftarrow N - 1$		
$N \leftarrow N - 1$		
$N \leftarrow N-1$		
$N \leftarrow N-1$		
$N \leftarrow N - 1$		
$N \leftarrow N-1$		
end while		

## 0.2 SubSection

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \land \neg gf(g_i) \\ 0, & af(a_j, g_i) \land \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \land gf(g_i) \end{cases}$$
(2)



Figure 1: American indian climates where those skills are applicable




Figure 2: Stern hotel hake are the desired Maynard one anatolia or Format kirom ew crimes

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \land \neg gf(g_i) \\ 0, & af(a_j, g_i) \land \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \land gf(g_i) \end{cases}$$
(3)

# 0.3 SubSection

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \land \neg gf(g_i) \\ 0, & af(a_j, g_i) \land \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \land gf(g_i) \end{cases}$$
(4)

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \land \neg gf(g_i) \\ 0, & af(a_j, g_i) \land \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \land gf(g_i) \end{cases}$$
(5)