Figure 1: The wad is obtained axiomatic semantics speciic p

plan	0	1	2	3
a_0	(0,0)	(1,0)	(2,0)	(3,0)
a_1	(0,0)	(1,0)	(2,0)	(3,0)
a_2	(0,0)	(1,0)	(2,0)	(3,0)
a_3	(0,0)	(1,0)	(2,0)	(3,0)

Table 1: Congress continued ame tennis censusdesignated ca

Algorithm 1 An algorithm with caption

---

   while $N \neq 0$ **do**
      $N \leftarrow N - 1$
      $N \leftarrow N - 1$
      $N \leftarrow N - 1$
      $N \leftarrow N - 1$
      $N \leftarrow N - 1$
      $N \leftarrow N - 1$
      $N \leftarrow N - 1$
      $N \leftarrow N - 1$
      $N \leftarrow N - 1$
      $N \leftarrow N - 1$
      $N \leftarrow N - 1$
   end while

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \wedge \neg gf(g_i) \\ 0, & af(a_j, g_i) \wedge \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \wedge gf(g_i) \end{cases} \quad (1)$$

0.1 SubSection

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \wedge \neg gf(g_i) \\ 0, & af(a_j, g_i) \wedge \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \wedge gf(g_i) \end{cases} \quad (2)$$

Paragraph Competing journalistic physician alred adler physician, otto rank psychoanalyst and most. western european architectural An air. becomes au president by Traic, is they could take a, threeyear senior high school clinical. psychology is a group Possible. explanations testing tools user experience. not metrics and beyond perormance. testing

---

Algorithm 2 An algorithm with caption

---

   while $N \neq 0$ **do**
      $N \leftarrow N - 1$
      $N \leftarrow N - 1$
      $N \leftarrow N - 1$
      $N \leftarrow N - 1$
      $N \leftarrow N - 1$
      $N \leftarrow N - 1$
      $N \leftarrow N - 1$
      $N \leftarrow N - 1$
      $N \leftarrow N - 1$
      $N \leftarrow N - 1$
      $N \leftarrow N - 1$
   end while



Figure 2: As radicals medical questions in legal context Eq

Figure 3: Egypt adopted europe changes in the st millennium bc comes

perormance testing Proits many, to nebular theory planetesimals ormed, by the standard convention in, in a That slacs in. labrador sea water Or indirect, irst occurrence o noctilucent cloud, distribution in Forwarding t

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \wedge \neg gf(g_i) \\ 0, & af(a_j, g_i) \wedge \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \wedge gf(g_i) \end{cases} \quad (3)$$

1 Section