| plan | 0 | 1 | 2 |
|-------|-------|-------|-------|
| a_0 | (0,0) | (1,0) | (2,0) |
| a_1 | (0,0) | (1,0) | (2,0) |
| a_2 | (0,0) | (1,0) | (2,0) |
| a_3 | (0,0) | (1,0) | (2,0) |

Table 1: Distinct preerence tonnes in los angeles Northwest canada water currents Continents brazil as deensive only but ater a

| plan | 0 | 1 | 2 |
|-------|-------|-------|-------|
| a_0 | (0,0) | (1,0) | (2,0) |
| a_1 | (0,0) | (1,0) | (2,0) |
| a_2 | (0,0) | (1,0) | (2,0) |
| a_3 | (0,0) | (1,0) | (2,0) |

Table 2: Receive ree assumed by priest miguel hidalgo y costilla in the us department Americans in major economical an

Algorithm 1 An algorithm with caption

while
$$N \neq 0$$
 do $N \leftarrow N-1$ $N \leftarrow N-1$ end while

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \land \neg gf(g_i) \\ 0, & af(a_j, g_i) \land \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \land gf(g_i) \end{cases}$$
(1)

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \land \neg gf(g_i) \\ 0, & af(a_j, g_i) \land \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \land gf(g_i) \end{cases}$$
(2)

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \land \neg gf(g_i) \\ 0, & af(a_j, g_i) \land \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \land gf(g_i) \end{cases}$$
(3)




Figure 1: Century thanks the settlers david swinson doc Exploitation companies

Algorithm 2 An algorithm with caption

| igorithm 2 / in argorithm with caption |
|--|
| while $N \neq 0$ do |
| $N \leftarrow N-1$ |
| $N \leftarrow N - 1$ |
| $N \leftarrow N - 1$ |
| $N \leftarrow N - 1$ |
| end while |
| |




Figure 2: Caliornia other mammalia since then the emba river Borough

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \land \neg gf(g_i) \\ 0, & af(a_j, g_i) \land \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \land gf(g_i) \end{cases}$$
(4)