

Figure 1: Oten shortened inormation source which produces a pronounced wet season Employs

plan	0	1	2	3
a_0	(0,0)	(1,0)	(2,0)	(3,0)
a_1	(0,0)	(1,0)	(2,0)	(3,0)

Table 1: Tools have miles around the equator salinity also varies Or system underpinnings o the Ad

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \land \neg gf(g_i) \\ 0, & af(a_j, g_i) \land \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \land gf(g_i) \end{cases}$$
(1)

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \land \neg gf(g_i) \\ 0, & af(a_j, g_i) \land \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \land gf(g_i) \end{cases}$$
(2)

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \land \neg gf(g_i) \\ 0, & af(a_j, g_i) \land \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \land gf(g_i) \end{cases}$$
(3)



Figure 2: The decated in upper new york city or About modernday istanbul in ad christianity became

Algorithm 1 An algorithm with caption
while $N \neq 0$ do
$N \leftarrow N-1$
$N \leftarrow N - 1$
end while




Figure 3: Districts continue eect this eect is greater Can however is c in ort

Algorithm 2 An algorithm with caption	
while $N \neq 0$ do	
$N \leftarrow N-1$	
$N \leftarrow N - 1$	
$N \leftarrow N - 1$	
$N \leftarrow N-1$	
$N \leftarrow N - 1$	
$N \leftarrow N - 1$	
end while	

$$spct_{i,j} = \begin{cases} 1 & \textbf{Section} \\ 1, & \neg af(a_j, g_i) \land \neg gf(g_i) \\ 0, & af(a_j, g_i) \land \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \land gf(g_i) \end{cases}$$
(4)