Blakean Entomology: Small Lives, Uncertain Bodies, and the Work of Attention

Daniel Ari Friedman

28 October 2026 · Expanded private research draft

Selected textual and material witnesses are read alongside an exhaustive search of declared forms in a pinned corpus. Corpus-wide contextual and visual review remains incomplete.

Abstract

William Blake's small lives make relations consequential: a lost emmet needs a route home; a fly becomes a human analogy after injury; feeding insects inhabit a tree rooted in the human brain; and a Polypus joins persons within a collective body. This article distinguishes three relations across these scenes: provision that enables another life, feeding that uses a living body, and aggregation that reorganizes its members' powers. Care, appetite, predation, cruelty and metaphor intersect without becoming morally interchangeable. Copy-specific readings of four short poems, seven selected historical scans, local prophetic and prose passages, and bounded scholarship test this argument against rival readings. A reproducible concordance preserves the breadth that close reading necessarily selects: 102 query categories retrieve 36,039 category-source-span candidates across 2,067 captured units, including 2,498 candidates in 199 identified Blake-primary reading units. Within that primary scope, 82 name-family categories contribute 1,239 candidates. Their pooled and equal nonempty-group compositions differ by total variation 0.222387 across 26 positive groups, whereas token-rate comparisons retain all 33 eligible groups. Twelve literal-pair experiments expose source dependence and distance. These are distributions of retrieval mass, not an adjudicated animal census or complete oeuvre. Modern classification, lexical matching and material interpretation remain distinct. The resulting argument locates ethical force in particular acts of hearing, sustaining, injuring and joining, while its explicit zeros and unresolved cases direct further reading.

1. Why begin with small lives?

The emmet's difficulty in "A Dream" is practical: she is lost, tired and separated from her family. The poem makes that difficulty audible before a glow-worm offers light and a beetle's movement offers a route home. The speaker contributes sympathy, but does not perform the entire rescue. Distributed capacities become useful because they respond to a particular creature's need. The animal scene therefore gives this article a question more precise than whether Blake likes insects: what forms of attention and association make another being's life possible? The reading concerns "A Dream," E16, checked against retained Erdman record 26 and Archive *Songs* copy A, object 27, especially physical text lines 5, 16 and 20–21. Archive source.

"Entomology" names the inquiry rather than restricting it to the modern class Insecta. Worms, spiders, centipedes, scorpions, snails and Polypus belong within the requested field. Their differences matter. A glow-worm's compound name must not turn it into an earthworm, and a mythic Polypus must not acquire a modern species identity through a database field. The project records Blake's expression first and biological classification, when warranted, separately. Ambiguous boundaries between animal, vegetable, human and collective life can themselves be literary evidence.

This breadth also prevents a familiar selection bias. Reading only the short lyrics privileges the fly, worm and emmet while overlooking prophetic inventories, prose, manuscripts, annotations and visual descriptions. Reading all source planes together creates the opposite error: a curator's image description or editorial note can become a false Blake quotation. The present method retrieves broadly while preserving the distinction between a captured lead and an admitted interpretive claim.

The argument follows three relations rather than a stable bestiary: provision that enables another life, feeding that uses a living body, and aggregation that reorganizes its members' powers. A glow-worm's assistance and the Clay's nurture make dependence answerable; a worm's destructive intimacy and the wine-press's suffering prevent abundance from guaranteeing reciprocity. The Polypus asks what happens to distinct capacities when lives join. Each relation can intersect the others, but neither a shared animal name nor a biological analogy supplies a single moral verdict.

2. Existing questions and the article's contribution

The study does not claim to discover that Blake writes about invertebrates. Janelle A. Schwartz's chapter on Blake and taxonomy explicitly addresses the varied worm and its relation to decay and generation. Only its publisher abstract and bibliographic information were accessible in this pass; the chapter's full argument has not been read here. Its existence rules out presenting a worm-based approach as an unprecedented research subject. (Schwartz 2012, chap. 4, publisher abstract only).

Caroline Dauphin's discussion of the Polypus connects its changing poetic forms with problems of generation, bodily boundaries and collectivity. The earlier selected paragraphs 3–6 and 21–25, now extended through paragraphs 7–28 and 49–50, inform the present question: how can an aggregated body become both an image of connection and a threat to distinct lives? Her historical genealogy is a scholarly interpretation, not independently established by the search totals reported here. (Dauphin 2026, paras. 3–28 and 49–50).

Perkins's complete article on animal rights and "Auguries of Innocence" and Srigley's complete article on "The Sick Rose" now supply substantive, divergent readings of injury. Material scholarship by Essick and Viscomi and selected Fara sections place reproduction, generation and the terms of observation beside the poems; their limited reading scopes are specified below. Gould, Baker and Erasmus Darwin offer historically available comparisons, with no demonstrated reading or influence chain from these books to Blake. (Perkins 1999; Srigley 1992; Essick and Viscomi 2002; Fara 2020)

The contribution attempted here is a reproducible relation between broad retrieval and situated reading. Every admitted interpretation should be traceable to a particular source span, edition and review decision. Every declared search form should remain inspectable, including zero-result forms and noisy expansions. This is useful precisely where a polished argument might otherwise hide its selection of examples. The method does not remove interpretive judgment; it makes the decisions through which a concordance becomes an argument available for examination.

3. Sources, units and retrieval

The corpus is an independently copied, private application bundle exported by the public `blake` repository. Its pin identifies the captured manifest, recovered projection, SQLite index and portable bundle manifest separately. Original passage bodies, source hashes, author identities, edition/copy fields, locators, rights and roles survive export. Export verifies the consumed input bytes before and after the copy. A Git repository's code, a source capture and an application's result epoch remain separate objects.

The baseline searches 2,067 captured units: 540 reading documents, 796 nonempty Erdman pages and 731 raw XML units. Of the reading documents, 199 carry the identified Blake author and primary role; 341 remain unverified. The Erdman pages and four XML parts are mixed/editorial source material. The 727 Archive XML documents remain unverified as whole units because they combine text,

apparatus, metadata and descriptions. These counts describe source units, not 2,067 distinct works or independent historical witnesses. The counts and identities are bound in `research/corpus-pin.json` and the text-free baseline summary.

The initial vocabulary has 102 categories and 376 explicit forms. Historical forms include *Emmet* and *Catterpiller*. The user-specified *emmett* is an explicit candidate spelling, not silently asserted as an attested Blake form. Compound families include earth-worm, tape-worm, glow-worm, silk-worm, honey bee and cock chafer. The implementation uses the existing Blake Unicode normalization and retains original character offsets. Whole-token matching prevents *ant* from matching *giant* and *bee* from matching *been*. It does not silently stem *fly* into every motion verb.

Separate contextual categories include web, silk, honey, hive, shell, wing, swarm, sting and spinning. These help recover discussion that does not name an animal, but they introduce many unrelated cases. A wing can belong to an angel or bird; a spinner can be a human worker; a sting can belong to a plant. Such forms cannot supply an insect total without contextual review.

The engine emits every category/source/span candidate without a display cap, plus all nine role/plane cells for every category, including zeros. Equivalent forms in one category share an identical source span; different categories may overlap. Thus *honey bee* can yield a compound candidate and a *bee* candidate. Neither category sums nor repeated printed copies become distinct animal observations. Exact-text grouping is reported separately and does not establish that nonidentical editions are independent witnesses.

The first run returns 36,039 category-span candidates, including 2,498 in the Blake-primary reading scope. These totals deliberately include contextual leads and non-animal senses. They are measurements of the declared retrieval program, not a count of invertebrate mentions. Candidate totals for selected categories illustrate why source planes must remain separate:

Category	Reading units, all roles	Mixed Erdman pages	Raw XML
Worm and declared derivatives	468	85	2,354
Ant / emmet family	37	8	230
Fly / flies	211	61	4,881
Spider	78	20	617
Bee	45	10	104
Polypus family	73	22	110
Snail	0	2	93

The table's reading column includes unverified passages. Its XML column includes catalog prose, code-like identifiers, apparatus and repeated source descriptions. The snail's absence from the reading plane does not erase the Four Zoas passage at E323. Nor can a large XML fly count establish that Blake describes thousands of flies. The different planes serve different discovery functions.

3.1. The animal name and the material page

An animal word and a depicted animal are different kinds of evidence. A transcription can establish that a poem names a fly without establishing that a particular mark in its design depicts one. Conversely, a visually prominent body can matter without supplying an additional lexical occurrence. The illuminated page makes this distinction productive: lettering, vegetation, figures and coloured grounds guide the movement through the poem, sometimes offering an analogy and sometimes withholding the object that a reader expects to find. The relevant question is therefore not simply whether the picture confirms the text, but what each medium enables the reader to notice, and what remains uncertain after they have been considered together.

Material scholarship also discourages treating colour as a transparent record of a single original conception. Essick and Viscomi distinguish impressions printed in one ink and subsequently coloured from

colour printing, in which colour is transferred from the plate. They also show how cropping, straightening and mounting can conceal the relation between an impression and its sheet. Their argument concerns printing processes and bibliographical evidence; it does not license assigning an intention to each difference between two digital reproductions. (Essick and Viscomi 2002, 74–76, 91–92) Here the complete captured scans remain available beside the resized figures. Details are enlarged only with their crop boundaries recorded. None has been rotated or recoloured.

The distinction matters particularly for small lives. Enlarging a minute shape may make its outlines easier to inspect while also detaching it from the proportions and verbal setting through which it becomes meaningful. The four *Songs* impressions reproduced here belong to copy Y at the Metropolitan Museum of Art. Their text is checked in that copy; they do not inherit the copy-A reading credit of the earlier casebook. The *Thel* comparison likewise names each physical witness. This is an addition of seven selected visual witnesses, not a representative sample of all copies or a visual census of Blake's animals. (Blake 1825, 1795, 1818)

3.2. A reference classification, not a phylogeny of poetic names

The modern reference contains 37 admitted NCBI taxon records and an explicit mapping policy for all 102 historical search categories. Each admitted name, rank and ancestry is checked against two retained EFetch responses, identified by retrieval URL, access date and SHA-256. The schematic compresses omitted ancestors while preserving captured ancestry. Its layout comes from the shared validated evidence-tree API. This operation uses no sequence alignment, evolutionary model or dating analysis. NCBI explains that its classification uses literature-based curation and that its Common Tree is an abbreviated classification display. These captured records are a versioned reference, subject to revision, rather than a final nomenclatural authority. (National Center for Biotechnology Information, n.d.; National Library of Medicine, n.d.)

Conditional modern animal senses connect *fly* to Diptera, *spider* to Araneae, *ant/emmet* to Formicidae and *bee* to Anthophila. These are reference lineages, not decisions that every retrieved token refers to an organism in that lineage. Anthophila is more selective than treating all Apoidea as bees. The explicit *emmett* and *emmitt* query expansions remain unattested in these captured matches; they have not been erased from the old registry. The old `insect` retrieval group for *larva* is retained historically, while the mapping policy marks the life-stage term as unresolved across animal groups. A query tag is not a biological classification.

The five mapping states distinguish a resolved reference lineage, a broad group, an ambiguous mapping, a non-taxon lead and an outside-scope label. *Worm* is a polyphyletic literary term whose possible animal senses cross annelids, flatworms, nematodes and insect forms; these examples are not exhaustive. *Glow-worm* cannot be assigned to Annelida by its final word. *Blindworm* may fall outside the invertebrate scope. *Polypus*, *zoophyte* and *animalcule* retain historical and figurative uncertainty rather than acquiring species names. Parts, products and actions such as *wing*, *silk*, *honey* and *spin* receive no taxon target. No category total is allocated to a taxon by this policy, and "invertebrates" is not presented as a clade.



Figure 1: Selected NCBI reference classification with conditional lexical associations. The 199 primary reading units supply 2,498 category-source-span candidates across all 102 categories. Displayed counts name individual categories and are never allocated or summed to taxa. Solid branches compress unshown classification ancestors; spacing is schematic. Teal dashed links are conditional animal senses; amber dotted links are ambiguous. Worm spans several lineages; Polypus and other historical forms retain unresolved alternatives. This is not a sequence-inferred phylogeny, identification, complete animal tree or monophyly claim.

4. Attention, analogy and injury

The earlier casebook read all verse lines of these four poems in copy A. The present comparison adds separate complete transcriptions in copy Y and the four Met impressions reproduced below. The copy-A textual credits remain intact; no full-copy reading or all-copy visual comparison follows.

4.1. Assistance has several agents

"A Dream" makes homecoming depend on several kinds of agency. The emmet speaks her own distress; the dreamer hears it; the glow-worm can illuminate the ground; the beetle provides an audible orientation. On the reading proposed here, the poem's coordination is organized around an unresolved need. The closing imperative offers a route home; it does not narrate a completed rescue. The glow-worm's office as watchman also leaves an alternative reading through assigned social roles. Both readings must account for the sequence of distress, the speaker's tear, practical advice and the ending. This is an interpretive proposal about the poem's sequence, not a biological claim about ant navigation or a measured social network. The glow-worm's familiar association with illumination is insufficient by itself: what matters is when and for whom its capacity becomes useful.

In copy Y's "A Dream," orange-brown lettering occupies almost the entire designed field, while curling stems, tufts and leaves pass around and between its stanzas. Blue washes gather along parts of the margins. The reader's route through speech is also a route through this vegetation. A small upright, pale figure at the lower right becomes clearer in a bounded enlargement, but its identity is less secure than the text's naming of the glow-worm and beetle. It would be misleading to turn every adjacent mark into an insect. What can be seen with greater confidence is a page that makes the written journey dense with branching and interlacing forms. [Blake (1825), plate 26, object 26, physical lines 3–22; Met 17.10.26]

William Gould's *An Account of English Ants* supplies a historically available contrast, without establishing that Blake read this book. At the beginning of chapter VIII, Gould presents ant labour as an example of public care and an admonition to human indolence. But that moral use coexists with a demand for repeated observation. Later in the chapter he disputes inherited accounts of winter granaries among the English ants he has examined, while reserving the possibility of different behaviour elsewhere. (Gould 1747, 66–68, 78–81) Natural history here is capable both of making social examples and of correcting exemplary stories. Blake's lost mother need not be reduced to either a lesson in industriousness or a report about ant behaviour. Her interrupted journey places need before usefulness, although the glow-worm's assigned watch still permits a reading through established social offices.

4.2. A human consolation and an injured fly

"The Fly" makes another relation possible through the thoughtlessness of a human hand. Its human/animal comparison can support sympathy, but the comparison also raises a difficulty: does the speaker attend to the fly's life or use it to think about his own mortality? The poem's alternating questions give reason to retain both possibilities. A review record should therefore distinguish an explicit fly reference from its rhetorical function and from the reader's judgment about the speaker. The source anchor is Archive *Songs* copy A, object 33; the retained Erdman text begins at E23, record 33. In this advancement the complete copy-A physical transcription, lines 3–22, was read: the final happiness follows an explicit conditional relation between thought and life. It is the speaker's conclusion, not testimony from the fly about its injury. Full-poem transcription credit does not include the design, other copies or all of *Songs*. (Blake, n.d.-b, object 33, physical lines 3–22)

"The Fly" makes the relation between text and design more difficult. In copy Y, a large adult figure bends towards a small child and holds its raised hands. At the left another figure raises a racket towards a shuttlecock-like object. Trees enclose the group, and the poem occupies two upper columns. The most legible bodies are thus human bodies engaged in play and support, not an anatomically resolved fly. [Blake (1825), plate 40, object 40, physical lines 3–22; Met 17.10.40] These actions can intensify the analogy between human and insect play. They can also expose a disparity: the child is

Figure 2: A Dream. Bentley plate 26; Archive object 26; Erdman E16; accession 17.10.26. Vegetation passes around and between the stanzas; the small lower-right figure remains uncertain. William Blake, Songs of Innocence and of Experience, copy Y; work [1794], printed ca. 1825 (Archive: 1825). The Metropolitan Museum of Art, Rogers Fund, 1917. Public Domain / Open Access (CC0). Whole captured scan proportionally resized; no recolouring, rotation or taxon identification from ornament.

visibly supported, whereas the creature brushed away has no comparable helper within the depicted scene. Neither possibility proves that the adult illustrates the speaking "I." The design instead keeps care, diversion and vulnerability beside a poem whose ending returns to the speaker's happiness. The fly's fate remains less fully told than the human argument made from it.

Figure 3: The Fly. Bentley plate 40; Archive object 40; Erdman E23; accession 17.10.40. Human support and racket play coexist with the poem's named fly; the shuttlecock-like mark is not identified as a fly. William Blake, Songs of Innocence and of Experience, copy Y; work [1794], printed ca. 1825 (Archive: 1825). The Metropolitan Museum of Art, Rogers Fund, 1917. Public Domain / Open Access (CC0). Whole captured scan proportionally resized; no recolouring, rotation or taxon identification from ornament.

4.3. A worm whose identity remains unsettled

"The Sick Rose" offers a compact retrieval control. The worm is an explicit animal-form reference; *flies* is the verb describing its movement, not evidence for a second animal named a fly. Both spans belong in the candidate concordance, but they require different decisions. The worm's invisibility and destructive intimacy also prevent a species identification from resolving the poem. A literal insect, a figure for desire, and a more general destructive agent are interpretive alternatives to evaluate, not labels the tokenizer can settle. Source: *Songs* copy A, object 48; E23, record 33. The complete two-stanza transcription was read for the present casebook. Its movement from sickness to the found

bed and destructive secret love offers no diagnostic anatomy with which to resolve the agent. (Blake, n.d.-b, object 48, physical lines 3–10)

The design of "The Sick Rose" offers bodies without making the poem a diagnostic report. In copy Y, thorned stems and serrated leaves enclose the text; small bent figures occupy the upper vegetation. A larger exposed human form curves out of the lower blossom beside a narrow, bent, apparently segmented shape. A detail crop permits closer inspection of that adjacency, but not a secure species identification. The bodily and botanical forms overlap too closely for the design to supply a simple labelled predator and host. [Blake (1825), plate 39, object 39, physical lines 3–10; Met 17.10.39] In the verse, the worm's destructive movement is explicit while its invisibility is part of the problem. Giving the design an unqualified zoological label would prematurely close the uncertainty through which the verbal address works.

Michael Srigley supplies a substantial counterreading to a straightforward encounter with an insect. He connects the nocturnal worm to traditions of spectral beings and to Paracelsian explanations of illnesses produced by disordered imagination. On his account, sexual repression and solitary fantasy make the destructive love intelligible. The article reconstructs several possible channels through which Blake might have encountered such ideas, but does not demonstrate a particular act of reading the proposed source. (Srigley 1992, 4–8) Its historical hypothesis should remain a hypothesis. Nevertheless, it changes the question: the creature may embody the damage of a social and imaginative relation rather than describe an external organism entering an otherwise innocent world.

That alternative need not expel the animal word from consideration. The poem can be an invertebrate passage precisely because the worm's available senses are being made unstable. A literal animal reading must explain the secret love; a sexual or psychological reading must explain why this injury takes worm-like, nocturnal and mobile form. The two stanzas are not a code with one expendable noun. Their second-person address also matters: the rose is told of its sickness and destruction, but does not answer. The reader hears an attribution of harm rather than an exchange in which both parties describe their relation.

4.4. Feeding on a compromised growth

The caterpillar and fly of "The Human Abstract" complicate a uniformly tender reading. They feed within an account of fear, cruelty and mystery that ends in the human brain. A contextual annotation must preserve the predication and setting rather than importing the sympathy of "A Dream" because both passages contain insects. Reading the complete transcription in this pass makes the final location of the sought tree in the human brain part of the feeding scene's context. The caterpillar and fly therefore cannot supply an empirical plant-host relation through their nouns alone. Source: *Songs* copy A, object 41, physical lines 3–26, especially 17–18 and 23–26; E27, record 37. (Blake, n.d.-b, object 41)

"The Human Abstract" resists the opposite simplification, in which insects always stand for persecuted innocence. Its caterpillar and fly feed on Mystery after Cruelty has prepared a snare, watered the ground and brought forth rooted Humility. The final stanza locates the tree in the human brain. In copy Y, an aged, bearded figure raises his arms amid cord-like forms under the text; a dark trunk and projecting growths occupy the margins. These visible relations support an interpretation of entanglement, without requiring the figure to be named or the cords to be identified as an insect web. [Blake (1825), plate 47, object 47, physical lines 3–26; Met 17.10.47]

The opening attack on pity that depends upon making another person poor prevents compassion from remaining an unexamined virtue. Read beside "A Dream," it asks whether assistance answers a prior need or benefits from maintaining dependence. The feeding insects are implicated in a growth whose nourishment is morally compromised; they do not independently explain its origin. This distinction keeps appetite from becoming either automatic guilt or automatic innocence. What matters is the relation between feeding, the conditions that sustain it, and the voice that makes those conditions intelligible.



Figure 4: The Sick Rose. Bentley plate 39; Archive object 39; Erdman E23; accession 17.10.39. Human, floral and narrow bent forms overlap; the design does not diagnose the invisible worm. William Blake, Songs of Innocence and of Experience, copy Y; work [1794], printed ca. 1825 (Archive: 1825). The Metropolitan Museum of Art, Rogers Fund, 1917. Public Domain / Open Access (CC0). Whole captured scan proportionally resized; no recolouring, rotation or taxon identification from ornament.

Figure 5: The Human Abstract. Bentley plate 47; Archive object 47; Erdman E27; accession 17.10.47. An aged figure raises his arms among cord-like forms; neither a character name nor an insect web is inferred. William Blake, Songs of Innocence and of Experience, copy Y; work [1794], printed ca. 1825 (Archive: 1825). The Metropolitan Museum of Art, Rogers Fund, 1917. Public Domain / Open Access (CC0). Whole captured scan proportionally resized; no recolouring, rotation or taxon identification from ornament.

5. Inventories of life around the wine-press

The large inventory in *Milton* names the earth-worm, beetle, emmet, centipede, spider, spinner, earwig, maggot, flea, louse, bug, tape-worm, slug, grasshopper, scorpion, gnat, wasp, hornet and honey bee. It places them among seeds, roots, plants and vertebrates around Luvah's wine-presses. Source: plate 27 [29], E124, record 134; Archive copy A, object 24, physical text lines 13–22. Pinned XML.

The passage combines dance and celebration with disease, death and the violent labour of the press. The human grapes' suffering makes a simple ecological harmony reading inadequate. The same assemblage can display abundant life and unequal exposure to torment. This article accordingly asks who moves, sings, feeds or suffers in an animal scene, and whether those positions can change. An occurrence count alone answers none of these questions. The newly inspected object24 lines 2–42 sharpen the distinction between positions *around* and *in* the press. Its opening joins war to printing; the late human grapes do not participate in the surrounding dance. The nettle that stings and the creeping weeds also provide non-taxon controls inside the same context. These verbs cannot be assigned to insects by an associated-imagery search category. (Blake, n.d.-a, object 24, physical lines 2–42)

The related Four Zoas inventory at E404, manuscript page 136, lines 29–34, belongs to another compositional context. It should be connected to the Milton inventory for comparison while retaining both work identities. This is a different operation from recognizing repeated copies of a single poem. The protocol therefore preserves source repetition and separately records relations between passages. A future account of revision or reuse needs textual and manuscript scholarship beyond exact-text deduplication.

The snail passage at E323 supplies a further counterweight. Worm, snail, emmet and beetle participate in mockery of Los. Their smallness does not ensure innocence, nor does the presence of Los ensure a stable human superiority. The scene motivates reading agency and evaluative position alongside animal name. Source: retained Erdman record 335, opening lines of E323.

This juxtaposition changes how the wine-press inventory can be used. The abundance of named life around the press does not ensure that every participant occupies a position of reciprocal benefit. The inventory must remain beside the human grapes and their suffering. (Blake, n.d.-a, object 24, physical lines 2–42) Nor does the mere presence of predation establish cruelty in the same sense as a deliberately inflicted injury. The article can instead follow three separate relations: the provision that enables another life, the feeding that uses a living body, and the aggregation that reorganizes its members' powers. Their overlap is an interpretive problem, not evidence that they are morally identical.

6. Taxonomic uncertainty and collective bodies

6.1. Recognition through the infant analogy

The earlier bounded reading of copy B, objects 6–7, physical lines 3–14 and 2–18, remains a separate textual witness. It established the movement from a bruising foot to positive nurture, with maternal and nuptial language qualifying any universal social doctrine. The following F/O comparison extends that local question through independently identified material witnesses. (Blake, n.d.-c)

The Worm's presentation in *The Book of Thel* brings analogy into the act of recognition. Thel asks what she sees, calls it weak, compares it to an infant, and hears weeping where articulate speech is unavailable. In both reproduced impressions of Bentley plate 6, an infant-like body rests among long leaves below a floating figure and beside a standing, gowned figure with extended arms. The bodily scale and placement make vulnerability visible before they permit any zoological resolution. (Blake 1795, object 6, physical lines 2–13; Blake 1818, object 5, physical lines 4–15) The scene can awaken concern by translating another life into a familiar human form. It can also make that concern conditional upon resemblance to a child. Recognition through analogy is consequently an ethical achievement with a limit, rather than transparent access to the Worm's own experience.

The response attributed to the Clay changes the situation. Thel's statement that no one cherishes the helpless being is answered by care already becoming active. In the following reproduced plate from copy O, a reclining figure and an infant appear below the poem and in front of a larger seated figure. The spoken acknowledgment distinguishes a prohibition on wilful bruising from the positive provision of milk and oil. (Blake 1818, object 6, Bentley plate 7, physical lines 3–19) A community of care is measured here by what sustains a dependent life, not merely by punishment after injury. Yet maternal, nuptial and hierarchical language shapes that provision. The passage cannot by itself guarantee equal participation or make an obligation to nurture independent of its gendered terms.

Perkins places the infant Worm within a contemporary rhetoric that mobilized tenderness towards humble creatures, while preserving the possibility of irony in the poem's surrounding world. (Perkins 1999, 5–6) That caution helps prevent the scene from becoming a frictionless model of mutual flourishing. Care can be real within the local exchange even if its speakers cannot settle Thel's larger unease. The selected plates support an account of this exchange; they do not settle the meaning of every stage of her journey.

The copies themselves also require different forms of attention. Rosenwald 1798A is copy F, object 6; Rosenwald 1798B is copy O, object 5. Both are Bentley plate 6, corresponding to Erdman plate 4. Object 6 in O is instead Bentley plate 7. In the matched reproductions, F gives the standing figure a conspicuous yellow gown against a relatively continuous ochre upper field, while O shows a paler gown and a more extensively lined and coloured setting. O's painted enclosure is more pronounced. These are observations about the captured images. Unequal reproduction conditions, paper condition and colour management prevent attributing every tonal difference to an intentional revision. The repeated arrangement is an anchor for comparison, not permission to merge the two impressions into a single generic image of *Thel*.

6.2. Generation and the powers of a collective body

The historical polypus should first complicate the word "individual." In the second edition of *Zoonomia* examined here, Erasmus Darwin describes young polyps branching from a parent's side and subsequently separating. He compares them with vegetable buds and interprets their generation through a theory that assigns formative priority to the male. Elsewhere in the same discussion, gnats and tadpoles become examples of bodily transformation, while the polypus remains associated with budding. These statements belong to Darwin's historical physiology, including assumptions that cannot be accepted as modern zoological description. (Darwin 1796, vol. I, section XXXIX.II.3 and XXXIX.IV.2) They nevertheless show why generation could bring together questions about attachment, separation, sexual difference and the production of new powers.

Dauphin's extended Blake discussion traces the poetic reworking of this complex into vegetation and collective bodies. Her reading connects the multiplication of organic forms to a danger of losing distinct identity. Her argument also insists that the scientific creature and its poetic transformations are not interchangeable. (Dauphin 2026, paras. 7–28) It is useful as an account of transformation across discourses. It does not independently establish that any particular branching ornament in an illuminated book depicts a polypus, nor prove a single direct route from Darwin to every occurrence in Blake. The reproduction of a *Thel* infant and the mention of a prophetic Polypus remain different evidential objects.

In the selected *Milton* passage, the joining of every born man into one Polypus is situated within vegetated nerves, wailing souls and changes in perception. The figure is named Orc in the same sentence; the surrounding lines relate Orc, Satan and Luvah rather than leave a stable zoological emblem. (Blake, n.d.-a, object 28, physical lines 24–35) The problem is not simply that many lives are connected. It is what connection does to their capacities to perceive, act and remain distinguishable. The emmet's helpers retain separate offices and answer a particular voice; the prophetic passage joins persons within a body whose powers exceed any isolated participant. That contrast is locally supported, but the named transformations make a universal opposition between good networks and bad organisms too blunt.

Thel F, object 6 | Bentley plate 6
Library of Congress | Rosenwald 1798A

Thel O, object 5 | Bentley plate 6
Library of Congress | Rosenwald 1798B

Figure 6: One plate in two material witnesses. William Blake, The Book of Thel (work imprint 1789), Bentley plate 6 / Erdman plate 4. Left: copy F, Archive object 6, LOC Rosenwald 1798A; Archive printing 1795, LOC ca. 1794 (1794 watermark). Right: copy O, Archive object 5, LOC digital Rosenwald 1798B; Archive c. 1818, LOC ca. 1815 (1815 watermarks). O is bound with Milton D under Archive catalogue no. 1810; that volume number differs from its digital subresource. Library of Congress, Rare Book and Special Collections Division, Lessing J. Rosenwald Collection. Historical public-domain artwork; LOC states no known US copyright or other restrictions, with user determination required. Whole scans proportionally resized; neither physical scale nor photographic colour is calibrated.

Figure 7: Care beyond the prohibition of injury. William Blake, The Book of Thel (imprint 1789), copy O, Archive object 6, Bentley plate 7 / Erdman plate 5; LOC digital Rosenwald 1798B, bound with Milton D, Archive catalogue no. 1810. Archive printing c. 1818; LOC ca. 1815. A reclining figure reaches towards an infant-like body beneath the selected Clay/Worm exchange. Library of Congress, Rare Book and Special Collections Division, Lessing J. Rosenwald Collection. Historical public-domain artwork; LOC no-known-US-restrictions statement retains user-determination qualification. Whole captured scan proportionally resized. This is the following plate, not a second copy of Bentley plate 6.

Erasmus Darwin's later *Temple of Nature* further unsettles a simple opposition between scientific materialism and ethical attention. Its third canto brings human pride down towards kinship with emmets and worms after considering insect construction, sensation and volition. Its fourth canto presents feeding across animal and vegetable life as pervasive destruction, extending appetite to creatures conventionally imagined as gentle. [Darwin (1803), canto III, lines 411–434; canto IV, lines 1–66] Kinship and violence therefore inhabit the same natural history. Fara's reading of these passages emphasizes the coexistence of ethical cooperation, progressive development and an account of death that regulates abundance. Her analysis also distinguishes Erasmus's historical explanations from the later theory of his grandson. (Fara 2020, paras. 21–23, printed pp. 10–12)

Dauphin's account of the changing Polypus makes it especially important to distinguish the biological animal, the poetic figure and later iconographic interpretation. The Archive's copy-A Milton descriptions also retain alternative identifications: object 24 can be described through caterpillar/centipede and beetle/bee/hornet alternatives, while object 31 permits vegetable/Polypus possibilities. A catalog's alternatives cannot become several confirmed depicted species. Those copy-A descriptions have been read; the corresponding Milton images have not been inspected in this expansion. (Dauphin 2026); Archive Milton A.

Historical lexicography remains an acquisition task. The comparison advanced here asks what joining permits and suppresses in a particular scene. It does not equate Blake's changing collective figures with modern political institutions.

7. Instruments, cruelty and the problem of evidence

7.1. Making a creature visible

The failed demonstration in *An Island in the Moon* is sharper when placed beside practical microscopy rather than an undifferentiated idea of science. In the second edition of Henry Baker's *The Microscope Made Easy*, the observer must suit illumination to the object, examine it in different positions and distinguish the image projected by a solar microscope from the body's natural colour. Baker also asks that a living animal be squeezed or disturbed as little as possible. His preparation instructions combine methods of holding creatures alive with pinning or other restraint when size requires it. (Baker 1743, 53–58) The manual does not stand outside human use of animals; it makes the conditions of useful visibility explicit, including the tension between preserving a creature's behaviour and securing it for inspection.

In Blake's chapter 10, by contrast, the speaker offers a louse, flea, butterfly or cockchafer before water, a smearing handkerchief, broken apparatus and a panicked account of escaped pestilence displace the promised demonstration. The sequence is not a successful observation followed by an abstract objection to empirical knowledge. It is a performance in which the promised objects never become reliable shared evidence. (Blake, n.d.-d, E462, provider record 474, chapter 10 only) Baker's practical cautions make the failure legible without making his manual a demonstrated source for the satire. Both texts allow the means of seeing to matter; they give those means very different dramatic and argumentative functions.

7.2. Injury, judgment and the limits of metaphor

"Auguries of Innocence" poses a further difficulty: what should follow when injury has been noticed? Perkins argues that its animal auguries voice innocence confronting cruelty and threatening consequences that exceed ordinary causal explanation. He also warns that treating a tormented creature solely as a metaphor can diminish attention to the animal's suffering. These are interpretive positions, not an uncontested identification of the poem's voice. (Perkins 1999, 7–10) They encourage keeping literal injury present while examining the form in which a speaker makes it consequential.

The boy who kills the fly is threatened with the spider's enmity. This is not simply a food-chain statement: the two-line address assigns a consequence to a human act. Yet the creature associated

with catching flies becomes the figure through which killing a fly is answered. Elsewhere the caterpillar repeats maternal grief, and the prohibition on killing moth or butterfly is attached to judgment. [Blake (n.d.-d), E490–491, records 502–503; "Auguries," lines 33–40] The sequence crosses animal behaviour, familial feeling and eschatological warning without making them interchangeable. A consistently gentle insect world would have no place for the spider's enmity; a purely predatory one would lose the address to the boy. The poems considered here make small lives matter through those unresolved relations between attention, use, obligation and response. Their ethical force depends on retaining the differences that a single animal-symbol key would erase.

The sequence also includes gnat, bee, cricket and emmet, but a lexical resemblance need not name an animal. The *Mite* at E492 is an amount extracted from labour, not an arachnid. Broad retrieval preserves that negative control. Its retained locator is record 504; this expansion adds no new reading credit for that page. The distinction between use, deliberate cruelty and metaphor requires a speaker, a predication and a setting, not merely a noun. (Blake, n.d.-d)

8. Source repetition, work balance and lexical distance

The shared-method implementation permits two further analyses of the same pinned bundle. The NFKC experiment retains the original categories and recomputes all primary counts. A separate literal experiment applies explicitly declared word windows. Both have immutable source-bound receipts; their different profiles and denominators remain separately named. The historical baseline and its eleven authored decisions retain their original run identity. Fresh replay leaves the five analytical baseline artifacts byte-identical; its new producer receipt does not repin those decisions or add contextual animal classifications.

8.1. A category is not an animal observation

The sensitivity inventory contains the 199 identified Blake-primary reading units, grouped by 33 recorded work identifiers. These are a restricted subset of the bundle's 2,067 captured units. The vocabulary still has 102 categories; its 2,498 primary category-span candidates include direct names, compounds, products, structures and actions. The counting unit remains a category attached to a source span. Two categories can refer to overlapping language, while one category can retrieve both animal and non-animal senses.

This distinction matters for the readings already proposed in §§4–7. The *fly* category cannot decide whether a retrieved form names an animal or describes motion. The lexical relation between a compound and one of its components does not establish two creatures. Likewise, the *web* and *honey* channels can help locate relevant discussion without establishing a speaker, a maker or an animal subject. Normalization and explicit forms improve reproducibility of discovery; they do not resolve these interpretive relations. The animal and non-animal contrasts already discussed in §4 therefore remain review tasks, rather than exceptions that can be subtracted automatically from a total.

8.2. Work weighting changes the question

The pooled rate divides a category's copy-retaining count by all 644,247 NFKC word tokens in the eligible inventory. The work-balanced rate first calculates a rate within each positive-token work group and then averages the 33 rates with equal weight. A work group with no occurrence contributes a zero rate. These quantities answer different questions: frequency in the retained textual mass, and the average of the recorded work-group frequencies. Neither treats the 33 identifiers as a random sample of independent works.

Category	Retained candidates	Pooled rate	Equal-work mean rate	Largest work-group share
worm	468	7.264	10.972	36.5%
fly	183	2.841	5.392	56.3%
spider	78	1.211	0.702	46.2%
polypus	73	1.133	0.466	54.8%
bee	44	0.683	0.358	40.9%
ant	37	0.574	0.263	37.8%
caterpillar	36	0.559	0.625	41.7%
butterfly	20	0.310	0.371	80.0%

Rates are category-span candidates per 10,000 NFKC tokens, rounded only for presentation. The *worm* and *fly* rates increase under equal-work weighting, whereas *polypus*, *spider*, *bee* and *ant* decrease. This reversal prevents a single ordering from serving as a context-free account of prominence. The largest recorded work-group shares further locate the dependency: `thel` contributes 171 of the 468 *worm* candidates; `songsie` contributes 103 of 183 *fly* candidates; and `milton` contributes 40 of 73 *polypus* candidates. These are counts across retained source units within each group, not counts of distinct lines or independently inspected passages. The 80% *butterfly* share belongs to `thel` and comprises 16 of 20 retained candidates. It does not, by itself, establish that the work contains 16 different butterfly passages.

The leave-one-work-out calculations offer a related diagnostic. Removing one recorded group at a time gives pooled *fly* rates from 1.411 to 3.828 and *polypus* rates from 0.581 to 1.288 per 10,000 remaining tokens. These are finite-inventory omission ranges, not confidence intervals or uncertainty estimates for Blake's oeuvre. Their value is to expose which claims about relative prominence depend on the retained group composition. They support returning to the different settings of the short lyrics, the inventories and the Polypus discussed in §§4–6; they do not establish a common function across those settings.

Composition across name families

The current installed composition run independently recomputes the full captured atlas, the primary counted inventory and the earlier literal grid before producing the new composition and proximity exports. Numerical equality preserves the historical producers; a separate run binds the current SDK and application source bytes. The checks add no contextual animal decisions or image identifications.

The historical registry partitions into 82 name-family categories, four broad labels, 15 associated channels and one motion channel. "Name-family" here means the registry groups for worms, insects, arachnids, myriapods, molluscs, crustaceans and ambiguous life. It preserves historical retrieval policy rather than imposing a new biological classification. Thus it retains *blindworm*, *spinner*, *sponge*, derivatives of *worm*, and the noun/verb ambiguity of *fly*. It must not be read as a set of adjudicated animal nouns. The other channels retain generic labels, products, structures, parts and actions in their own declared groups.

For each name-family category, the complete matrix reports candidate counts, matched retained units, the eligible unit denominator and NFKC token denominator in every recorded group, including zeros. Within-group composition divides each category's count by that group's sum of name-family category candidates. Pooled composition divides pooled category counts by the total name-channel mass. The equal-group composition averages the normalized profiles of groups with positive name-channel mass. A group containing no name-family candidate has undefined composition; it remains a zero in coverage exports and is excluded from this particular mean. This differs from equal-work token rates, whose denominator is text length and whose zero-match groups can contribute defined zero rates.

We measure profile differences by total variation: one half of the sum of absolute differences between corresponding category shares. The same distance compares the full pooled profile with the profile

remaining after omission of each entire recorded group. These distances express redistribution of category-candidate mass, not uncertainty about Blake's oeuvre. Concentration is also reported as the smallest number of descending-count groups needed to account for one half or four fifths of a category's mass, and as inverse Herfindahl concentration. The latter is an effective number of equally weighted groups, not a number of independent works.

Categories and overlapping spans remain separate throughout. A compound and its component may each contribute a category candidate; the denominator is a sum of category candidates, not distinct animal words or organisms. Exact-text sensitivity comes from the shared SDK's grouping of identical complete source units. It does not remove repeated poems embedded in different whole texts.

The relationship analysis declares twelve exploratory pairs of singular literal terms and applies complete word envelopes of 8, 32 and 64 words. Whole-unit co-presence is a separate scope. Public SDK matching and proximity APIs retain original text boundaries and count matching units before any display cap. Their 644,245 original-text word tokens remain distinct from the NFKC denominator. These literal pairs do not expand to every form of their similarly named categories: *emmet* is narrower than the *ant* family, and *caterpillar* does not silently include historical alternative spellings.

Let c_{gw} be the category-candidate count for name family g in group w, and $m_w = \sum_g c_{gw}$. The three profiles are

$$p_{gw} = \frac{c_{gw}}{m_w}, \qquad P_g = \frac{\sum_w c_{gw}}{\sum_w m_w}, \qquad Q_g = \frac{1}{|W_+|} \sum_{w \in W_+} p_{gw}, \quad W_+ = \{w : m_w > 0\}.$$

For normalized profiles P, Q, total variation is

$$\mathrm{TV}(P, Q) = \frac{1}{2} \sum_g |P_g - Q_g|.$$

For a positive category, let $s_{gw} = c_{gw} / \sum_v c_{gv}$. Its effective number of groups is inverse concentration,

$$N_{\mathrm{eff},g} = \left(\sum_w s_{gw}^2 \right)^{-1}.$$

A zero-mass category has no defined concentration; Appendix A displays that state explicitly. These formulas describe retained category mass, including shared and nested spans, rather than independent works or individual animals.

The 82 name-family categories yield 1,239 primary category-span candidates in 26 of the 33 recorded groups. Thirty-eight categories have positive counts; 44 remain zero in this primary inventory. The associated channels contribute 1,087 further candidates, the motion channel 156, and broad labels 16. Their sum reproduces the 2,498 primary candidates. Name-family queries therefore account for 49.60% of the primary category-candidate mass, rather than all of the concordance. Exact whole-text grouping reduces name-family candidates from 1,239 to 1,238. The changed category is *mussel*, from 13 to 12. That narrow change does not establish that the remaining copies represent distinct contexts.

The pooled and equal nonempty-group name compositions have total variation 0.222387. The *fly* share rises from 14.7700% pooled to 24.3951% under equal composition weighting, a change of +9.6251 percentage points. *Worm* falls from 37.7724% to 33.7732%, or −3.9992 points. *Beetle* falls from 5.0040% to 1.7664%, and *Polypus* from 5.8918% to 3.5986%. These changes answer a different question from the earlier rate comparison: they redistribute a fixed name-channel profile rather than comparing candidates per text token.

Two smaller categories expose the cost of normalizing sparse groups. *Mussel* rises from 1.0492% pooled to 7.6923% in the equal-group profile. Its one candidate in `ahania` and twelve in `america` exhaust the

name-channel mass in those two groups, so each contributes a complete within-group share to that category. A bounded inspection of the retrieved *Ahania* context finds the surface "muscles" among bodily formations, not a contextual mollusc identification. Similarly, the single *mayfly* candidate contributes one half of the name-channel profile in `but828`; it is the normalized sequence "may … fly" in the captured *Genesis* transcription. The surrounding reference is to fowl and flight. These inspected retrieval ambiguities explain why equal weighting cannot serve as an automatic correction toward a truer animal census. They also caution that the recorded author/role field is an eligibility rule, not a fresh attribution of every transcribed word to Blake.[1]

The three largest omission effects are `songsie` (total variation 0.119982), `thel` (0.103325) and `milton` (0.079001). They remove, respectively, 217, 203 and 168 name-family category candidates from the pooled profile. These groups do not simply contribute the most textual mass: `thel` contains 23,019 NFKC tokens, whereas `jerusalem` contains 197,560 tokens and its omission distance is 0.051693. Composition influence depends on a group's lexical profile as well as its size. *Worm* remains the largest pooled category after every single-group omission. That finite robustness of the leading category coexists with substantial changes in the rest of the profile.

Concentration measures further distinguish visibility from breadth. *Worm* and *fly* each occur in 15 recorded groups, but their effective group counts are 5.008 and 2.889. Five groups are needed to accumulate four fifths of *worm* candidates, compared with four for *fly*. *Polypus* occurs in three groups and has an effective count of 2.030; two groups suffice for four fifths of its candidates. These numbers locate concentrations in this retained collection. They do not count distinct literary episodes or establish the independence of copies.

8.3. Exact-text deduplication is a narrow check

Grouping complete source units by identical text removes one unit from this inventory: the two `america` records `archive:america.n` and `archive:america.n--878c90904184` share 2,941 NFKC tokens. The exact-text inventory therefore contains 198 units and 641,306 tokens. The eight selected category counts in the table are unchanged, but their pooled rates change because the denominator changes. Across all categories, the candidate sum falls from 2,498 to 2,489 through five changes:

Category	Copy-retaining count	Exact-text count
crawl	26	25
flight_verbs	156	153
insect	14	13
mussel	13	12
wing	532	529

The first column names the actual registry categories; the presence of *insect* and *mussel* means these changes should not all be described as contextual-action changes. Exact-text equality detects an identical complete unit. It cannot detect all repeated poems embedded in nonidentical copies, near-identical editions, shared passages within different works, or differences in editorial boundaries. The small change in this check therefore supplies no evidence that the remaining copies or reading positions are independent. In particular, unchanged counts do not turn the concentration results into an edition-controlled comparison.

[1] Fresh local inspection was limited to the SDK's 120-character context on each side of two hits. *Ahania*: `archive:ahania.a`, reading-layer locator lines 1–259, original character interval [5617,5624), source SHA-256 `fa95577f5790fc5d2cba1ff08822d79b59d2399f352e2a7f477d891868395761`. *Genesis*: `archive:but828.1`, reading-layer locator lines 1–230, interval [3089,3114), source SHA-256 `ef98f4fa8c09feca8dee00110b7a844a7af1a1bf8ddbc7edd9b5aefc96fd6967`. The broad reading-layer line ranges are unit locators, not exact verse-line locators for these hits. Neither inspection credits a complete work or design.



Figure 8: Composition and group influence. The sixteen largest share shifts compare the pooled name-channel profile with the mean of 26 nonempty-group profiles (1,239 category candidates); all 33 groups remain eligible for omission. The twelve largest omission distances describe redistribution of this finite inventory. Parentheses retain candidate counts. Complete data and all omissions are supplemental; no sampling inference or animal adjudication is implied.

8.4. Proximity exposes the scale of co-occurrence

A separate experiment searches the raw singular literal pairs shown below. These are not expansions of the NFKC categories: *emmet* is one explicit literal term, while the category named *ant* has a broader declared form inventory; *fly* in a literal pair does not include every form in the *fly* category. The literal engine retains original-text word boundaries and has a denominator of 644,245 word tokens. The NFKC denominator is 644,247. These profile labels and denominators remain separate even though the two experiments use the same 199 eligible source units in this bundle.

Literal pair	8 words	16 words	32 words	64 words	Whole source unit
worm + fly	4	4	28	28	66
bee + flower	0	0	0	0	30
spider + web	13	13	13	13	33
emmet + grass	27	27	27	27	36

Cells count matched source units, with copies retained. A finite window requires a complete word envelope containing both terms. The last column removes that finite-distance requirement; it is a different scope, not a point at 200 words or an extrapolated infinity. Thus the *worm + fly* increase from 28 units at 32 words to 66 whole units cannot be read as 38 additional nearby encounters. The *bee + flower* contrast is sharper: no finite window through 64 words matches, while 30 complete source units contain both literals. That result identifies a dependence on source-unit extent, not the absence of bee–flower relations in Blake. Singular forms, unrepresented variants, source coverage and unreviewed senses all constrain recall.

The early plateaus for *spider + web* and *emmet + grass* likewise do not count 13 and 27 independent scenes. Repeated copies can reproduce one textual relationship across several stored units. Establishing distinct passages, speakers, functions or material witnesses would require the contextual and copy-specific work already specified in §9. The contrast between a short window and a whole-unit search makes that requirement visible before co-occurrence is mistaken for an interpretive association.

Twelve source-sensitive literal pairs

The literal-pair audit makes source dependence visible alongside distance. *Worm + fly* matches four units from one group at eight words, 28 units from three groups at 32 words, and 66 units from six groups at whole-unit scope. At 32 words its 28 units divide into four `jerusalem`, eight `songsie` and sixteen `vda` units. Thus a comparatively large unit count can be supplied by very few recorded groups. These cells identify where a contextual comparison should begin; they do not establish 28 distinct nearby encounters.

The contrasts differ across pairs. *Worm + beetle* increases from four units at eight words to 31 at 32 words, with no further increase at 64 words or whole-unit scope. Its 32-word matches comprise four `milton`, thirteen `s-inn` and fourteen `songsie` units. *Emmet + beetle* matches only the four `milton` units through 64 words but reaches 31 units at whole-unit scope. A shared source document therefore supports a much broader relation than a nearby word envelope in the latter case. *Spider + fly* has no eight-word match, sixteen 32-word matches entirely in `vda`, and 24 whole-unit matches from three groups.

Other contrasts resist a simple relationship graph. *Bee + beetle*, *gnat + fly*, *Polypus + worm* and *scorpion + centipede* have zero matches through 64 words but respectively four, five, eight and four whole-unit matches. *Flea + louse* matches five units from two groups at every declared scope. *Moth +*



Figure 9: Retrieval sensitivity within the pinned primary reading inventory. A compares pooled and equal-work category rates; B shows each category's largest work-group share; C counts source units for literal singular pairs across finite windows and whole-unit scope. Counts retain copies and overlapping categories. No panel measures independent reading positions or adjudicated animals.

butterfly matches one unit from one group throughout. *Caterpillar + fly* returns zero even at whole-unit scope under the declared singular literal spelling, despite 36 primary candidates in the broader *caterpillar* category. A zero in this experiment is consequently a result of a stated query, eligibility rule and source inventory, not an absence claim about Blake or the scene discussed elsewhere in this article.

Appendix B prints all twelve pairs, including every zero, with matched units and contributing group counts. The full 82-by-33 matrix and twelve-pair source matrix remain vector/CSV supplements; neither is reduced to unreadable page labels here.

8.5. A complete vocabulary audit has several kinds of zero

The new atlas recomputes the unchanged 102 categories and 376 explicit forms across 2,067 captured units. It returns 36,039 category-source-span candidates, including 2,498 in 199 primary reading units. All role/plane zero cells remain in the data. The form audit records both casefolded surface-form counts and normalized-equivalent counts, separately for the primary scope and all planes. 242 declared forms have no normalized-equivalent match anywhere in the captured inventory; 256 have no exact casefolded surface match. A split or hyphenated form can be covered through an equivalent declared token sequence, so these are different questions. 29 normalized alias groups expose this redundancy rather than multiplying one category's hits.

The audit retains 36,039 distinct exact source intervals. 550 candidate pairs have intersecting intervals, including nested compound/head matches. Equal intervals and intersecting intervals are different diagnostics; neither is a number of organisms. No automatic taxonomic allocation is computed from these spans. The independently bound gap-probe registry tests new recall leads while preserving the original vocabulary, baseline and query epochs. Even a zero-result gap probe would describe only these bytes and forms.

The atlas makes eligibility and repetition visible. Its first panel separates source-role/plane populations; its second shows matched-unit fractions within every recorded primary work group. The adjacent equal-work mean gives each recorded group one contribution, including zero-match groups. The pooled fraction weights retained units instead. This is a descriptive comparison, not edition reconciliation or a comparison of independent works. Whole-text grouping leaves 198 primary units; it does not remove repeated poems embedded in different copy texts. The snail's primary zero and exploratory positives exemplify why these populations cannot be collapsed.

Unverified Archive XML supplies 32,066 of all 36,039 candidates, or 88.98%, including 11,597 name-family, 12,485 associated, 5,993 motion and 1,991 broad-label candidates. Its 51 positive name-family categories exceed the primary reading scope's 38, but this additional retrieval reach includes markup and modern catalog language. It cannot enlarge the number of Blake-authored animal attestations by simple addition. Mixed Erdman material, four mixed XML units and unverified reading documents remain separately reported, with their own token and unit denominators.

8.6. Reading coverage is a different denominator

The new casebook records 7 bounded interpretive cases and 4 complete short-poem transcriptions: "A Dream," "The Fly," "The Human Abstract" and "The Sick Rose," all in copy A. It separately records the inspected Milton and Thel passages and the modern catalog alternative. Ordered line IDs and selected-text hashes close those reading claims. These are reading receipts, not additional candidate decisions. The 11 historical decisions remain on their original run, with 36,028 candidates still unreviewed there; none has been reclassified or rebound to this atlas. The new atlas has zero authored decisions, and seven selected historical scans have now been inspected. The corpus-wide image inventory remains unreviewed. Four complete copy-Y poem transcriptions and selected Thel F/O passages belong to the additive expansion ledger; they inherit no credit from the earlier copy-A and Thel-B readings.



Figure 10: Source-role corpus atlas: 2,067 captured units, 36,039 overlapping category-span candidates; 199 primary reading units in 33 work groups. A prints raw counts with log(1+n) colour; B shows within-work matched-unit fractions, with equal-work and pooled coverage at right. Work groups with zero matches remain. Exact whole-text grouping leaves 198 primary units. No contextual decisions transfer to this atlas; corpus images remain unreviewed.



Figure 11: Query channels across source cohorts. Counts, within-cohort shares and positive/declared category totals distinguish 82 name families, four broad labels, fifteen associated channels and one motion channel. Every role/plane/author cohort retains source-unit and NFKC-token denominators. These disjoint cohorts describe retrieval populations, with markup and editorial language retained separately; they are not stages of complete-oeuvre coverage.

This separation also sets a limit on the argument. The small lyric sequence can now be discussed through its ending, whereas the Polypus and wine-press cases remain local passages. The contrast between practical assistance, conditional consolation, secret destruction, nurture and bodily aggregation has support in these selected contexts. It has not been established as a distribution of functions across all of Blake. The machine audit supplies the next places to read, and preserves the places where it cannot yet support a claim.

9. What remains before a comprehensive account

The software establishes complete matching of the declared forms within the pinned units. A comprehensive literary account still requires candidate adjudication, work/copy reconciliation, examination of source boundaries, assessment of unlisted or unnamed animals, and a systematic visual inventory. Long-range discussion can exceed the saved 120-character context envelope; review must return to the complete source unit and, where necessary, its neighbours and physical object. Editorial animal decisions remain exploratory until the quoted text's author and location have been established separately.

Mike Goode's discussion of digital fragmentation is pertinent to the research design: retrieving a textual fragment can detach it from the verbal-visual work. The present concordance is therefore a navigation instrument. An argument requires returning from its fragments to their material and textual relations. Only selected opening sections of Goode's essay were read here. (Goode 2016)

Seven selected scans provide differential material witnesses, not a representative visual census. The unresolved corpus image identifiers, other copies and unnamed forms still require systematic inventory. No new animal decision follows from the new readings, figures or two sparse contextual controls.

The article's provisional claim is consequently bounded but substantive: invertebrate figures let these selected Blake passages test the relation between attention to a life and the forms that connect, classify or absorb it. The counterexamples are part of that claim. Sympathy, mockery, appetite, predation, work and aggregation cannot be replaced by one stable animal-symbol dictionary. The corpus application makes the further tests of this reading inspectable.

References and reading status

The source ledger distinguishes complete short-poem readings from local passages and from whole works. The four complete copy-A *Songs* transcriptions and selected *Milton* A / *Thel* B windows remain historical credit. This expansion adds four complete copy-Y poem transcriptions and seven selected scans, plus local *Thel* F/O, *Island* and "Auguries" passages. It does not credit a complete book, all copies or a comprehensive visual inventory.

Perkins (1999) and Srigley (1992) have now been read as complete journal articles by the research owner. The earlier Perkins fetch failure remains in the frozen ledger as acquisition history. Essick and Viscomi (2002) are used only for selected opening and registration sections (pp. 74–76, 90–92); Dauphin's extended reading covers paragraphs 7–28 and 49–50 alongside the earlier 3–6 and 21–25. Fara is cited under the 2020 online publication date; its issue and PDF citation carry 2016 (Spring–Fall, nos. 66–67). Only paragraphs 15–23 were read. (Perkins 1999; Srigley 1992; Essick and Viscomi 2002; Dauphin 2026; Fara 2020)

Gould (1747) is limited to the title and printed pp. 66–68, 78–81; Baker (1743, second edition) to complete selected paragraphs on pp. 53–58; *Zoonomia* to the 1796 second edition, I.XXXIX.II.3 and IV.2; and *The Temple of Nature* (1803) to III.411–434 and IV.1–66. These are historical comparisons, with neither whole-book credit nor a proved influence chain. Schwartz remains publisher-abstract only; Goode remains selected opening sections. Reading a scholar's article grants no automatic credit for its cited books, manuscripts or images. (Gould 1747; Baker 1743; Darwin 1796, 1803; Schwartz 2012; Goode 2016)

The additive reading, image-provenance and claim ledgers preserve source URLs, selected paragraphs or ordered physical line IDs, source hashes and rival readings. Original failed accesses and earlier decisions remain intact. New source captures and binaries stay in private local custody.

Appendix A. Complete name-family coverage

The table covers all 82 name-family categories in the 199-unit primary reading scope (33 recorded work groups). Counts are category-source-span candidates; matched units and positive groups retain copies. Half-mass groups is the minimum number of descending-count groups accounting for at least half of a category's mass; a dash marks undefined concentration for a zero category. Associated channels and broad labels are separate from this name-family table.

Category	Candidates	Matched units	Positive groups	Half-mass groups
worm	468	113	15	2
earthworm	22	22	3	1
tapeworm	4	4	1	1
silkworm	4	4	1	1
glowworm	27	27	2	1
bookworm	0	0	0	—
blindworm	16	16	1	1
cutworm	9	9	1	1
ant	37	37	5	2
fly	183	77	15	1
housefly	0	0	0	—
dragonfly	0	0	0	—
gadfly	0	0	0	—
mayfly	1	1	1	1
firefly	0	0	0	—
horsefly	0	0	0	—
bee	44	35	5	2

Category	Candidates	Matched units	Positive groups	Half-mass groups
honeybee	14	14	3	1
bumblebee	0	0	0	—
wasp	4	4	1	1
hornet	4	4	1	1
beetle	62	31	3	2
chafer	2	2	2	1
cockchafer	1	1	1	1
scarab	0	0	0	—
weevil	0	0	0	—
ladybird	0	0	0	—
moth	18	10	3	1
butterfly	20	20	4	1
caterpillar	36	36	6	2
maggot	4	4	1	1
grub	0	0	0	—
larva	0	0	0	—
chrysalis	0	0	0	—
flea	5	5	2	1
louse	5	5	2	1
gnat	5	5	2	1
midge	0	0	0	—
grasshopper	34	33	4	2
cricket	1	1	1	1
locust	0	0	0	—
earwig	4	4	1	1
bug	4	4	1	1
cockroach	0	0	0	—
roach	0	0	0	—
termite	0	0	0	—
cicada	0	0	0	—
mosquito	0	0	0	—
spider	78	43	8	2
spinner	4	4	1	1
scorpion	5	5	2	1
mite	1	1	1	1
tick	0	0	0	—
centipede	4	4	1	1
millipede	0	0	0	—
snail	0	0	0	—
slug	4	4	1	1
oyster	0	0	0	—
mussel	13	13	2	1
cockle	0	0	0	—
clam	1	1	1	1
whelk	0	0	0	—
limpet	0	0	0	—
nautilus	0	0	0	—
octopus	0	0	0	—
cuttlefish	0	0	0	—
squid	0	0	0	—
leech	0	0	0	—
crab	0	0	0	—

Category	Candidates	Matched units	Positive groups	Half-mass groups
lobster	0	0	0	—
shrimp	0	0	0	—
prawn	0	0	0	—
crayfish	0	0	0	—
barnacle	0	0	0	—
woodlouse	0	0	0	—
polypus	73	9	3	1
hydra	0	0	0	—
coral	0	0	0	—
sponge	18	16	1	1
zoophyte	0	0	0	—
animalcule	0	0	0	—
medusa	0	0	0	—

Appendix B. Twelve literal-pair controls

Cells give matched units followed by contributing groups in parentheses. Eight-, 32- and 64-word complete envelopes differ from whole-unit co-presence. All cells use 199 eligible units and 644,245 original-text word tokens; singular literal spellings do not inherit expanded category forms.

Literal pair	8 words	32 words	64 words	Whole unit
worm+fly	4 (1)	28 (3)	28 (3)	66 (6)
worm+beetle	4 (1)	31 (3)	31 (3)	31 (3)
emmet+beetle	4 (1)	4 (1)	4 (1)	31 (3)
spider+fly	0 (0)	16 (1)	16 (1)	24 (3)
spider+beetle	4 (1)	4 (1)	4 (1)	4 (1)
bee+beetle	0 (0)	0 (0)	0 (0)	4 (1)
gnat+fly	0 (0)	0 (0)	0 (0)	5 (2)
caterpillar+fly	0 (0)	0 (0)	0 (0)	0 (0)
polypus+worm	0 (0)	0 (0)	0 (0)	8 (2)
moth+butterfly	1 (1)	1 (1)	1 (1)	1 (1)
flea+louse	5 (2)	5 (2)	5 (2)	5 (2)
scorpion+centipede	0 (0)	0 (0)	0 (0)	4 (1)

Appendix C. Material-witness concordance

Witness	Bentley / Erdman	Archive object	Repository identity	Printing date evidence
A Dream, Songs Y	26 / E16	26	Met 17.10.26	[1794], ca. 1825
The Fly, Songs Y	40 / E23	40	Met 17.10.40	[1794], ca. 1825
The Sick Rose, Songs Y	39 / E23	39	Met 17.10.39	[1794], ca. 1825
The Human Abstract, Songs Y	47 / E27	47	Met 17.10.47	[1794], ca. 1825
Thel F, III	6 / plate 4	6	LOC 1798A	Archive 1795; LOC ca. 1794

Witness	Bentley / Erdman	Archive object	Repository identity	Printing date evidence
Thel O, III	6 / plate 4	5	LOC digital 1798B; bound volume 1810	Archive c. 1818; LOC ca. 1815
Thel O, Clay exchange	7 / plate 5	6	LOC digital 1798B; bound volume 1810	Archive c. 1818; LOC ca. 1815

Bibliography

The following references identify the cited scholarship, historical witnesses and captured classification resources. The source ledgers retain exact reading ceilings and snapshot hashes.

Baker, Henry. 1743. *The Microscope Made Easy*. 2nd ed. R. Dodsley. https://wellcomecollection.org/works/u4cdmgs8.

Blake, William. 1795. *The Book of Thel, Copy F, Object 6 (Bentley Plate 6; Erdman Plate 4)*. Library of Congress, Lessing J. Rosenwald Collection, 1798A. https://www.loc.gov/resource/rbc.2003rosen1798A/?sp=6.

Blake, William. 1818. *The Book of Thel, Copy O, Objects 5–6 (Bentley Plates 6–7)*. Library of Congress, Lessing J. Rosenwald Collection, digital resource Rosenwald 1798B. https://www.loc.gov/resource/rbc.2003rosen1798B/?sp=5.

Blake, William. 1825. *Songs of Innocence and of Experience, Copy Y: Selected Impressions and Transcriptions*. The Metropolitan Museum of Art; William Blake Archive transcription. https://www.metmuseum.org/art/collection/search/347935.

Blake, William. n.d.-a. *Milton, Copy a*. William Blake Archive. Accessed October 28, 2026. https://raw.githubusercontent.com/blakearchive/data/7063e9ea8b13d18bd5a585e87610164fd75d3f60/works/milton.a.xml.

Blake, William. n.d.-b. *Songs of Innocence and of Experience, Copy a*. William Blake Archive. Accessed October 28, 2026. https://raw.githubusercontent.com/blakearchive/data/7063e9ea8b13d18bd5a585e87610164fd75d3f60/works/songsie.a.xml.

Blake, William. n.d.-c. *The Book of Thel, Copy b*. William Blake Archive. Accessed October 28, 2026. https://raw.githubusercontent.com/blakearchive/data/7063e9ea8b13d18bd5a585e87610164fd75d3f60/works/thel.b.xml.

Blake, William. n.d.-d. *The Complete Poetry and Prose: Selected Retained Reader Units*. Edited by David V. Erdman. William Blake Archive reader API, retained private corpus bundle. Accessed October 28, 2026. https://erdman.blakearchive.org/api/pages.

Darwin, Erasmus. 1796. *Zoonomia; or, the Laws of Organic Life*. 2, corrected. Vol. 1. J. Johnson. https://www.gutenberg.org/cache/epub/15707/pg15707-images.html.

Darwin, Erasmus. 1803. *The Temple of Nature; or, the Origin of Society: A Poem, with Philosophical Notes*. J. Johnson. https://www.gutenberg.org/cache/epub/26861/pg26861-images.html.

Dauphin, Caroline. 2026. “A Genealogy of the Polypus, from William Blake to H.P. Lovecraft: The

Root of All Evil?" *Lectures Du Monde Anglophone*, no. 7. https://publis-shs.univ-rouen.fr/eriac/1132.html.

Essick, Robert N., and Joseph Viscomi. 2002. "An Inquiry into William Blake's Method of Color Printing." *Blake/An Illustrated Quarterly* 35 (3): 74–103. https://bq.blakearchive.org/35.3.essick.

Fara, Patricia. 2020. "Questions of Inheritance: Erasmus and Charles Darwin." *Romanticism and Victorianism on the Net*, nos. 66–67 (June). https://doi.org/10.7202/1069958ar.

Goode, Mike. 2016. *Google Blake*. Romantic Circles Praxis. https://romantic-circles.org/praxis/pedagogical_blake/praxis.2016.pedagogical_blake.goode.

Gould, William. 1747. *An Account of English Ants*. A. Millar. https://darwin-online.org.uk/converted/pdf/1747_Gould_ants_CUL-DAR.LIB.233.pdf.

National Center for Biotechnology Information. n.d. *NCBI Taxonomy: Selected TaxId, Rank and LineageEx Records*. Accessed October 28, 2026. https://www.ncbi.nlm.nih.gov/taxonomy.

National Library of Medicine. n.d. *On What Sequences Do You Base NCBI Taxonomy Classification and the Taxonomy Common Tree?* Accessed October 28, 2026. https://support.nlm.nih.gov/kbArticle/?pn=KA-03471.

Perkins, David. 1999. "Animal Rights and 'Auguries of Innocence'." *Blake/An Illustrated Quarterly* 33 (1): 4–11. https://bq.blakearchive.org/33.1.perkins.

Schwartz, Janelle A. 2012. "Art Thou but a Worm? Blake and the Question Concerning Taxonomy." In *Worm Work: Recasting Romanticism*. University of Minnesota Press. https://doi.org/10.5749/minnesota/9780816673209.003.0004.

Srigley, Michael. 1992. "The Sickness of Blake's Rose." *Blake/An Illustrated Quarterly* 26 (1): 4–8. https://bq.blakearchive.org/26.1.srigley.