

Introduction

Daniel Ari Friedman
ORCID: 0000-0001-6232-9096
Email: daniel@activeinference.institute
DOI: 10.5281/zenodo.16887791

October 07, 2026

Contents

1	Introduction	1
1.1	Abstract	1
1.2	Overview	1
1.3	4D Namespace Framework	2
1.4	Contributions	2
1.5	Manuscript Structure	2
1.6	Companion Code and Tests	2
1.7	Reproducibility and Data Availability	3
1.8	Graphical Abstract	3

1 Introduction

1.1 Abstract

We review a unified analytical framework for four-dimensional (4D) modeling with Quadray coordinates, synthesizing geometric foundations, optimization on tetrahedral lattices, and information geometry. Building on R. Buckminster Fuller’s **Synergetics** and Kirby Urner’s computational implementations in the **4dsolutions ecosystem** (Python, Rust, Clojure, and POV-Ray), we show that integer lattice constraints force the volume of any tetrahedron with lattice vertices to be an integer multiple of the unit tetrahedron’s volume — a quantization into discrete “energy levels” that regularizes optimization on the tetrahedral lattice. We adapt the **Nelder-Mead method** to the Quadray lattice, define **Fisher information** in Quadray parameter space, and analyze optimization as geodesic motion on an information manifold via the **natural gradient**. We distinguish three 4D namespaces — Coxeter.4D (Euclidean E^4), Einstein.4D (Minkowski spacetime), and Fuller.4D (synergetics/Quadrays) — and map each to the analytical tools it supports. The result is a cohesive, interpretable approach for robust, geometry-grounded computation in 4D. All source code for the manuscript is available at **QuadMath**.

Keywords: Quadray coordinates, 4D geometry, tetrahedral lattice, integer volume quantization, information geometry, optimization, synergetics, active inference.

1.2 Overview

Quadray coordinates provide a tetrahedral basis for modeling space and computation, standing in contrast to Cartesian cubic frameworks. Originating in Buckminster Fuller’s Synergetics, Quadray coordinates replace right-angle orthonormal assumptions with 60-degree coordination and a unit tetrahedron of volume 1. This reframing yields striking integer relationships among common polyhedra and provides a natural account of space via close-packed spheres and the isotropic vector matrix (IVM).

This paper unifies three threads:

- **Foundations:** Quadray coordinates and their relation to 4D modeling more generally, with explicit namespace usage (Coxeter.4D, Einstein.4D, Fuller.4D) to maintain clarity.
- **Optimization framework:** Leverages integer volume quantization on tetrahedral lattices to achieve robust, discrete convergence.
- **Information geometry:** Tools (e.g., Fisher Information, free-energy minimization) for interpreting optimization as geodesic motion on statistical manifolds.

1.3 4D Namespace Framework

In this synthetic review, we distinguish three internal meanings of “4D,” following a dot-notation that avoids cross-domain confusion. For comprehensive details, see [Section 2: 4D Namespaces](#).

- **Coxeter.4D** — four-dimensional Euclidean space (E^4) with mutually orthogonal axes and a positive-definite metric: the setting of classical polytope theory, and explicitly not spacetime (Coxeter, *Regular Polytopes*, Dover ed., p. 119). Lattice packings in four dimensions align with the treatment in Conway & Sloane’s [Sphere Packings, Lattices and Groups](#).
- **Einstein.4D** — Minkowski spacetime: three space dimensions plus time, with an indefinite metric of signature $(-, +, +, +)$; the arena of relativistic physics, distinct from Euclidean E^4 .
- **Fuller.4D** — synergetics’ tetrahedral accounting of space: Quadray coordinates (four non-negative coordinates with at least one zero after normalization) on the Isotropic Vector Matrix (IVM) = Cubic Close Packing (CCP) = Face-Centered Cubic (FCC) lattice, with the regular tetrahedron as the natural unit container; it emphasizes angle/shape relations independent of time and energy.

1.4 Contributions

The paper makes the following key contributions:

- **Namespaces mapping:** Coxeter.4D (Euclidean E^4), Einstein.4D (Minkowski spacetime), and Fuller.4D (Quadrays/IVM) $\rightarrow$ analytical tools and examples.
- **Quadray-adapted Nelder-Mead:** Integer-lattice normalization and volume-level tracking.
- **Equations and methods:** Comprehensive supplement with guidance for high-precision computation using `libquadmath`.
- **Discrete optimizer:** Integer-valued variational descent over the IVM (`discrete_ivm_descent`) with animation tooling, connecting lattice geometry to information-theoretic objectives.

1.5 Manuscript Structure

- **Introduction:** motivates Quadrays, clarifies 4D namespaces, and summarizes contributions.
- **Methods:** details coordinate conventions, exact tetravolumes, conversions, and lattice-aware optimization methods (Nelder-Mead and discrete IVM descent).
- **Results:** empirical comparisons and demonstrations are shown inline and saved under `quadmath/output/` (PNG/CSV/NPZ/MP4) for reproducibility.
- **Discussion:** interprets results, limitations, and implications; outlines future work.
- **Appendices:** equations, free-energy background, and a consolidated symbols/glossary with an auto-generated API index.

1.6 Companion Code and Tests

The manuscript is accompanied by a fully-tested Python codebase under `src/` with unit tests under `tests/`. Key artifacts used throughout the paper:

- **Quadray APIs:** `src/quadmath/core/quadray.py` (`Quadray`, `integer_tetra_volume`, `ace_tetravolume_5x5`).
- **Determinant utilities:** `src/quadmath/core/linalg_utils.py` (`bareiss_determinant_int`).
- **Length-based volume:** `src/quadmath/core/cayley_menger.py` (`tetra_volume_cayley_menger`, `ivm_tetra_volume_cayley_menger`).

- **XYZ conversion:** `src/quadmath/lattice/conversions.py` (`urner_embedding`, `quadray_to_xyz`).
- **Examples:** `src/quadmath/core/examples.py` (`example_ivm_neighbors`, `example_volume`, `example_optimize`).

For comprehensive background resources, computational implementations, and related work, see the [Resources](#) section.

1.7 Reproducibility and Data Availability

- The manuscript Markdown and code to generate the PDF are available on the project repository (QuadMath on GitHub, `@docxology` username). See the repository home page for source, figures, and scripts: [QuadMath repository](#). The repository is also archived on [Zenodo record 16887791](#) with DOI 10.5281/zenodo.16887791.
- The manuscript is licensed under the Apache License 2.0. See the [LICENSE](#) file for details.
- The manuscript is accompanied by a fully-tested Python codebase under `src/` with unit tests under `tests/`, complemented by extensive cross-validation against Kirby Urner’s reference implementations in the [4dsolutions ecosystem](#). See the [Resources](#) section for comprehensive details on computational implementations and validation.
- All figures referenced in the manuscript are generated by scripts under `quadmath/scripts/` and saved to `quadmath/output/` with lightweight CSV/NPZ alongside images.
- Tests accompany all methods under `src/` and enforce 100% coverage for `src/`.
- Symbols and notation are standardized across sections; see [Appendix: Symbols and Glossary](#) for a consolidated table of variables and constants used throughout. Equation labels (e.g., Eq. (??) and Eq. (??)) and figure labels are automatically numbered by LaTeX for consistent cross-referencing.
- The manuscript is a work in progress and will be updated as the project progresses. There may be errors and missing references, check all methods and equations for consistency.

1.8 Graphical Abstract

Panel A shows the four Quadray axes (A, B, C, D) under the default symmetric embedding with a tetrahedron wireframe. **Panel B** shows the same vertices as close-packed spheres (IVM = CCP = FCC) sized to kiss along the tetrahedron edges.




Figure 1: **Quadray coordinate system overview (graphical abstract).** **Panel A:** The four Quadray axes — rays A, B, C, D from the origin to the vertices of a reference regular tetrahedron under the default symmetric embedding — drawn as colored arrows (A=blue, B=orange, C=green, D=red) with axis labels at the vertex endpoints and a light gray wireframe joining the four vertices. Notice that the axes are four canonical directions (spokes) separated by 60° angles, not orthogonal Cartesian dimensions — the defining “directions, not dimensions” character of Fuller.4D. **Panel B:** The same four vertices shown as close-packed spheres, each colored to match its Panel A axis and with radius equal to half the minimum edge length, so neighboring spheres kiss exactly along the tetrahedron edges; a light black wireframe marks those edges. This is the local building block of the Isotropic Vector Matrix (IVM) = Cubic Close Packing (CCP) = Face-Centered Cubic (FCC) correspondence; extending the kissing arrangement across the lattice yields the “twelve around one” coordination central to synergetics. What to notice: one and the same tetrahedral skeleton underlies both the direction-based Quadray coordinate system and the densest sphere packing in 3D, which is why integer Quadray coordinates and integer sphere counts (and hence integer volumes) live on a single lattice. Generated by `quadmath/scripts/graphical_abstract_quadray.py` (output at `quadmath/output/figures/graphical_abstract_quadray.png`).