

# BIOL-1 Practice Test 03 — Answer Sheet

Exam 03 Preparation (Modules 12–16)

|       |  |       |  |        |  |
|-------|--|-------|--|--------|--|
| Name: |  | Date: |  | Score: |  |
|-------|--|-------|--|--------|--|

 **TEAR-OFF ANSWER SHEET:** record every Part A: Multiple Choice (25 questions) and Part B: Fill in the Blank (10 questions) answer on this page. Free response begins on the reverse side. Detach and turn in this sheet.

## Part A: Multiple Choice (25 questions)

|    |  |     |  |     |  |
|----|--|-----|--|-----|--|
| 1. |  | 10. |  | 19. |  |
| 2. |  | 11. |  | 20. |  |
| 3. |  | 12. |  | 21. |  |
| 4. |  | 13. |  | 22. |  |
| 5. |  | 14. |  | 23. |  |
| 6. |  | 15. |  | 24. |  |
| 7. |  | 16. |  | 25. |  |
| 8. |  | 17. |  |     |  |
| 9. |  | 18. |  |     |  |

## Part B: Fill in the Blank (10 questions)

|    |  |     |  |
|----|--|-----|--|
| 1. |  | 6.  |  |
| 2. |  | 7.  |  |
| 3. |  | 8.  |  |
| 4. |  | 9.  |  |
| 5. |  | 10. |  |

## BIOL-1 Practice Test 03 — Part C: Short Answer (4 questions)

Free response. Write clearly in the lined spaces.

- 
1. **(Module 12)** In two or three sentences, define **evolutionary fitness** as used in this course, and name **one** line of **evidence** for common descent (fossils, comparative anatomy, biogeography, or molecular) with a brief what-it-shows.
  2. **(Module 13)** Distinguish **bottleneck** and **founder** effects. Then name the three **modes of natural selection** on a continuous trait (directional, stabilizing, disruptive) in one line each.
  3. **(Module 14)** Give one **prezygotic** and one **postzygotic** example of a **reproductive barrier** (one sentence each). In one sentence, contrast **allopatric** and **sympatric** speciation.
  4. **(Module 15)** Contrast **density-dependent** and **density-independent** limiting factors with one **example of each** (one sentence on each type). In two sentences, use the **~10%** energy rule to explain **why** food chains with many links support **fewer** apex consumers than a short chain from the same primary production.
  5. **(Module 16)** Build a short systems explanation: choose one biological scenario from this unit and connect **one evolutionary idea**, **one population/ecology idea**, and **one piece of evidence** into a single cause-and-effect explanation.

**Response 1 — Question Number:** \_\_\_\_\_

---

---

---

---

---

**Response 2 — Question Number:** \_\_\_\_\_

---

---

---

---

---

**Response 3 — Question Number:** \_\_\_\_\_

---

---

---

---

---

**Response 4 — Question Number: \_\_\_\_\_**

---

---

---

---

---

**Response 5 — Question Number: \_\_\_\_\_**

---

---

---

---

---

## BIOL-1 Practice Test 03 — Question Booklet

Answer Parts A and B on the tear-off sheet. Keep this booklet with your exam materials.

-----

### Part A: Multiple Choice (25 questions)

*Choose the best answer for each question.*

#### Module 12: Darwin and Evolution

1. In the logic of natural selection, which observation states that more offspring are produced than can usually survive to reproduce?
  - A) Inheritance of acquired characters
  - B) Differential reproductive success
  - C) Overproduction of offspring
  - D) Stabilizing selection only
2. A trait increases **evolutionary fitness** in a given environment if individuals with that trait tend to:
  - A) Contribute more alleles to the next generation than competitors do
  - B) Acclimate in one lifetime to match the parent phenotype
  - C) Look larger than their competitors
  - D) Survive long enough to be counted, even with zero offspring
3. Which statement is **most** consistent with **descent with modification**?
  - A) Each species was created in its final form and does not change
  - B) Lineages change over time; related species share ancestors with modification
  - C) Only fossils evolve, not living species
  - D) The strongest individual in a species can change the population's heritable gene pool in one lifetime, without reproduction

4. Homologous forelimb bones in a human, a cat, and a whale are used as evidence for evolution because they:
- A) Suggest a shared ancestry with structural change for different uses
  - B) Disprove the existence of a fossil record
  - C) Prove that whales evolved from modern humans
  - D) Show identical functions in all three species
5. A population of moths in a clean forest is mostly light-colored; in a sooty industrial region the population becomes mostly dark. The clearest **selection** label for that shift, if the environment favors the dark extreme, is:
- A) Stabilizing selection
  - B) The founder effect
  - C) Directional selection
  - D) Disruptive selection
6. Which option best states why **populations** evolve, not **individuals**?
- A) One hungry bird cannot affect allele frequencies at all (bird effects are not evolution)
  - B) Natural selection has nothing to do with heritable variation
  - C) Evolution is a change in allele **frequencies in a population** across generations
  - D) Individuals can change their DNA by lifting weights

### Module 13: How Populations Evolve

1. The definition of **microevolution** used in this course is:
- A) A **change in allele frequencies** in a population over time
  - B) A change in an individual's size during one lifetime
  - C) A synonym for any mutation in a body cell only
  - D) The origin of a new phylum in one generation

2. A few finches from the mainland start a new island population. The island gene pool reflects only the alleles the founders brought. This is:
- A) Stabilizing selection on beak size
  - B) The bottleneck effect
  - C) The **founder** effect (genetic drift)
  - D) Convergent evolution
3. A volcanic eruption kills 95% of a squirrel population at random, then survivors repopulate. The loss of many alleles from the pre-eruption pool is:
- A) A founder effect in a new island colonization from another continent only
  - B) A **bottleneck** (genetic drift)
  - C) A proof that survivors were the “most fit” for every possible future environment
  - D) Interspecific competition in the absence of intraspecific variation
4. In **stabilizing** selection on a trait (for example, birth weight in some human data sets):
- A) Allele frequencies must stay exactly at Hardy–Weinberg equilibrium forever
  - B) The population’s average always moves to one tail of the range
  - C) The **intermediate** phenotype is favored; extremes are selected against
  - D) Both extreme phenotypes are favored
5. The Hardy–Weinberg equilibrium model is useful mainly because it:
- A) Describes a real population that never evolves
  - B) Serves as a **mathematical baseline** to measure evolutionary change in real data
  - C) Guarantees  $p^2 + 2pq + q^2 = 1$  in every generation without assumptions
  - D) Replaces the biological species concept
6. The movement of alleles into or out of a population through **migration and mating** is:
- A) Genetic drift in an infinitely large population
  - B) **Gene flow**
  - C) A postzygotic barrier to reproduction

- D) Non-random mating only

## Module 14: Macroevolution

1. Under the **biological species concept**, two groups are different species if they:
  - A) Are **reproductively isolated** in nature (they do not interbreed to produce viable, fertile offspring **between** the two groups, while within each group interbreeding can occur)
  - B) Have different number of cells
  - C) Live on different trees in the same forest, without any other test
  - D) Look different in a field guide, regardless of interbreeding
2. Fireflies of two species use different **flash** patterns, so they rarely attempt mating. This isolating mechanism is best classified as:
  - A) The bottleneck effect
  - B) Postzygotic reduced hybrid fertility
  - C) A mechanical postzygotic barrier
  - D) A **prezygotic behavioral** barrier
3. A mule, the hybrid of a horse and a donkey, is typically sterile. This is an example of:
  - A) A prezygotic gametic barrier
  - B) The founder effect
  - C) A **postzygotic** barrier to gene flow (reduced hybrid fertility)
  - D) Stabilizing selection in horses
4. A new mountain range **physically splits** a population; over long time, the two lineages no longer interbreed. The classic geographic mode of speciation is:
  - A) A requirement that drift never occurs
  - B) **Allopatric** speciation
  - C) Sympatric speciation in one meadow
  - D) The bottleneck effect in both lineages on purpose

5. A plant can form a new, reproductively isolated **polyploid** lineage in a few generations, often in the same area as a parent type. This route is a frequent example of:

- A) The bottleneck effect only
- B) Only macroevolution in animals, not plants
- C) A prezygotic postzygotic hybrid
- D) **Sympatric** speciation (e.g. via polyploidy)

6. The statement “macroevolution is different chemistry from microevolution” is **false** in this course because:

- A) The fossil record is irrelevant to modern biology
- B) All macroevolution happens in a single meiosis
- C) No DNA is involved in speciation
- D) The same **population**-level processes (selection, drift, flow, etc.) can accumulate to reproductive isolation and larger-scale diversity

### Module 15: Population and Systems Ecology

1. A population introduced to a new habitat with abundant resources for a time shows growth that **accelerates** (as long as the ceiling is not yet reached). That early phase is classic for:

- A) An **exponential (J-shaped)** phase of growth
- B) A carrying capacity of zero by definition
- C) A flat line at carrying capacity from year one only
- D) Only density-independent regulation, never K

2. A population levels off as resources become scarce, approaching a relatively stable size. That ceiling is:

- A) A genetic bottleneck
- B) **Carrying capacity (K)** in a logistic (S) model
- C) A proof that 100% of energy moves to the next level
- D) A synonym for the founder effect

3. A fungal disease that spreads more easily in **dense** host stands is an example of a factor often:
- A) Only density-independent like wind
  - B) Unrelated to per-capita rates
  - C) Never biological
  - D) **Density-dependent** in its impact on the population
4. A severe freeze kills a **similar fraction** of a plant population across sparse and dense patches (the freeze does not “care” about crowding the way a contagion might). Treated as a **limiting** event in textbook classification, the freeze is **most** like:
- A) A **density-independent** disturbance (still harmful to the population)
  - B) A biogeochemical cycle for nitrogen only
  - C) Only density-dependent competition for light
  - D) A trophic level
5. The **~10% rule** between trophic levels implies that, compared to eating **producers** directly, a diet of **higher** trophic levels (many steps) to deliver the same human calories will tend to need:
- A) Less primary production because carnivores are 100% efficient
  - B) The same amount of energy at every level, by definition of food chains
  - C) Decomposers to add energy from the sun to dead matter
  - D) **More** total primary production at the base of the food web
6. In an ecosystem, **chemical elements** (e.g. carbon, nitrogen in nutrients) are **recycled**, while the energy fixed by **photosynthesis** is eventually:
- A) **Lost** largely as **heat** along the way; not recycled the way a carbon atom can be
  - B) Transferred 100% from producer to all consumers combined
  - C) Only stored in rocks, not in life
  - D) Re-used indefinitely by the same photon inside every cell with no loss

7. Fungi and bacteria in soil return nutrients from dead material to **forms** plants can use again. In contrast to energy, this recycling pattern supports the idea that:

- A) Decomposers are always apex predators in every web
  - B) Energy cycles exactly like water in the stratosphere only
  - C) Producers do not use soil nutrients
  - D) Decomposers are central to **nutrient** cycling for producers, while **energy** flows in one direction through the system
- 

## Part B: Fill in the Blank (10 questions)

**Word Bank:** Allopatric, allele frequencies, decomposers, density-dependent, gene flow, homologous, K, prezygotic, stabilizing selection, sympatric

1. A population's long-term, stable ceiling in a logistic (S) model is the carrying capacity, symbol \_\_\_\_\_.
2. The formal focus of **microevolution** is a change in \_\_\_\_\_ over generations in a population.
3. A barrier that works **before** a zygote—such as different breeding times—is a \_\_\_\_\_ barrier to reproduction (category name).
4. A limiting factor (such as a contagious disease) whose impact on survival or reproduction can intensify with crowding is often \_\_\_\_\_.
5. The movement of alleles into or out of a population through migration and mating is called \_\_\_\_\_.
6. The forelimb bone pattern shared by many tetrapods with different functions (human arm, bat wing, whale flipper) is \_\_\_\_\_ structure (in comparative anatomy, from common ancestry with modification).
7. Fungi and many bacteria, which break down dead material and return elements to the soil, are \_\_\_\_\_ in nutrient cycling (category name).

8. Modes of natural selection: when the **middle** of a trait's range is favored and the extremes are selected against, the pattern is often \_\_\_\_\_.
9. A river splits a continuous population; the two sides evolve in isolation. That geographic mode of speciation is often \_\_\_\_\_ speciation.
10. A new species arises **without** geographic separation, as in some plant **polyploidy** lineages, is a textbook example of \_\_\_\_\_ speciation.
-