

BIOL-1 Practice Test 04 — Answer Key

Exam 03 Preparation (Modules 12–15)

Part A: Multiple Choice Answers

Q	Answer
1	B
2	B
3	B
4	B
5	C
6	B
7	B
8	B
9	B
10	B
11	B
12	B
13	B
14	B
15	B
16	B
17	B
18	B
19	B

Q	Answer
20	B
21	A
22	B
23	A
24	B
25	B

Part B: Fill in the Blank Answers

Q	Answer
26	K (or carrying capacity)
27	allele frequencies
28	prezygotic
29	density-dependent
30	gene flow
31	homologous
32	decomposers
33	stabilizing selection
34	allopatric
35	sympatric

Part C: Short Answer Key

36. (Module 12) Fitness and evidence:

- **Fitness:** (Accept variations.) Evolutionary **fitness** = **relative reproductive success** (passing alleles to the next generation), not just strength or long life with no offspring.
- **Evidence example:** (Any one, well explained.) **Fossils** show historical sequences and transitions; **homologous** structures show shared ancestry with modified form; **biogeography** shows patterns consistent with past geography; **molecular** comparisons show more similar DNA in closer relatives.

37. (Module 13) Drift and selection:

- **Bottleneck:** a catastrophic **random** die-off; survivors may have **unrepresentative** allele frequencies (not mainly “fittest for all futures”).
- **Founder:** a **small** group starts a new population; the new pool equals **only** founder alleles.
- **Modes:** **Directional** = average shifts toward one extreme; **stabilizing** = middle favored; **disruptive** = two extremes favored, often middle disfavored.

38. (Module 14) Barriers and speciation:

- **Prezygotic examples:** different mating seasons, courtship, habitat use, or gametic incompatibility before a zygote.
- **Postzygotic examples:** hybrid inviability, hybrid sterility (e.g. mule), or hybrid breakdown in later generations.
- **Allopatric** = geographic separation then divergence; **sympatric** = new species in **same** area, often (in plants) via **polyploidy** or strong ecological/behavioral split.

39. (Module 15) Limits and energy:

- **Density-dependent:** impact **per** organism or transmission rate can rise with **crowding** (e.g. some diseases, competition for food). **Density-independent:** a similar **fraction** hit regardless of density (e.g. many fire/freeze/drought examples as framed).
- **10% rule:** only ~**one-tenth** of energy stored at one level is passed to the next; many steps mean **exponential** loss; apex consumers need a **huge** base of primary production compared with eating **producers** directly for the same food energy.