Mapping William Blake's Works

Evidence ledgers, source provenance, text-image diagnostics, and rights-bounded release controls

Daniel Ari Friedman

Active Inference Institute

daniel@activeinference.institute

ORCID: 0000-0001-6232-9096

DOI: 10.5281/zenodo.21047573

2026-11-01



Contents

Abstract 3

1 Introduction: Making Blake Coverage Measurable 4
1.1 Related Work: Blake Editions, Digital Corpus Methods, and Representativeness Risks . . . 4

2 Methods: Target Ledger, Source Custody, and Offline Analysis 6
2.1 Units and Target-Ledger Denominator . . . 6
2.2 Acquisition Architecture and Source Authority . . . 6
2.3 Retained Sources and Independent Analysis Epoch . . . 7
2.4 Provenance and Missing-Evidence Queue . . . 7

3 Methods: Shared Evidence Operations and Saved Corpus Diagnostics 8
3.1 Shared Mechanisms and Application Policy . . . 8
3.2 Exact Support and Record Multiplicity . . . 8
3.3 Finite Grouped-Category Composition . . . 10
3.4 Retrieval Profiles and Counting Units . . . 10
3.5 Source-Bound Occurrence Search . . . 12
3.6 Analysis Population and Authorship Boundary . . . 12
3.7 Text and Model Diagnostics . . . 12
3.8 Membership-Bound Text Projection . . . 12
3.9 Images, Cross-Modal Joins, and Error Accounting . . . 13

4 Results: Target Coverage, Provenance, and Evidence Gaps 14
4.1 Target-Ledger Results . . . 14
4.2 Local Record and Modality Results . . . 16
4.3 Retained Evidence Gaps and Search Queue . . . 16

5 Results: Text Scale, Visual Evidence, and Cross-Modal Diagnostics 18
5.1 Lexical Results: Text Scale, Vocabulary, and Phrase Diagnostics . . . 18
5.2 Embedding Results: Covariance Principal-Component Structure and Entity Extraction . . . 20
5.3 Theme-Graph Results: A Navigable Index of Blake Motifs . . . 22
5.4 Image-Linkage Results: Work-Level Cross-Modal Evidence . . . 22

6 Discussion: What the Corpus Can and Cannot Claim 28

7 Rights and Distribution Controls 29
7.1 Duration and Reproduction Layers . . . 29
7.2 Provider Policies and Release Decisions . . . 29
7.3 Use-Specific Review . . . 30

8 Limitations: Target Scope, Source Drift, and Missing Evidence 31

9 Reproducibility: Source Snapshot, Analysis Epoch, and Publication 32
9.1 Verify Retained Inputs Before Analysis . . . 32
9.2 Create and Analyze a New Local Epoch . . . 32
9.3 Generate Figures and Hydrate the Manuscript . . . 33
9.3.1 Authoring, Evidence and Output Roots . . . 33
9.3.2 Mathematical Interval Diagnostic . . . 33
9.4 Render and Validate . . . 34

10 Conclusion: Evidence-Bounded Blake Corpus Mapping 35

11 Supplement: Target-Ledger Evidence Gap Table 36

12 Supplement: Bounded Missing-Evidence Search Queue **41**

13 Supplement: Aggregate Image and Evidence Profiles **81**

14 Supplement: Rights Matrix for Distribution and Reuse Decisions **85**

15 Supplement: Local Recovery and Integrity Evidence **87**

Abstract

William Blake's works survive across editions, copy records, image archives, museum catalogues, transcriptions, and finding aids. Computational coverage is difficult to assess without explicit units, source authority, and evidence boundaries. We present *blake*, a 7-phase pipeline that connects a 104-entry work-level target ledger with retained source records, local analysis, provenance, recoverability checks, and generated publication artifacts.

The saved offline run analyzes 727 local source/copy records. Its 6109 image associations reference 5975 distinct files. It represents 69 ledger targets (66.3%) and fully satisfies the declared evidence profile for 45 targets (43.3%). The text-bearing subset has 540 records and 682407 tokenizer-defined words. These exploratory text results include retained transcriptions with unverified authorship; they are not a Blake-authored language census. The top-level analysis ledger records 727/727 records analyzed and 0 top-level errors. Nested sub-analysis limitations are counted separately.

Local recovery preserves 8481 inventoried files and 5975/6003 discovered image identifiers, leaving 28 unresolved. Checksums and a corruption-detection restore drill establish recoverability of the captured inventory, not completeness of Blake's oeuvre. Quantitative prose, tables, and figures derive from saved artifacts. Public releases contain project-authored software, manuscript sources, aggregate evidence, and checksums; provider texts, XML, images, private indexes, backups, and source-image mosaics remain local. The contribution is an auditable corpus-governance and preservation method with explicit scholarly and distribution limits.

The implementation separates corpus custody from application policy. Portable source snapshots and explicit schema conversion preserve source identities and roles, while distinct retrieval profiles expose normalized-token, literal-casefold and regex contracts. Shared counting, hierarchy and evidence-admission methods support application papers without embedding their vocabularies or interpretations. Exact half-open interval methods distinguish occupied support, multiplicity and overlapping record pairs while keeping source frames and application judgments explicit. Current source-derived diagrams identify those interfaces separately from the historical analytical producer.

1 Introduction: Making Blake Coverage Measurable

Computational work on William Blake faces a bibliographic problem before any interpretation begins. The William Blake Archive is treated here as the principal public scholarly digital base for editorial metadata, Text Encoding Initiative (TEI) transcriptions, facsimile-oriented identifiers, copy structures, and object references [Eaves et al., 1996, Eaves, 1997, Eaves et al., 1999, 2002, Viscomi, 2002, Jones, 2006, Crawford and Levy, 2017, Fox and Fletcher, 2018, Whitson and Whittaker, 2013]. That literature matters because the Archive is not merely a file host: it is a long-running scholarly edition and relational environment for works, copies, objects, texts, images, and editorial decisions [Reed, 2014, Fox and Fletcher, 2018]. Printed catalogues, editions, and visual scholarship supply broader authority for title histories, copy relations, textual canon boundaries, and image/object classes [Bentley, 1977, 1995, 2004, Butlin, 1981, Bindman, 1978, Essick, 1980, Erdman, 1988, Viscomi, 1993, Phillips, 2000]. Project Gutenberg, Wikisource, the Internet Archive, museum catalogues, HathiTrust, and finding lists add useful corroboration, but their holdings and identifiers do not align cleanly with Blake bibliography, copy history, or the Archive's object model. A corpus that simply reports what it downloaded can therefore look more complete than it is.

The central design choice in *blake* is to make completeness a measured object rather than a mood of confidence. The system declares a pipeline-canonical target ledger, profile canonical, version 2026-06-22, with 104 work-level entries. Every acquired record is matched back to that ledger, and every ledger target is classified as present, partial, missing, duplicate, or unverified. The reported run holds 727 local source/copy records, represents 69 ledger targets (66.3%), and reaches full required evidence for 45 targets (43.3%). That difference matters: representation means that a target has local work evidence, while full presence requires the expected text and image evidence declared by the ledger. The same distinction applies within source evidence: Archive-primary records, validated fallback text, and corroborating or unclassified records remain visibly tiered rather than flattened into a single undifferentiated "source" field.

This paper therefore reports a target-aware offline analysis epoch over retained evidence, not a complete Blake corpus. The remaining 2 partial targets and 35 missing targets are part of the result. They are not treated as incidental defects outside the narrative; they are surfaced in the manifest, tables, figures, and a missing-evidence search report. The manuscript also distinguishes generated visual design from evidentiary images: the cover is a generated Blakean interpretation with recorded provenance, while corpus images are tied to acquisition metadata. When the opt-in Archive image mirror is used, image coverage is reported as object-depth evidence rather than as a vague claim to "all images." This stance follows the reproducibility norms of computational research [Peng, 2011, Sandve et al., 2013, Wilson et al., 2014] and the Findable, Accessible, Interoperable and Reusable (FAIR) emphasis on explicit, reusable provenance [Wilkinson et al., 2016].

1.1 Related Work: Blake Editions, Digital Corpus Methods, and Representativeness Risks

This project sits at the intersection of Blake bibliography, digital scholarly editing, and corpus design. Blake's work-level and object-level boundaries are mediated by catalogues, editions, visual records, and illuminated-book scholarship rather than by file availability alone [Bentley, 1977, Butlin, 1981, Bindman, 1978, Viscomi, 1993]. The William Blake Archive gives the corpus a stable public digital environment, but the project is not itself a replacement for an archive, scholarly edition, database, catalogue raisonne, or thematic research collection; those terms name different scholarly objects and responsibilities [Price, 2009, Sahle, 2016, McGann, 1991, McKenzie, 1999]. The same distinction matters for source leads. The Morgan Library's Pickering Manuscript pages are source-owned and page-level, whereas the Blake/An Illustrated Quarterly *Four Zoas* bibliography and article index are scholarship controls rather than corpus evidence [The Morgan Library & Museum, 2021, 2026, Blake/An Illustrated Quarterly, 2026b,a]. At the same time, the target-ledger method follows corpus-linguistic work on design criteria and representativeness, where the evidentiary value of a corpus depends on declared inclusion rules, sampling assumptions, and a visible denominator rather than raw size [Atkins et al., 1992, Biber, 1993, McEnery and Hardie, 2012]. Digital-literary-history and data-modeling scholarship further motivate the distinction between represented, partial, missing, and fully evidenced targets: data are constructed by modeling choices, and digitized availability is not the same thing as literary representativeness [McCarty, 2005, Flanders and Jannidis, 2019, Pechenick et al., 2015, Bode, 2018, Piper, 2018, Underwood, 2019].

Collections-as-data scholarship makes the same point at the institutional scale. A reusable cultural-heritage dataset is not a neutral dump of whatever files happen to be available; it is an accountable transformation of collections, metadata,

rights constraints, and documentation into a publishable data object [Padilla et al., 2019a,b, Candela et al., 2023]. *blake* applies that lesson locally. It does not redistribute provider files in this manuscript build, and it does not use source leads as automatic evidence. Instead, it exposes the target ledger, audit rows, acquisition review, analysis diagnostics, figure registry, and rights gate as linked surfaces that let a reader test how each claim was made.

Recent cultural-heritage artificial intelligence (AI) work points to adjacent, but different, design spaces: multimodal metadata assignment for cultural-heritage artifacts, museum knowledge graphs, and multimodal heritage knowledge-graph extension [Rei et al., 2023, Li et al., 2025, Zhang et al., 2026]. Those papers are relevant because Blake evidence is both textual and visual, but this manuscript does not use them as evidence that *blake* performs knowledge-graph completion or open-world metadata inference. Here, graph-like structures and multimodal tables are run-bounded diagnostics over acquired local evidence.

The paper contributes a provenance-aware corpus scaffold for Blake studies. It combines a researched work-level ledger, source-audit capabilities, local acquisition, metadata normalization, text and visual analysis, cross-modal linkage, manuscript generation, and a reproducible visual identity for the report. It also demonstrates how a digital-humanities pipeline can scale toward macroanalytic questions [Jockers, 2013, Wilkens, 2015, Underwood, 2019] while refusing to let partial evidence masquerade as complete coverage. The methods sections describe the target ledger, source audit, acquisition path, and analysis modules; the results sections report coverage, provenance, evidence gaps, missing-evidence candidates, text scale, visual linkage, object-image depth, authority tiers, and theme structure. The paper's central interpretive discipline is therefore double: it reports what the saved corpus can support and specifies what the model must not yet be asked to prove.

2 Methods: Target Ledger, Source Custody, and Offline Analysis

The *blake* pipeline is organized as a 7-phase directed acyclic graph (DAG): discovery, acquisition, metadata, analysis, visualizations, export, and reports. The saved publication run completed 5 phases with status completed. Discovery and acquisition reused the retained local evidence; this run did not make new source-availability measurements. Analysis and downstream reporting generated fresh artifacts. fig. 1 distinguishes those actions. Automated derivation connects the saved inputs, analysis, figures, and quantitative prose [Sandve et al., 2013, Wilson et al., 2014].




Figure 1: Saved corpus workflow as a 7-phase directed acyclic graph. Discovery and acquisition reused retained local evidence without a live refresh; analysis and downstream reporting generated new artifacts. Counts describe this saved run and do not establish that every external Blake source has been mirrored.

2.1 Units and Target-Ledger Denominator

The target ledger, profile canonical, version 2026-06-22, declares 104 work-level targets. It is canonical for this pipeline, rather than a complete canon for Blake studies. Bibliographies, editions, Archive identifiers, and visual catalogues inform its titles, aliases, categories, expected modalities, and source hints [Bentley, 1977, 1995, 2004, Butlin, 1981, Erdman, 1988, Viscomi, 1993].

A local record has a different unit: it is a retained source document or copy-level record. The 727 local records must not be read as that many distinct Blake works. Multiple copies and source documents can map to the same ledger target. Image counts likewise have two units: 6109 work-image associations reference 5975 distinct existing local image files, with 134 associations beyond the unique-file count. Analyses can revisit the same physical image through different records; these associations are not independent image observations. Neither the work-level ledger nor the retained inventory establishes a complete copy-, plate-, impression-, or museum-object census [Viscomi, 1993, Essick, 1980, Fox and Fletcher, 2018].

2.2 Acquisition Architecture and Source Authority

The source registry contains 3 providers: the William Blake Archive, Project Gutenberg, and the Internet Archive. The William Blake Archive supplies editorial and identifier authority [Eaves et al., 1996, 1999, Jones, 2006]. Project Gutenberg, Wikisource, Internet Archive, the Erdman edition, museum catalogues, HathiTrust, and scholarly finding lists provide fallback or corroborating leads. They are not interchangeable authorities [Project Gutenberg, 2026, Wikisource contributors, 2026, Internet Archive, 2026, Erdman, 1988, Tate, 2026, The British Museum, 2026, HathiTrust Digital Library, 2026, Essick, 1969, McGann, 1991, McKenzie, 1999].

The acquisition implementation can combine a declared ledger with pinned GitHub TEI inventories and bounded, opportunistic Archive API enrichment. TEI filenames are resolved from the actual inventory before inferred copy-name candidates are tried. Image acquisition normalizes object identifiers and records attempted source URLs. Fallback

transcriptions require explicit source, title, attribution, rights, and checksum review. Structured encoding is a model of evidence rather than an assurance that extracted text is Blake-authored reading text [TEI Consortium, 2026, Burnard, 2014, DeRose et al., 1990].

These are acquisition capabilities, not activities newly measured by this offline run. Its live Archive metadata status is `unrecorded`; the saved discovery and source-audit artifacts record reuse or not-rerun states. Previously captured URLs and source commits remain provenance, not fresh endpoint-health evidence. Interface drift and reference rot make this temporal distinction necessary [Reed, 2014, Klein et al., 2014, Van de Sompel et al., 2013].

2.3 Retained Sources and Independent Analysis Epoch

The retained-source workflow captures source commits, byte sizes, SHA-256 digests, extraction outcomes, and unresolved image references. Publication analysis starts from a new metadata database and copied decoded transcriptions under `blake_data/publication/v0.2.0-01`, while referencing the original image files. The original corpus database, recovery manifest, passage file, and recovery search database are hash-checked before and after analysis. The prior analysis output is preserved separately. This avoids modifying the captured evidence or silently combining new results with stale per-record processing flags.

The saved run identifier is `d1f5af70e02a45868db1c372ee28814a`. Its analysis producer version is `0.2.0rc1`; its input receipt has SHA-256 `a9d601d33222906bc06e3d69e00b7d67ff1a0fda4e07c7fb206fb0d30a817798`. The publication software version and the version that actually produced the analysis are separate provenance fields. A package version change does not retrospectively rerun an analysis. Recovery coverage, backup verification, and the corruption-detection restore drill are reported separately in sec. 15.

2.4 Provenance and Missing-Evidence Queue

Source identifiers, URLs, authority tiers, rights notes, and image links accompany the local records. Coverage joins them to the target ledger and emits missing-evidence candidates for targets that remain partial, missing, or unverified. A candidate guides review; it does not establish that a remote source contains the required evidence. The queue in tbl. 8 is derived from retained coverage and source hints. Endpoint states marked unchecked were not tested during this analysis epoch. Provenance therefore records relationships among source material, acquisition, derived artifacts, and claims without substituting availability for identity or permission [Moreau and Groth, 2013, Soiland-Reyes et al., 2022].

3 Methods: Shared Evidence Operations and Saved Corpus Diagnostics

3.1 Shared Mechanisms and Application Policy

The public core separates reusable evidence mechanisms from caller-owned research decisions. Projection and portable-bundle adapters retain source/copy identity, edition, locator, rights, role and plane under caller-held pins. Explicit schema conversion validates those fields without supplying missing provenance or promoting unverified text. Shared methods perform retrieval, counted aggregation, artifact admission and review-queue membership checks. Applications supply query forms, scope, review labels and interpretation. This division permits selected corpus evidence to be reused without treating the applications' questions or conclusions as properties of the corpus itself.

Recovery executes through `blake.recovery_commands` and the registered corpus commands. Explicit schema conversion belongs to `blake.methods.schema_conversion`; workspace serialization calls its public implementations directly. Source-authority classification is shared by manifests, provenance exports and analytical displays. These interfaces retain the distinct matching profiles and existing evidence boundaries.

The current source declares 3 retrieval profiles. The profile and responsibility diagnostic binds 25 source files under SHA-256 `ff1be696fd7fab1ab9a17151988bba9e38bb51bbf4d1af9f74193e752d388d98`. fig. 2 is generated from those profile declarations and explicit public API responsibility references. It measures the current implementation, independently of the saved analytical producer `0.2.0rc1`; it does not represent another NLP run.

The generic evidence-tree API validates a connected rooted hierarchy and computes a deterministic layout without recursion. Sibling traversal follows declared order; placements return in declared node order. Leaves receive consecutive rows and an internal row is the arithmetic mean of all descendant leaf rows. Averaging only immediate child rows would over-weight small subtrees. Depth counts parent edges. Neither depth nor row represents elapsed time, evolutionary distance or confidence, and the API supplies no domain taxonomy or identity judgment.

3.2 Exact Support and Record Multiplicity

An interval record is a half-open integer range $I_i = [a_i, b_i)$ in one caller-declared coordinate frame, with $0 \le a_i \le b_i$. Equal endpoints represent empty support. The application establishes the frame, units, eligible records, source grouping and any activation conditions before invoking geometry. Operations assume compatible coordinates supplied by the caller; they do not authenticate a frame or source identity, establish a source-length bound or decide inclusion. A source-indexed application must check its ranges against the exact original expression before computing geometry.

For a finite indexed collection $R = (I_i)$, define its union $U(R)$ and its multiplicity-threshold support $D_k(R)$, for a positive integer k:

$$U(R) = \bigcup_i I_i, \qquad D_k(R) = \left\{ x : \sum_i \mathbf{1}_{I_i}(x) \ge k \right\}. \tag{1}$$

Union, intersection and difference concern sets of coordinates. Their outputs are sorted maximal positive components; adjacent components coalesce. The measure $\mu(S)$ denotes the total length of a coordinate support S; the API computes $\mu(U(R))$, not the sum of record lengths. By contrast, the positive-intersection pair count preserves the separate record indices:

$$\mu(U(R)) = \sum_{[a,b) \in \text{components}(U(R))} (b-a), \qquad P(R) = \sum_{i<j} \mathbf{1}\{\max(a_i, a_j) < \min(b_i, b_j)\}. \tag{2}$$

Duplicating a positive record leaves the union unchanged but can increase threshold support and the pair count. Touching endpoints can join the union without producing a positive intersection. Empty records contribute neither support nor pairs. The lengths $\mu(U(R))$ and $\mu(D_k(R))$ concern different coordinate supports, while $P(R)$ counts record pairs; these quantities cannot substitute for one another. Subtraction retains every connected fragment of $U(R) \setminus U(M)$ for a supplied mask collection M; it does not summarize a fragmented remainder by its total length alone.

fig. 3 is a mathematical illustration, not a corpus observation. Its 5 indexed records are $[1,5)$, $[3,7)$, $[3,7)$, $[7,9)$, $[4,4)$. The union is $[1,9)$, with length 8, while the summed record lengths are 14. Against mask $[4,8)$, the intersection is $[4,8)$




Figure 2: Source-derived retrieval contracts and declared responsibility boundaries. Profile normalization and boundary descriptions come from the executable registry; the companion artifact binds the referenced public source files. Application policy names required caller inputs, without measuring private application outcomes. This code diagnostic does not update the saved corpus analysis.

and the remainder is $[1, 4) \cup [8, 9)$. Support covered by at least two indices is $[3, 7)$, of length 4; support covered by at least three is $[3, 5)$. The positive-intersection pair count is 3. Geometric outputs and pair counts come from the actual public API; summed record lengths are calculated directly from the validated input endpoints. Values are generated by the tooling, rather than transcribed into the diagram or treated as findings about Blake.

The implementation sorts integer endpoints rather than enumerating coordinates. Union and pair counting use $O(n \log n)$ time; threshold support combines endpoint events before advancing to the next segment. Binary set operations canonicalize their operands and scan the resulting components. Arbitrary-size integer arithmetic avoids conversion to floating coordinates. The figure's displayed pair list is constructed only for this finite illustration through individual API calls; the pair-counting API itself does not materialize that list.

Admission rejects invalid scalar types, undeclared fields, negative endpoints, reversed ranges and invalid thresholds. Public operations revalidate existing models, including instances made through construction or copying that bypassed normal admission. The illustration records 3 actual refusing controls: a boolean endpoint, a constructed reversed interval and a boolean threshold. Accepting any of these aborts illustration production. Its 17 producer-source bindings have digest `944a05aaaacae6f216bbf59668510f0c242d4b439bdef308109353a3e5a9c391`. These controls qualify named implementation boundaries; they do not validate an application's eligibility, grouping or interpretive choices. The complete API and its separate software qualification are documented in `docs/methods/intervals.md`. Retrieval windows retain their own matching and feasible-origin contract; they are not silently converted to this nonnegative half-open geometry.

3.3 Finite Grouped-Category Composition

A separate composition API accepts explicit category identities and complete, disjoint group strata from the counted inventory. It checks category counts, matched-unit denominators and token totals before comparing the pooled category profile with the mean of within-group profiles. A group with no category mass has undefined composition and is omitted from this particular mean; it remains a zero in coverage and can retain a defined zero token rate. Composition and token frequency therefore answer different questions.

Total variation is half the sum of absolute differences between corresponding category shares. Leave-one-group-out profiles expose dependence on supplied group identities. Rational mass thresholds and inverse concentration describe how category counts are distributed across those groups. Zero mass remains undefined, ties follow declared category order, and no procedure interprets overlapping categories as distinct organisms or groups as independent samples. These descriptive measures supply neither significance tests nor confidence intervals for a larger population.

Applications select the categories and supply their literary or institutional meaning. The public implementation contains no animal vocabulary, taxonomic allocation or political scoring rule. Its contract is documented in `docs/methods/composition.md`. This source-method addition does not replace the retained exploratory NLP producer or reclassify historical source text.

3.4 Retrieval Profiles and Counting Units

The regex profile uses Python IGNORECASE with explicit escaped alternatives and source word boundaries. Literal search uses Unicode casefold while retaining original-source spans and exact punctuation and whitespace. The normalized-token profile applies NFKC and casefold before contiguous-token matching; punctuation and line breaks separate tokens. These contracts can disagree, so a new profile is never substituted for an old query epoch. Runtime Python and Unicode versions are recorded separately from stable semantic identity.

Counts name their units: occurrences, eligible stored source units, copy-retaining documents, exact-text groups or distinct work identifiers. Eligible zero-hit groups and token denominators precede display caps. A source unit without word tokens has an unavailable normalized rate. Exact-text grouping tests sensitivity to repetition while preserving the original source/copy identities. Proximity restricts retrieval within a declared source unit or complete word window; it does not establish semantic or historical relatedness.




Figure 3: Mathematical illustration in arbitrary integer coordinate units. The indexed records include a duplicate, an adjacent positive record and an empty record. The canonical union has length 8, compared with summed record lengths of 14; 3 unordered record pairs intersect positively. The mask, intersection, remainder and multiplicity-threshold rows answer separate questions. Open endpoint markers and direct labels supplement color. The companion JSON binds the exact illustrated inputs, API outputs, source bytes and generated image digests.

3.5 Source-Bound Occurrence Search

The private search profile keeps reading passages, Erdman editorial pages, and raw XML in separate source planes. Primary scope requires identified authorship and primary reading text. Exploratory scope retains unverified and editorial labels. Normalized token and phrase matches preserve offsets into the original expression; exact matching is case-sensitive. Curated variants and concept vocabularies aid navigation without establishing semantic equivalence or whole-oeuvre occurrence claims. Source and index integrity failures refuse a query. Search counts name the selected indexed scope before display limits; the versioned contract is documented in `docs/methods.md`.

3.6 Analysis Population and Authorship Boundary

The saved analysis population is 727 local source/copy records, including 540 with text, 720 with images, and 537 with both. The recovered reading layer separates 199 primary-reading transcriptions from 341 transcriptions with unverified authorship. The exploratory natural language processing (NLP) described below includes the saved text-bearing subset without promoting every transcription to Blake-authored primary text. Archive-primary metadata authority and reading-text authorship are different classifications.

Counts are descriptive for this retained population. Copy repetition, editorial material, shared image files, transcription variants, and missing sources preclude treating records as independent samples of Blake's oeuvre. Corpus construction therefore bounds every downstream result [Atkins et al., 1992, Biber, 1993, Bode, 2018].

3.7 Text and Model Diagnostics

The text module writes basic token counts, per-record vocabulary size, type-token ratio, lexical sentiment, named entities, sentence-level topic descriptors, style metrics, readability estimates, and theme matches. The lexical-signature artifact applies its own documented deterministic tokenizer, stopword and editorial-apparatus filters, adjacent-term phrase counts, and distinctive-term scores. Tokenizers and filters define different quantities; their totals are not assumed interchangeable. Type-token ratios remain length-sensitive [DeRose et al., 1990, TEI Consortium, 2026, Tweedie and Baayen, 1998, McCarthy and Jarvis, 2010].

Sentiment uses the Natural Language Toolkit (NLTK) Valence Aware Dictionary and sEntiment Reasoner (VADER) lexicon [Hutto and Gilbert, 2014]. Readability uses the implementation's sentence, word, and syllable heuristics to compute Flesch-style estimates. Neither is validated here against Blake scholarship or annotated historical-language judgments [Flesch, 1948, Pang and Lee, 2008, Kim and Klinger, 2019]. Topic extraction fits latent Dirichlet allocation to sentence-level TF-IDF weights. That is an exploratory weighted-input heuristic rather than a validated generative model of word counts. Short texts and vocabularies emptied by document-frequency pruning produce explicit unavailable/error results; they do not contribute fabricated topic components [Blei et al., 2003, Blei, 2012].

Entity extraction combines the pretrained spaCy `en_core_web_sm` statistical model with bounded rule-based Blake vocabularies. The ontology layer caps entities and relationships and serializes its outputs. It is not a Blake-specific trained or validated entity recognizer. Named-entity strings, heuristic labels, co-occurrence relationships, and metadata-derived themes are navigation aids requiring editorial review; a graph edge does not establish a historically correct relation [Weingart, 2011, Moretti, 2011, Ramsay, 2011].

3.8 Membership-Bound Text Projection

The manuscript diagnostic producer is version `0.7.0`, with source SHA-256 `7f818548bad51df1f8f3f2b69d1d4b8447f060715cee4a7c7c494ff272d21e76`. It is recorded separately from the producer of the saved per-record analyses.

The manuscript diagnostic selects text-bearing IDs from the saved `text_metrics.json` and resolves transcriptions through that run's manifest data directory. It rejects external or symlinked data-directory substitutions, excludes unmatched cached IDs, and partitions saved members into embedded, missing-file, and token-empty groups. Content and membership digests bind those selections. This fixes the source-selection boundary; it does not retrospectively explain numerical discrepancies in earlier published epochs.

The projection uses 120 selected terms across 530 transcriptions. Term-frequency/inverse-document-frequency (TF-IDF) vectors are normalized to unit length and centered. A symmetric covariance eigendecomposition computes the

leading principal components, with a fixed sign convention. Explained-variance fractions are nonnegative eigenvalues divided by covariance trace. Rank-deficient and constant text spaces are checked against an independent singular-value oracle. The display is a principal-component projection, not an uncentered latent semantic analysis, a learned semantic encoder, or a stable map of Blake's oeuvre. A direct numerical comparison with an independent eigendecomposition checks the saved matrix and variance calculations. Missing, unverified, repetitive, and editorial transcriptions remain interpretive constraints [Biber, 1993, Bode, 2018, Rockwell and Sinclair, 2016].

3.9 Images, Cross-Modal Joins, and Error Accounting

Visual analysis computes image-level color and composition descriptors on local files. Repeated file associations can be processed under several source records. Cross-modal analysis joins available text and image evidence; it does not validate iconography, copy state, or a theory of Blake's composite art [Arnold and Tilton, 2019, Wevers and Smits, 2020, Mitchell, 1994, Viscomi, 1993]. The work-theme visualization is a separate descriptive index, with 10576 nodes and 40828 edges including 10 theme nodes. The graph uses available metadata themes, scored text-analyzer themes, and entity surface strings from the text module's categories, including its other-entity category. It preserves case after whitespace normalization and does not resolve spelling variants or authenticate historical identities. Its entity population differs from the selected labels and rules used by the ontology census. Each record/theme or record/entity pair contributes one edge; edge source labels distinguish metadata from model output. It is an exploratory index, with no validated knowledge-graph or entity-authentication claim.

Top-level completion and nested component availability are separate ledgers. A completed record can contain a topic or sentiment error. The publication census recursively counts explicit error fields and separately reports insufficient-text topic results, vocabulary-pruning failures, and any other nested errors. JSON artifacts, figure inputs, manuscript variables, and publication checks preserve those distinctions [Sandve et al., 2013, Owens, 2018, Moreau and Groth, 2013].

4 Results: Target Coverage, Provenance, and Evidence Gaps

The saved corpus represents 69 of 104 ledger targets (66.3%), while 45 satisfy the declared local evidence profile (43.3%). The manifest classifies overall coverage as partial. Representation includes accepted or duplicate local matches; it excludes missing and unverified ledger states. It is not a claim that every matched source/copy record is a distinct work or a validated primary transcription.

4.1 Target-Ledger Results

The ledger classifies 45 targets as present, 2 as partial, and 35 as missing. Duplicate and unverified states remain explicit in tbl. 1. These classifications express the pipeline's modeling and evidence rules, rather than independent facts about the limits of Blake's oeuvre [McCarty, 2005, Atkins et al., 1992, Bowker and Star, 1999].




Figure 4: Coverage states for the 104-entry canonical ledger. Present, partial, missing, duplicate, and unverified states remain distinct. Counts use the declared work-level target denominator rather than downloaded files or local source records.

Table 1: Coverage states against the pipeline-canonical target ledger.

Status	Targets	% of ledger
present	45	43.3
partial	2	1.9
missing	35	33.7
duplicate	22	21.2
unverified	0	0.0




Figure 5: Coverage states by ledger category. Segments count modeled target states within each category. Category labels do not independently validate source metadata, genre, dating, or historical representativeness.

Table 2: Target coverage by declared ledger category. Duplicate and unverified targets contribute to category totals; the present percentage measures only fully satisfied targets.

Category	Present	Partial	Missing	Total	Present %
color prints	0	0	1	1	0.0
commercial illustrations	8	0	9	18	44.4
drawings	2	0	3	5	40.0
engravings	0	0	2	2	0.0
illuminated books	3	0	2	20	15.0
letters	0	0	2	2	0.0
manuscripts	9	2	0	11	81.8
paintings	2	0	1	3	66.7
poems	1	0	1	2	50.0
separate prints	13	0	0	19	68.4
typographic works	2	0	1	3	66.7
watercolors drawings	5	0	13	18	27.8

4.2 Local Record and Modality Results

This offline epoch reconstructs target states from retained local records and does not import discovery-only candidates as verified holdings. A target can therefore be missing locally even when a prior discovery ledger retained an unverified lead. That ledger state is separate from the primary/unverified authorship labels on reading transcriptions.

The 727 local records include 10 metadata work-type labels. Those labels describe the retained metadata and can include defaults or unresolved classification; they are not a newly validated genre census. Text availability is 74.3%, image availability is 99.0%, and processing coverage is 100.0% of local records.

Table 3: Work-type labels recorded in local metadata, separate from the target-ledger categories.

Metadata work type	Local records	% of local records
manuscript	466	64.1
illuminated book	96	13.2
prophecy	51	7.0
letter	39	5.4
engraving	30	4.1
illustration	22	3.0
drawing	17	2.3
painting	3	0.4
prose	2	0.3
essay	1	0.1

The text-bearing subset contains 540 records, the image-bearing subset 720, and the joint subset 537. Repeated source/copy records and reused image files can contribute to several record-level counts.

4.3 Retained Evidence Gaps and Search Queue

The unresolved targets remain part of the result. fig. 7 summarizes missing expected evidence; tbl. 7 gives the target-level rows. Missingness shapes the scope of subsequent computational claims [Klein, 2013, Borgman, 2015, Bode, 2018].

The retained audit generates 243 candidates across 59 targets: 54 text checks, 128 image checks, and 61 source-match checks. tbl. 8 preserves their source hints, confidence scores, and actions. This offline run did not refresh provider discovery or endpoint health. An unchecked status remains unchecked; source leads do not become corpus evidence without identity, attribution, rights, and content validation.




Figure 6: Available modalities across local records. Bars distinguish text-plus-image, text-only, image-only, and metadata-only records. These are evidence-presence counts, not a population sample or a census of independent Blake works.




Figure 7: Evidence gaps derived from non-present target states. Counts group missing expected text, image, source, or local-record evidence. A gap is an acquisition or review task, not evidence that a named remote provider contains the missing item.

5 Results: Text Scale, Visual Evidence, and Cross-Modal Diagnostics

This section reports exploratory analysis over retained source/copy records. The text population includes primary and unverified transcriptions; its aggregates are not restricted to verified Blake-authored reading text. Because only 540 of 727 local source/copy records contain text, textual metrics describe a substantial but incomplete subset. Likewise, image and cross-modal metrics describe the 720 image-bearing records and the 537 records with both modalities. The results function as a materials meta-analysis: they show which local evidence can support text diagnostics, image diagnostics, and joint inspection before any reader treats those diagnostics as literary interpretation. The figures should therefore be read as interpretive displays of the saved evidence state, not as stylistic periodization, iconographic classification, or a model of Blake as a whole [Drucker, 2011, 2020].

5.1 Lexical Results: Text Scale, Vocabulary, and Phrase Diagnostics

The text-bearing subset contains 682407 total words. When per-record unique counts are summed, the subset contains 186289 unique-word observations; this is a per-record vocabulary diagnostic rather than a deduplicated corpus lexicon. Per-record word counts range from 1 to 45281 words. fig. 8 plots the largest text-bearing records, and tbl. 4 records the same top rows with unique-word and image-link counts.




Figure 8: Largest local text-bearing corpus records by word count. Bars measure acquired transcription length, showing which source-backed text files dominate aggregate vocabulary and theme diagnostics; works without local text are excluded.

Table 4: Largest text-bearing local source/copy records. The image column indicates whether a text-heavy work also participates in cross-modal analysis.

Source/copy record	Words	Unique words	Vocab richness	Image associations
Jerusalem The Emanation of The Giant Albion	45281	5537	0.122	100
Jerusalem The Emanation of The Giant Albion	45280	5537	0.122	100
Jerusalem The Emanation of The Giant Albion	45279	5534	0.122	100
Jerusalem The Emanation of The Giant Albion	45274	5540	0.122	100
Milton a Poem	19341	3557	0.184	50
Milton a Poem	18905	3492	0.185	49
Milton a Poem	17389	3368	0.194	45
Milton a Poem	17381	3369	0.194	45
Poetical Sketches	12690	2995	0.236	72
A Descriptive Catalogue	9980	2548	0.255	72
Jerusalem The Emanation of The Giant Albion	8927	2038	0.228	31
illum	7806	1815	0.233	0

Vocabulary richness averages 0.680 across text-bearing records and ranges from 0.083 to 1.000. fig. 9 plots type-token ratio against text length. The downward shape is expected for length-sensitive type-token ratios and should be treated as a diagnostic of metric behavior over the acquired text set, not as a global claim about Blake's vocabulary [Tweedie and Baayen, 1998, McCarthy and Jarvis, 2010, Jockers, 2013].

The lexical-signature artifact uses `regex_token_frequency_stopword_filtered` over 539 text-bearing records. It records 392560 stopword-filtered lexical tokens and 15426 distinct terms, with mean lexical density 0.598. The highest-count terms include thy, thou, albion, thee, night, man, love, and little, and frequent adjacent-term phrases include thou art, daughters albion, eternal death, wilt thou, day night, and lamb god. fig. 10 visualizes the leading terms and phrases, while tbl. 5 preserves their document-frequency context.

Table 5: Leading stopword-filtered corpus terms. Document counts show whether a term is corpus-wide or concentrated in a small number of transcriptions.

Term	Count	Documents
thy	2773	142
thou	2497	145
albion	1991	67

Term	Count	Documents
thee	1811	127
night	1792	140
man	1631	175
love	1578	166
little	1465	140
los	1419	41
god	1317	164
down	1233	142
earth	1233	167

5.2 Embedding Results: Covariance Principal-Component Structure and Entity Extraction

The saved-run denominator contains 540 eligible text work IDs. Of these, 530 enter the embedding, 0 lack a local transcription, and 10 yield no retained tokens. Those disjoint groups reconcile exactly. A further 0 cached IDs are outside the saved text membership and cannot enlarge its denominator. The membership file is bound by SHA-256 `a15fd169524308526a6cc3f3af604bb573d5b402e9602f6faaee6bb9573eddb1`. Coverage and embedding counts therefore name their own selection rules; a difference is not silently treated as an acquisition or historical counting correction.

The text layer supports a more explicitly natural-language analysis than word counts alone. The manuscript pipeline builds a row-normalized, centered TF-IDF covariance principal-component projection from 530 local transcriptions and a 120-term vocabulary. fig. 11 projects that space onto the leading axes: PC1 accounts for 23.2% of the TF-IDF variance, PC2 accounts for 9.6%, and the plotted plane accounts for 32.8%. This is a bounded corpus diagnostic, not a semantic map of every Blake work, because texts absent from local storage cannot enter the vector space [Biber, 1993, Bode, 2018]. Its value is procedural: it makes the acquired text set explorable and contestable, the way algorithmic criticism and computer-assisted interpretation treat computation as a partner in reading rather than an oracle [Ramsay, 2011, Rockwell and Sinclair, 2016].

The leading vocabulary terms also make the projection auditable. PC1 is driven by terms such as blake, thee, night, like, little, upon, joy, and love, while PC2 is driven by terms such as blake, thee, night, like, joy, little, sweet, and love. These terms should be read as feature loadings over local transcriptions: they help locate clusters, outliers, transcription effects, and acquisition artifacts, but they do not by themselves establish interpretive periodization.

Entity extraction adds a second kind of linguistic evidence. Across 540 ontological-analysis artifacts, 498 records currently contribute named-entity evidence. The extraction layer records 37777 entity mentions across 5942 distinct display-normalized strings and 8 entity labels, including person, org, gpe, loc, myth, symbol, place, and concept. The most frequent display-normalized strings are Jerusalem, Albion, Earth, Sweet, Enitharmon, London, Urizen, and Spectre. This is an index into person, place, mythic, and textual reference patterns, but it still requires human review because Blakean names, plate captions, and editorial metadata can blur the boundary between character, place, title, and bibliographic entity.

The per-record text-analysis artifacts broaden the picture further: 540 artifacts carry sentiment and readability diagnostics, with 226 positive, 202 neutral, and 112 negative sentiment classifications in the reported run. The mean Flesch reading-ease score is 72.4, and topic extraction emitted 1251 topic components across local text-analysis artifacts. These values help locate works for close reading and QA, but the manuscript treats them as computational descriptors rather than as stand-alone literary judgments [Flesch, 1948, Pang and Lee, 2008, Kim and Klinger, 2019, Blei, 2012, Ramsay, 2011].

The nested-component census records 277 explicit error fields. Topic extraction is unavailable for 268 records because of insufficient text and for 9 because pruning leaves no vocabulary; 0 other nested errors remain. These counts are separate from 0 top-level analysis errors and do not imply that every requested component succeeded.




Figure 9: Vocabulary richness versus text length for local text-bearing records. Each point is one acquired transcription; the log-scaled x-axis supports comparison across text sizes, while the metric remains bounded to local text evidence and is not a Blake-wide stylistic claim.




Figure 10: Stopword-filtered lexical signature for local transcriptions. Term and phrase counts are generated from the acquired text files used elsewhere in the manuscript, so the denominator is the local text subset rather than unsourced Blake-wide vocabulary.

5.3 Theme-Graph Results: A Navigable Index of Blake Motifs

The record/theme/entity graph contains 10576 nodes and 40828 edges, including 10 theme nodes and 9839 case-sensitive entity surface strings from the text module. These strings include categories outside the ontology census above; the two totals are not interchangeable. fig. 12 summarizes the most frequent themes by record-theme links. The graph indexes how the acquired corpus is currently organized, but it inherits the corpus evidence boundary: manuscript targets with missing text cannot contribute textual entities until their transcriptions are acquired [Newman, 2010, Weingart, 2011, Moretti, 2011].

5.4 Image-Linkage Results: Work-Level Cross-Modal Evidence

The visual subset contains 6109 image associations linked across 720 source/copy records. They reference 5975 distinct physical files, with 134 reused associations. fig. 13 shows the works with the most local image evidence, while tbl. 6 records whether those image-rich works also carry text. Image-bearing means that at least one local image record is linked to a work; object-depth mirroring is measured separately in the supplement. In this run the image-depth dataset records 722 works, 6137 resolved Archive object candidates, and 6109 locally available object-image associations. These counts support distant-viewing style inventory and QA, but they still do not imply full copy-, plate-, object-, or manifest-level completeness outside the discoverable Archive API paths used by the command [Butlin, 1981, Bindman, 1978, Viscomi, 1993, Arnold and Tilton, 2019, Wevers and Smits, 2020].

fig. 14 adds the complementary view: text length is plotted against linked local image count, with color encoding lexical density. This makes the joint analytical surface visible instead of implying that every text-bearing work is equally visual or that every image-bearing work has enough transcription evidence for language analysis.




Figure 11: Latent text embedding from local transcriptions. The map projects 530 text-bearing corpus records from a 120-term TF-IDF matrix onto deterministic covariance principal-component axes; missing and image-only works do not enter this textual geometry.




Figure 12: Theme frequencies in the generated record-theme graph. Bars count current local record-theme links from serialized analysis artifacts; the graph is an index over acquired evidence, not a settled thematic hierarchy for Blake's complete oeuvre.




Figure 13: Local works with the most linked image evidence. Bars count locally stored image records by work. Green means local text is present and gold means it is absent; the adjacent table also states text availability explicitly. These colors describe the text-image comparison subset, not source authority.




Figure 14: Text-image density across local text-bearing records. Each point is a work with local text; x encodes transcription length, y encodes linked local image files, and color encodes lexical density, so image-only works and remote-only objects remain outside this plot.

Table 6: Local works with the most image evidence. Rows with text available are candidates for joint text-image reading; rows without text remain visual-evidence records only.

Source/copy record	Image associations	Has text
Illustrations to Young's Night Thoughts	537	yes
VALA, or The Four Zoas	145	no
Blake's Notebook	122	no
Illustrations to Gray's Poems	116	yes
Illustrations to Dante's Divine Comedy	102	yes
Jerusalem The Emanation of The Giant Albion	100	yes
Jerusalem The Emanation of The Giant Albion	100	yes
Jerusalem The Emanation of The Giant Albion	100	yes
Jerusalem The Emanation of The Giant Albion	100	yes
Blake's Annotations to Bacon's Essays Moral, Economical, and Political.	91	yes
A Descriptive Catalogue	72	yes
Poetical Sketches	72	yes

The corpus supports cross-modal inspection for 537 works. It also supports an opt-in Archive object-image mirror whose depth is reported in fig. 16 and fig. 17. The result remains a descriptive materials corpus: text, image, and joint analyses are tied to recorded local evidence, while object-depth counts are bounded by discoverable Archive work/copy metadata and local download success [Mitchell, 1994, Drucker, 2011, 2020, Arnold and Tilton, 2019]. This is the appropriate level of claim for a corpus-governance paper: the pipeline identifies where cross-modal reading is possible and where the evidence surface is still too thin.

6 Discussion: What the Corpus Can and Cannot Claim

The shared-core/application-policy boundary makes reuse reviewable. Different applications can consume the same pinned source evidence while declaring different query vocabularies, retrieval profiles and review policies. Agreement in byte custody does not imply agreement in interpretation. Likewise, a reusable hierarchy layout is a mechanism for displaying declared relationships; the application must justify those relationships independently. The profile diagnostic therefore documents computational choices rather than presenting shared software as a validation of any literary or disciplinary conclusion.

The main result is a connected account of corpus construction, local custody, and bounded analysis. The 727 source/copy records map to 69 represented ledger targets; 45 meet the full declared evidence profile. Those are different quantities. Copy repetition, source authority, authorship, missing modalities, and rights decisions remain visible instead of being collapsed into a download count [Atkins et al., 1992, Biber, 1993, McEnery and Hardie, 2012, Price, 2009, Sahle, 2016].

The exploratory language results describe 682407 tokenizer-defined words across 540 text-bearing records. They include transcriptions with unverified authorship and must not be interpreted as Blake-wide vocabulary, sentiment, or entity estimates. A separate primary-scope search requires verified reading-text roles. This separation lets uncertain material remain recoverable and inspectable without silently promoting it into primary evidence [Pechenick et al., 2015, Bode, 2018, Piper, 2018, Underwood, 2019].

Preservation adds a complementary denominator. A source inventory can be fully recoverable relative to its declared captured files while image acquisition remains incomplete and whole-oeuvre coverage remains unknown. The backup checksum and the failed-before-repaired corruption control test byte custody. They do not test scholarly completeness or transcription accuracy. Reusing original images while analyzing an independent metadata store preserves that distinction across analysis epochs [Owens, 2018, Kirschenbaum, 2008, Moreau and Groth, 2013].

The computational figures are instruments for review and close reading. Vocabulary projections expose transcription and selection effects; theme links and entity strings suggest places to inspect. They do not establish literary periodization, iconographic truth, or a settled semantic graph. In particular, spaCy performs pretrained statistical named-entity recognition. Its outputs are not model-free, and this project supplies no Blake-specific accuracy validation. Future multimodal, optical-character-recognition, and knowledge-graph experiments require their own evidence and evaluation [Ramsay, 2011, Rockwell and Sinclair, 2016, Drucker, 2011, 2020, Greif et al., 2025, Rei et al., 2023, Li et al., 2025, Zhang et al., 2026].

Publication custody is part of the method. The generated cover is a labeled design asset; aggregate figures are project-authored analytical displays. Provider-image mosaics remain private. The public release distributes software, manuscript sources, aggregate evidence, and checksums, while preserving the distinction between the project license and source-provider rights [Candela et al., 2023, Padilla et al., 2019b]. Publication identifies a reproducible artifact set; it is not peer review or a declaration of completed Blake scholarship.

The remaining work follows the evidence ledger: resolve partial and unverified targets, improve source/copy classification and dating, review reading-text authorship, investigate unresolved image references, and evaluate model outputs against editorial judgments. New acquisition must record current source identity and availability rather than inherit the endpoint-health claims of an older epoch [Reed, 2014, Klein et al., 2014, Van de Sompel et al., 2013].

7 Rights and Distribution Controls

This section records the release's operational distribution policy, not legal advice or item-level clearance. Underlying authorship, publication history, editorial contributions, digital files, provider terms, database rights, and a particular proposed use are separate questions. The release publishes project code, manuscript prose, aggregate figures, and reproducibility metadata while withholding the expressive provider corpus.

7.1 Duration and Reproduction Layers

William Blake died in 1827. His death date supports a public-domain baseline for ordinary life-plus-70 author-term works, but it is insufficient to decide every source file's status. U.S. pre-1978 publication rules differ from modern author-term rules. The Copyright Office's circular states that works published in the United States before 1931 are in the public domain as of 2026; that statement must not be generalized without regard to publication history or other legal categories [U.S. Copyright Office, 2026b,c].

Special unpublished-work rules also matter. U.S. section 303 can preserve a floor through 2047 for qualifying older works first published by the end of 2002. U.K. guidance describes protection through 2039 for specified older unpublished works and engravings. The E.U. term directive provides a 25-year economic-rights term for qualifying first lawful publication or communication of a previously unpublished work after copyright expiry [U.S. Copyright Office, 2026b, UK Intellectual Property Office, 2021, European Parliament and Council of the European Union, 2006]. These are reasons to retain item-level publication-history questions, especially for manuscripts and later editions.

Underlying public-domain art and a supplied digital file must likewise be distinguished. *Feist* separates unprotectable facts from original selection or arrangement. *Bridgeman* addresses originality in exact photographic copies of public-domain two-dimensional art, without supplying a worldwide license for every image file. E.U. DSM Article 14 excludes copyright or related-rights protection for reproductions of expired visual-art works unless the reproduction itself meets the originality criterion [Supreme Court of the United States, 1991, United States District Court for the Southern District of New York, 1999, European Parliament and Council of the European Union, 2019, Petri, 2014]. Modern editorial apparatus may contain original expression even where Blake's own text is public domain. Whether a particular file or contribution qualifies requires source-specific assessment.

7.2 Provider Policies and Release Decisions

Provider terms are not automatically copyright, nor does every online term necessarily bind every user. Ordinary notice and assent remain relevant to contract analysis [United States Court of Appeals for the Second Circuit, 2002, United States Court of Appeals for the Ninth Circuit, 2014]. This release nevertheless follows a conservative publication policy: potential provider, edition, database, contract, and access restrictions are reviewed independently from underlying public-domain status [Mazzone, 2006, Wallace, 2022].

The historical static Blake Archive conditions page describes restrictions on Archive texts and images. It is historical evidence of a policy, not a verified current permission grant; the current permissions route could not be refreshed during the publication check. Keep raw Archive files and full image mirrors out of the public deposit unless an applicable item-level permission or reuse basis has been documented [The William Blake Archive, n.d.a,n]. This withholding policy does not assert that every faithful reproduction necessarily has a new copyright.

The default release rules are:

- **Code, tests, scripts, and project-authored prose:** include under the repository license to the extent the authors hold the relevant rights.
- **Aggregate counts, checksums, source URLs, authority labels, and charts without source images:** include with provenance and citations. The release does not relicense the underlying provider material [Supreme Court of the United States, 1991].
- **Blake-authored underlying material:** assess separately from its supplied edition, transcription, apparatus, or image file. Public-domain authorship is not an automatic license for every surrounding contribution.
- **Project Gutenberg material:** distinguish underlying text from Project Gutenberg branding and license wrappers; any proposed distribution must follow the applicable source and trademark conditions [Project Gutenberg

Literary Archive Foundation, 2026]. This release includes no fallback source texts.

- **Wikisource material:** inspect the specific revision, footer, history, and attribution requirements. Current Wikimedia terms use CC BY-SA 4.0 for contributed text, with provisions and exceptions for imported material and public-domain content. Do not assume a universal license from a page's presence on Wikisource or fold contributor text into MIT [Wikimedia Foundation, 2026].
- **Archive TEI/XML, transcriptions, images, private indexes, backups, and restore copies:** retain locally; omit from the public repository and deposit.
- **Museum and catalogue leads:** cite as corroborating metadata or future review leads unless a compatible reuse basis is established for a proposed file.
- **Generated cover and project-authored diagrams:** include with provenance and a non-evidence label. The release license conveys only rights the authors can license; inclusion does not assert exclusive copyright in generated output.
- **Mosaics containing acquired source images:** retain as private inspection artifacts. They are omitted from the public PDF, HTML, and reproduction archive.

The code can be open source; the entire local evidence cache is not thereby open source. The Archive-all acquisition option describes evidence depth, not a permission grant. Public assets exclude `blake_data/` and other provider-payload territories. sec. 14 records the corresponding artifact-level checklist [Candela et al., 2023].

7.3 Use-Specific Review

U.S. section 107 weighs purpose, nature, amount, and market effect for the particular use. Research or indexing is not an automatic blanket exemption. *HathiTrust* and *Google Books* concern specific transformative uses; they do not authorize this project to publish a bulk mirror of provider files [U.S. Copyright Office, 2026a, United States Court of Appeals for the Second Circuit, 2014, 2015]. A proposal to distribute excerpts, thumbnails, images, or expressive derived material requires its own source, attribution, amount, venue, and permission or exception review.

The deposited set therefore makes the workflow inspectable through software, source identities, aggregate evidence, and commands while keeping the provider corpus local. Byte integrity, access, authorship, and distribution authority remain separate properties [Owens, 2018].

8 Limitations: Target Scope, Source Drift, and Missing Evidence

The ledger is a declared 104-target model, not a complete bibliography or a worldwide census of Blake holdings. It represents 69 targets and fully satisfies evidence for 45. Partial, missing, duplicate, and unverified states remain explicit. No result establishes a completed Blake corpus [Biber, 1993, Pechenick et al., 2015, Bode, 2018].

Local records have source/copy granularity. They are not independent works; image associations are not independent physical files. The 540 text-bearing records include primary and unverified reading roles. Repeated copies, edition apparatus, captions, transcription errors, and unknown authorship can affect aggregate words, vocabulary, entities, themes, sentiment, and projections. Private primary-scope occurrence search has stricter authorship rules than the exploratory NLP population.

The image inventory is bounded by discovered identifiers and successful local capture. Recovery leaves 28 discovered image identifiers unresolved. Copy, plate, impression, coloring, unpublished-source, and museum-object coverage require item-level scholarship beyond this inventory [Viscomi, 1993, Essick, 1980, Butlin, 1981, Phillips, 2000]. Nominal source resolution codes do not independently establish scan resolution or image quality.

This analysis reused local material without refreshing discovery, acquisition, or endpoint health. Retained URLs, source commits, and historical checks do not establish present remote availability. The search queue is a review aid, not a guarantee that a candidate contains the required text or image. Morgan manuscript pages and scholarly bibliographies can guide review without satisfying whole-work evidence [The Morgan Library & Museum, 2021, Blake/An Illustrated Quarterly, 2026b, Yale Library, 2026, Reed, 2014, Klein et al., 2014].

The models have no task-specific accuracy validation here. VADER sentiment, heuristic readability, weighted-input topic extraction, spaCy entities, rule-based themes, and image descriptors are computational diagnostics rather than literary judgments. Short-text and pruned-vocabulary failures remain unavailable components. The principal-component display is vocabulary- and membership-dependent and is evaluated in floating-point arithmetic. A numerical oracle checks computation, not literary validity [Flesch, 1948, Kim and Klinger, 2019, Blei, 2012, Ramsay, 2011].

The Python dependency lock does not pin separately downloaded language-resource bytes or guarantee bitwise equality of a new model run. Saved result ledgers and their identities define the numerical evidence used by this publication.

Preservation evidence is also bounded. Checksums and the restore drill test captured bytes; they do not prove transcription correctness, complete source acquisition, scholarly acceptance, or redistribution rights. The backup and restore copies reside locally, and a copied-byte drill alone does not establish resilience to loss of the entire physical storage device. The public release omits expressive provider files and image mosaics. Its code license does not relicense the private evidence cache.

The generated cover is a labeled design asset with recorded provenance, outside the corpus ledger. Generative images supply no evidence about Blake's objects or historical technique [Klein et al., 2025].

9 Reproducibility: Source Snapshot, Analysis Epoch, and Publication

The publishing information gives the concept DOI for this versioned working paper. The release manifest identifies the particular deposited edition and its exact PDF and source bytes. Earlier deposited versions remain separate archival records.

Reproduction requires the captured source inventory, its private local files, the recorded analysis producer, and a compatible environment. The public release supplies project-owned source, the manuscript, aggregate evidence, producer identities, and checksums; it does not supply the provider corpus. The preservation chain connects inputs, commands, derived results, figures, and rendered bytes [Peng, 2011, Sandve et al., 2013, Wilson et al., 2014, Moreau and Groth, 2013, Owens, 2018].

9.1 Verify Retained Inputs Before Analysis

Use a fresh reproduction checkout with the recorded dependency lock and the documented Python environment. Restore or acquire the local evidence under applicable provider terms, then run the integrity verifier:

```
uv run python -m blake.recovery_commands verify
```

The saved recovery-manifest digest is `7b98377fe3e3f61cf8dd8781d47e5854876c490472419df61b1a7d6689186e96`. A different capture defines a different input epoch. Source inventory recovery, unresolved images, and the historical restore drill are reported in sec. 15. Fresh remote acquisition can produce a different inventory and must not be substituted for the recorded capture without updating the evidence identities.

9.2 Create and Analyze a New Local Epoch

Preserve previous outputs before using a fresh checkout or an unused output directory. The preparation command refuses an occupied destination and writes a new metadata database and copied transcriptions; it references original local image files without copying or altering them.

```
uv run python scripts/prepare_manuscript_epoch.py \
  --destination blake_data/publication/reproduction
uv run python scripts/reproduce_manuscript_analysis.py \
  --data-dir blake_data/publication/reproduction \
  --seed 20261023
```

The driver uses the corpus API with offline reuse, no synthetic fixtures, the core visualization profile, Archive-inventory scope, and Archive-all image metadata. It seeds Python and NumPy and limits numerical-library and OpenCV threads. The analyzed publication epoch used software `0.2.0rc1`, seed 20261023, and run ID `d1f5af70e02a45868db1c372ee28814a`. The reproduction bundle records its exact producer-file digests separately from the final publication software. The original run saved its model payloads in JSON but omitted the SQLite handoff consumed by reports and the dashboard. A separately receipted derived refresh restored those exact payloads to the independent publication database and regenerated reports without repeating inference. The repair command, when needed for an already sealed previously saved epoch, is:

```
uv run python scripts/refresh_manuscript_epoch.py
```

Reseal after that command. New analyses persist each component directly. The original model receipt remains unchanged; derived-artifact provenance names its own producer. Subsequent manuscript diagnostics select the saved run's actual data directory and identified result ledger.

The saved pipeline status is `completed`, with 727/727 records analyzed and current-results status `yes`. Its top-level ledger reports 0 errors; the recursive component census reports 277 nested errors, including 268 insufficient-text and 9 pruned-vocabulary topic results. Successful pipeline completion does not erase component unavailability.

9.3 Generate Figures and Hydrate the Manuscript

9.3.1 Authoring, Evidence and Output Roots

Preparation normally reads evidence and writes derived outputs in the authoring project. A staged authoring candidate may instead name an explicit evidence read root with `--evidence-root` or `BLAKE_MANUSCRIPT_EVIDENCE_ROOT`. This changes the saved analysis and custody inputs while keeping manuscript prose, legal-claim ledger and executing producer code in the authoring tree. Generated figures and hydrated sources remain under its `output/` directory. No other checkout is searched and an invalid explicit read root fails even if authoring caches exist.

```
uv run python scripts/generate_manuscript_figures.py --public-only \
  --evidence-root "$BLAKE_EVIDENCE_ROOT"
TEMPLATE_REPO_ROOT=../template \
  uv run python scripts/z_generate_manuscript_variables.py \
  --evidence-root "$BLAKE_EVIDENCE_ROOT"
```

Figure preparation reads diagnostic inputs without rewriting their saved files. A bounded aggregate/text stage cannot satisfy full recovery verification merely by being selected as a read root. Strict publication-token admission retains its saved-epoch and input-binding checks; full recovery and backup verification still require their original complete local sources. Preserve existing output artifacts before producing a new display epoch. A source-code profile diagram has its own source digest and never changes the analytical producer identity.

With the retained backup and historical restore-control files available locally, the publication seal freshly verifies the captured inventory, existing backup, private search projection, and the retained repaired/corrupted control copies:

```
uv run python scripts/seal_manuscript_evidence.py \
  --analysis-receipt analysis_output/data/analysis_epoch_receipt.json
```

This verifies the existing restore evidence; it does not run another restore drill. The commands require the private corpus for analytical regeneration. The public reproduction archive separately includes hydrated manuscript sources and aggregate figures for rendering the deposited paper without redistributing those source files.

The figure producer reads the saved analysis artifacts:

```
uv run python scripts/generate_manuscript_figures.py --public-only
TEMPLATE_REPO_ROOT=../template \
  uv run python scripts/z_generate_manuscript_variables.py
```

The cover is a labeled project-authored generated asset with provenance, outside the corpus evidence ledger. Local source-image mosaics can be generated for private inspection but are excluded from the public manuscript and reproduction archive. Publication hydration requires every used quantitative token to resolve from the saved artifacts and verified publication evidence. The input membership and content digests remain inspectable.

9.3.2 Mathematical Interval Diagnostic

The registered `core_interval_support` figure is a mathematical illustration produced by `manuscript_tools.interval_illustration` and `manuscript_tools.interval_figure` through the actual public interval API. It reads no retained corpus or model output. Its JSON sidecar records the illustrated interval records, mask, canonical supports, threshold supports, indexed pair count, actual refusal controls and source bindings, followed by digests of its PNG, SVG and PDF assets. The figure source digest `944a05aaaacae6f216bbf59668510f0c242d4b439bdef308109353a3e5a9c391` is separate from the saved analytical producer and the deposited-paper identities.

The normal figure dispatcher includes this diagnostic in both local and public profiles. A code-only check can call the dedicated builder with a new destination:

```
from pathlib import Path
from manuscript_tools.interval_figure import fig_interval_support

fig_interval_support(
    Path("unused-analysis-input"),
    Path("output/interval-illustration-new"),
)
```

Use the declared external Python environment and external temporary/cache bindings. The first argument retains the common figure-builder interface and is deliberately not read. The dedicated builder refuses occupied artifact names and symlinked output roots; its completion sidecar follows the real image files. It does not infer permission to regenerate a corpus, recover missing provider files or invoke the native template. A passing code-only figure check is distinct from complete figure/hydration preparation and final rendered-page acceptance.

9.4 Render and Validate

The shared template renderer uses a separate compatible environment. The release records its exact source commit. Bind its local ignored `projects/active/blake` lifecycle leaf link to this checkout without changing other project bindings. After strict hydration succeeds, run from that template checkout:

```
uv run python scripts/pipeline/stage_03_render.py \
  --project active/blake --skip-manuscript-hydration
uv run python scripts/pipeline/stage_04_validate.py --project active/blake
```

The explicit hydration step preserves Blake's analysis environment while using the template's native rendering infrastructure. The skip flag reuses already validated hydrated sources; it does not authorize unresolved tokens or stale results. Rendered-page inspection, citation and cross-reference checks, privacy checks, source tests, installed-package checks, and release-asset checksums qualify the final artifact set. The deposited PDF and software assets must match the independently verified download bytes. Publication and an identifier do not themselves establish peer review, scientific validation, or whole-oeuvre completeness [Smith et al., 2016, Soiland-Reyes et al., 2022].

10 Conclusion: Evidence-Bounded Blake Corpus Mapping

blake connects a declared work-level ledger, retained source custody, descriptive local analysis, private search, and generated publication artifacts. The saved epoch analyzes 727 source/copy records and fully satisfies evidence for 45 of 104 ledger targets. Its 6109 image associations reference 5975 distinct files. Its 540 text-bearing records contain 682407 tokenizer-defined words, with primary and unverified transcription roles explicitly distinguished.

Recoverability is a separate measured result. The captured inventory contains 8481 files; image recovery retains 28 unresolved identifiers. Byte verification and the corruption-detection restore drill support custody of that inventory. They do not establish a completed Blake corpus, definitive textual accuracy, validated interpretive models, or permission to redistribute provider materials.

The remaining obligations are concrete: resolve partial and unverified target evidence, review reading-text authorship and edition boundaries, test unresolved image leads, improve record classification, and validate model outputs against scholarly judgments. Versioned software, saved producer identities, aggregate evidence, and separately checked publication bytes make those obligations reviewable. The public deposit preserves the method and its measured limits while the expressive corpus remains local.

11 Supplement: Target-Ledger Evidence Gap Table

This table is the negative side of the coverage model. It records target-ledger rows that do not yet satisfy the current evidence profile, so absence remains tied to a named target, category, status, and generated evidence note rather than disappearing into an aggregate percentage [McCarty, 2005, Klein, 2013].

Table 7: Targets not yet satisfying complete target evidence. Each row names the ledger target and the evidence note generated by the coverage builder.

Target ID	Title	Category	Status	Evidence note
nnr	There is No Natural Religion	illuminated books	duplicate	Multiple local works match this target entry.
s-inn	Songs of Innocence	illuminated books	duplicate	Multiple local works match this target entry.
songs-experience	Songs of Experience	illuminated books	missing	No matching local work or source record in the current discovery set.
songsie	Songs of Innocence and of Experience	illuminated books	duplicate	Multiple local works match this target entry.
thel	The Book of Thel	illuminated books	duplicate	Multiple local works match this target entry.
mhh	The Marriage of Heaven and Hell	illuminated books	duplicate	Multiple local works match this target entry.
vda	Visions of the Daughters of Albion	illuminated books	duplicate	Multiple local works match this target entry.
america	America a Prophecy	illuminated books	duplicate	Multiple local works match this target entry.
europe	Europe a Prophecy	illuminated books	duplicate	Multiple local works match this target entry.
urizen	The First Book of Urizen	illuminated books	duplicate	Multiple local works match this target entry.
s-los	The Song of Los	illuminated books	duplicate	Multiple local works match this target entry.
gates-child	For Children: The Gates of Paradise	illuminated books	duplicate	Multiple local works match this target entry.
gates-sexes	For the Sexes: The Gates of Paradise	illuminated books	duplicate	Multiple local works match this target entry.
milton	Milton a Poem	illuminated books	duplicate	Multiple local works match this target entry.

Target ID	Title	Category	Status	Evidence note
jerusalem	Jerusalem The Emanation of The Giant Albion	illuminated books	duplicate	Multiple local works match this target entry.
abel	The Ghost of Abel	illuminated books	duplicate	Multiple local works match this target entry.
laocoon	Laocoon	engravings	missing	No matching local work or source record in the current discovery set.
homer	On Homer's Poetry [and] On Virgil	illuminated books	missing	No matching local work or source record in the current discovery set.
bb206	To the Public: Prospectus	typographic works	missing	No matching local work or source record in the current discovery set.
everlasting-gospel	The Everlasting Gospel	poems	missing	No matching local work or source record in the current discovery set.
bb209	VALA, or The Four Zoas	manuscripts	partial	Expected text is not available locally.
bb122	Blake's Notebook	manuscripts	partial	Expected text is not available locally.
letters	Letters	letters	missing	No matching local work or source record in the current discovery set.
bb134	Receipts	letters	missing	No matching local work or source record in the current discovery set.
bb504	The Pastorals of Virgil	commercial illustrations	missing	No matching local work or source record in the current discovery set.
but536	Illustrations to Milton's Paradise Lost, The Butts Set	watercolors drawings	missing	No matching local work or source record in the current discovery set.
but537	Illustrations to Milton's Paradise Lost, The Linnell Set	watercolors drawings	missing	No matching local work or source record in the current discovery set.
but529	Illustrations to Milton's Paradise Lost, The Thomas Set	watercolors drawings	missing	No matching local work or source record in the current discovery set.

Target ID	Title	Category	Status	Evidence note
cpd	The Large Color Printed Drawings	color prints	missing	No matching local work or source record in the current discovery set.
esi	Joseph of Arimathea Among the Rocks of Albion	separate prints	duplicate	Multiple local works match this target entry.
esv	Job	separate prints	duplicate	Multiple local works match this target entry.
esvii	Albion rose	separate prints	duplicate	Multiple local works match this target entry.
esviii	The Accusers of Theft Adultery Murder	separate prints	duplicate	Multiple local works match this target entry.
esx	Lucifer and the Pope in Hell	separate prints	duplicate	Multiple local works match this target entry.
esxiv	Experimental Relief Plate	separate prints	duplicate	Multiple local works match this target entry.
bbwba14	Portrait of George Romney	engravings	missing	No matching local work or source record in the current discovery set.
bb442	The Poetical Works of Geoffrey Chaucer	commercial illustrations	missing	No matching local work or source record in the current discovery set.
bb456	John Flaxman, Compositions From the Works Days and Theogony of Hesiod	commercial illustrations	missing	No matching local work or source record in the current discovery set.
bb466	William Hayley, Designs to a Series of Ballads	commercial illustrations	missing	No matching local work or source record in the current discovery set.
bb467	William Hayley, An Essay on Sculpture	commercial illustrations	missing	No matching local work or source record in the current discovery set.
bb468	William Hayley, The Life, and Posthumous Writings, of William Cowper	commercial illustrations	missing	No matching local work or source record in the current discovery set.
bb469	William Hayley, The Life of George Romney	commercial illustrations	missing	No matching local work or source record in the current discovery set.

Target ID	Title	Category	Status	Evidence note
bb470	William Hayley, Little Tom the Sailor	commercial illustrations	duplicate	Multiple local works match this target entry.
bb499	John Gabriel Stedman, Narrative, of a Five Years' Expedition, against the Revolted Negroes of Surinam	commercial illustrations	missing	No matching local work or source record in the current discovery set.
bb512	John Whitaker, The Seraph	commercial illustrations	missing	No matching local work or source record in the current discovery set.
gravewd	Drawings for Robert Blair's The Grave	drawings	missing	No matching local work or source record in the current discovery set.
gravepd	Sketches for Robert Blair's The Grave	drawings	missing	No matching local work or source record in the current discovery set.
gravewc	Preliminary Illustrations to Robert Blair's The Grave	watercolors drawings	missing	No matching local work or source record in the current discovery set.
pencil1	Pencil Sketches	drawings	missing	No matching local work or source record in the current discovery set.
but330	Illustrations to Edward Young's Night Thoughts	watercolors drawings	missing	No matching local work or source record in the current discovery set.
but527	Illustrations to Milton's Comus, The Thomas Set	watercolors drawings	missing	No matching local work or source record in the current discovery set.
but528	Illustrations to Milton's Comus, The Butts Set	watercolors drawings	missing	No matching local work or source record in the current discovery set.
but538	Illustrations to Milton's On the Morning of Christ's Nativity, The Thomas Set	watercolors drawings	missing	No matching local work or source record in the current discovery set.
but542	Illustrations to Milton's On the Morning of Christ's Nativity, The Butts Set	watercolors drawings	missing	No matching local work or source record in the current discovery set.

Target ID	Title	Category	Status	Evidence note
but550	Illustrations to the Book of Job, The Butts Set	watercolors drawings	missing	No matching local work or source record in the current discovery set.
but551	Illustrations to the Book of Job, The Linnell Set	watercolors drawings	missing	No matching local work or source record in the current discovery set.
1780swc	Water Color Drawings	watercolors drawings	missing	No matching local work or source record in the current discovery set.
biblicalwc	Water Color Drawings Illustrating the Bible	watercolors drawings	missing	No matching local work or source record in the current discovery set.
biblicaltemperas	Paintings Illustrating the Bible	paintings	missing	No matching local work or source record in the current discovery set.

12 Supplement: Bounded Missing-Evidence Search Queue

The search queue translates missing or partial target evidence into reviewable candidate actions. It is intentionally conservative: a row can guide review without changing corpus status, because source ownership, title matching, attribution, checksum, and rights metadata must be verified before a candidate becomes corpus evidence. Display labels replace field-name underscores with spaces. Long prose words use discretionary hyphens, while identifiers may wrap without a printed hyphen; authoritative identifiers remain unchanged in the accompanying aggregate JSON.

Table 8: Bounded missing-evidence search candidates. The table records where the next pass should look and whether the relevant endpoint was checked during this run; it does not treat fallback sources as replacements for William Blake Archive authority.

Target ID	Title	Evidence	Candidate source	Status	Confidence	Action
1780swc	Water Color Drawings	image	William Blake Archive image/API metadata	not checked	0.88	Use Archive object/image metadata before museum-catalog corroboration.
1780swc	Water Color Drawings	image	British Museum collection search	not checked	0.58	Use as visual/catalog corroboration for image provenance.
1780swc	Water Color Drawings	image	Tate artist page	not checked	0.52	Use as visual/catalog corroboration when the work is in Tate holdings.
1780swc	Water Color Drawings	image	Blake Quarterly Essick finding list	not checked	0.48	Use as a reproduction finding aid, not as local image evidence.
1780swc	Water Color Drawings	source match	William Blake Archive work API	not checked	0.96	Checked Archive API metadata and GitHub TEI inventory before external fallbacks.

Target ID	Title	Evidence	Candidate source	Status	Confidence	Action
abel	The Ghost of Abel	source match	William Blake Archive work API	not checked	0.96	Checked Archive API metadata and GitHub TEI inventory before external fallbacks.
america	America a Prophecy	source match	William Blake Archive work API	not checked	0.96	Checked Archive API metadata and GitHub TEI inventory before external fallbacks.
bb122	Blake's Notebook	text	William Blake Archive work API	not checked	0.96	Checked Archive API metadata and GitHub TEI inventory before external fallbacks.
bb122	Blake's Notebook	text	Blake Archive GitHub TEI inventory	not checked	0.90	Search exact Archive id in the live TEI filename inventory.
bb122	Blake's Notebook	text	Project Gutenberg author page	not checked	0.72	Record as corroborating text evidence only; do not override Archive authority.
bb122	Blake's Notebook	text	Wikisource author page	not checked	0.68	Record as corroborating transcription evidence when title/alias matches.

Target ID	Title	Evidence	Candidate source	Status	Confidence	Action
bb122	Blake's Notebook	text	Internet Archive advanced search	not checked	0.62	Record facsimile or derivative-edition evidence as fallback provenance.
bb122	Blake's Notebook	text	HathiTrust Blake record	not checked	0.56	Use catalog records as bibliographic corroboration, not primary text authority.
bb134	Receipts	source match	William Blake Archive work API	not checked	0.96	Checked Archive API metadata and GitHub TEI inventory before external fallbacks.
bb134	Receipts	source match	Yale University Library	not checked	0.67	manual review: source-owned lead only; exact-title validation, attribution, checksum, rights metadata, and regenerated coverage are required before any target status changes.
bb134	Receipts	text	William Blake Archive work API	not checked	0.96	Checked Archive API metadata and GitHub TEI inventory before external fallbacks.

Target ID	Title	Evidence	Candidate source	Status	Confidence	Action
bb134	Receipts	text	Blake Archive GitHub TEI inventory	not checked	0.90	Search exact Archive id in the live TEI filename inventory.
bb134	Receipts	text	Project Gutenberg author page	not checked	0.72	Record as corroborating text evidence only; do not override Archive authority.
bb134	Receipts	text	Wikisource author page	not checked	0.68	Record as corroborating transcription evidence when title/alias matches.
bb134	Receipts	text	Internet Archive advanced search	not checked	0.62	Record facsimile or derivative-edition evidence as fallback provenance.
bb134	Receipts	text	HathiTrust Blake record	not checked	0.56	Use catalog records as bibliographic corroboration, not primary text authority.
bb206	To the Public: Prospectus	image	William Blake Archive image/API metadata	not checked	0.88	Use Archive object/image metadata before museum-catalog corroboration.
bb206	To the Public: Prospectus	image	British Museum collection search	not checked	0.58	Use as visual/catalog corroboration for image provenance.

Target ID	Title	Evidence	Candidate source	Status	Confidence	Action
bb206	To the Public: Prospectus	image	Tate artist page	not checked	0.52	Use as visual/catalog corroboration when the work is in Tate holdings.
bb206	To the Public: Prospectus	image	Blake Quarterly Essick finding list	not checked	0.48	Use as a reproduction finding aid, not as local image evidence.
bb206	To the Public: Prospectus	source match	William Blake Archive work API	not checked	0.96	Checked Archive API metadata and GitHub TEI inventory before external fallbacks.
bb206	To the Public: Prospectus	source match	William Blake Archive	not checked	0.67	manual review: source-owned lead only; exact-title validation, attribution, checksum, rights metadata, and regenerated coverage are required before any target status changes.
bb206	To the Public: Prospectus	text	William Blake Archive work API	not checked	0.96	Checked Archive API metadata and GitHub TEI inventory before external fallbacks.

Target ID	Title	Evidence	Candidate source	Status	Confidence	Action
bb206	To the Public: Prospectus	text	Blake Archive GitHub TEI inventory	not checked	0.90	Search exact Archive id in the live TEI filename inventory.
bb206	To the Public: Prospectus	text	Project Gutenberg author page	not checked	0.72	Record as corroborating text evidence only; do not override Archive authority.
bb206	To the Public: Prospectus	text	Wikisource author page	not checked	0.68	Record as corroborating transcription evidence when title/alias matches.
bb206	To the Public: Prospectus	text	Internet Archive advanced search	not checked	0.62	Record facsimile or derivative-edition evidence as fallback provenance.
bb206	To the Public: Prospectus	text	HathiTrust Blake record	not checked	0.56	Use catalog records as bibliographic corroboration, not primary text authority.
bb209	VALA, or The Four Zoas	text	William Blake Archive work API	not checked	0.96	Checked Archive API metadata and GitHub TEI inventory before external fallbacks.
bb209	VALA, or The Four Zoas	text	Blake Archive GitHub TEI inventory	not checked	0.90	Search exact Archive id in the live TEI filename inventory.

Target ID	Title	Evidence	Candidate source	Status	Confidence	Action
bb209	VALA, or The Four Zoas	text	Project Gutenberg author page	not checked	0.72	Record as corroborating text evidence only; do not override Archive authority.
bb209	VALA, or The Four Zoas	text	Wikisource author page	not checked	0.68	Record as corroborating transcription evidence when title/alias matches.
bb209	VALA, or The Four Zoas	text	Wikisource	not checked	0.67	manual review: source-owned lead only; exact-title validation, attribution, checksum, rights metadata, and regenerated coverage are required before any target status changes.
bb209	VALA, or The Four Zoas	text	Internet Archive advanced search	not checked	0.62	Record facsimile or derivative-edition evidence as fallback provenance.
bb209	VALA, or The Four Zoas	text	HathiTrust Blake record	not checked	0.56	Use catalog records as bibliographic corroboration, not primary text authority.

Target ID	Title	Evidence	Candidate source	Status	Confidence	Action
bb442	The Poetical Works of Geoffrey Chaucer	image	William Blake Archive image/API metadata	not checked	0.88	Use Archive object/image metadata before museum-catalog corroboration.
bb442	The Poetical Works of Geoffrey Chaucer	image	British Museum collection search	not checked	0.58	Use as visual/catalog corroboration for image provenance.
bb442	The Poetical Works of Geoffrey Chaucer	image	Tate artist page	not checked	0.52	Use as visual/catalog corroboration when the work is in Tate holdings.
bb442	The Poetical Works of Geoffrey Chaucer	image	Blake Quarterly Essick finding list	not checked	0.48	Use as a reproduction finding aid, not as local image evidence.
bb442	The Poetical Works of Geoffrey Chaucer	source match	William Blake Archive work API	not checked	0.96	Checked Archive API metadata and GitHub TEI inventory before external fallbacks.
bb456	John Flaxman, Compositions From the Works Days and Theogony of Hesiod	image	William Blake Archive image/API metadata	not checked	0.88	Use Archive object/image metadata before museum-catalog corroboration.

Target ID	Title	Evidence	Candidate source	Status	Confidence	Action
bb456	John Flaxman, Compositions From the Works Days and Theogony of Hesiod	image	British Museum collection search	not checked	0.58	Use as visual/catalog corroboration for image provenance.
bb456	John Flaxman, Compositions From the Works Days and Theogony of Hesiod	image	Tate artist page	not checked	0.52	Use as visual/catalog corroboration when the work is in Tate holdings.
bb456	John Flaxman, Compositions From the Works Days and Theogony of Hesiod	image	Blake Quarterly Essick finding list	not checked	0.48	Use as a reproduction finding aid, not as local image evidence.
bb456	John Flaxman, Compositions From the Works Days and Theogony of Hesiod	source match	William Blake Archive work API	not checked	0.96	Checked Archive API metadata and GitHub TEI inventory before external fallbacks.
bb466	William Hayley, Designs to a Series of Ballads	image	William Blake Archive image/API metadata	not checked	0.88	Use Archive object/image metadata before museum-catalog corroboration.
bb466	William Hayley, Designs to a Series of Ballads	image	British Museum collection search	not checked	0.58	Use as visual/catalog corroboration for image provenance.

Target ID	Title	Evidence	Candidate source	Status	Confidence	Action
bb466	William Hayley, Designs to a Series of Ballads	image	Tate artist page	not checked	0.52	Use as visual/catalog corroboration when the work is in Tate holdings.
bb466	William Hayley, Designs to a Series of Ballads	image	Blake Quarterly Essick finding list	not checked	0.48	Use as a reproduction finding aid, not as local image evidence.
bb466	William Hayley, Designs to a Series of Ballads	source match	William Blake Archive work API	not checked	0.96	Checked Archive API metadata and GitHub TEI inventory before external fallbacks.
bb467	William Hayley, An Essay on Sculpture	image	William Blake Archive image/API metadata	not checked	0.88	Use Archive object/image metadata before museum-catalog corroboration.
bb467	William Hayley, An Essay on Sculpture	image	British Museum collection search	not checked	0.58	Use as visual/catalog corroboration for image provenance.
bb467	William Hayley, An Essay on Sculpture	image	Tate artist page	not checked	0.52	Use as visual/catalog corroboration when the work is in Tate holdings.
bb467	William Hayley, An Essay on Sculpture	image	Blake Quarterly Essick finding list	not checked	0.48	Use as a reproduction finding aid, not as local image evidence.

Target ID	Title	Evidence	Candidate source	Status	Confidence	Action
bb467	William Hayley, An Essay on Sculpture	source match	William Blake Archive work API	not checked	0.96	Checked Archive API metadata and GitHub TEI inventory before external fallbacks.
bb468	William Hayley, The Life, and Posthumous Writings, of William Cowper	image	William Blake Archive image/API metadata	not checked	0.88	Use Archive object/image metadata before museum-catalog corroboration.
bb468	William Hayley, The Life, and Posthumous Writings, of William Cowper	image	British Museum collection search	not checked	0.58	Use as visual/catalog corroboration for image provenance.
bb468	William Hayley, The Life, and Posthumous Writings, of William Cowper	image	Tate artist page	not checked	0.52	Use as visual/catalog corroboration when the work is in Tate holdings.
bb468	William Hayley, The Life, and Posthumous Writings, of William Cowper	image	Blake Quarterly Essick finding list	not checked	0.48	Use as a reproduction finding aid, not as local image evidence.
bb468	William Hayley, The Life, and Posthumous Writings, of William Cowper	source match	William Blake Archive work API	not checked	0.96	Checked Archive API metadata and GitHub TEI inventory before external fallbacks.

Target ID	Title	Evidence	Candidate source	Status	Confidence	Action
bb469	William Hayley, The Life of George Romney	image	William Blake Archive image/API metadata	not checked	0.88	Use Archive object/image metadata before museum-catalog corroboration.
bb469	William Hayley, The Life of George Romney	image	British Museum collection search	not checked	0.58	Use as visual/catalog corroboration for image provenance.
bb469	William Hayley, The Life of George Romney	image	Tate artist page	not checked	0.52	Use as visual/catalog corroboration when the work is in Tate holdings.
bb469	William Hayley, The Life of George Romney	image	Blake Quarterly Essick finding list	not checked	0.48	Use as a reproduction finding aid, not as local image evidence.
bb469	William Hayley, The Life of George Romney	source match	William Blake Archive work API	not checked	0.96	Checked Archive API metadata and GitHub TEI inventory before external fallbacks.
bb470	William Hayley, Little Tom the Sailor	source match	William Blake Archive work API	not checked	0.96	Checked Archive API metadata and GitHub TEI inventory before external fallbacks.

Target ID	Title	Evidence	Candidate source	Status	Confidence	Action
bb499	John Gabriel Stedman, Narrative, of a Five Years' Expedition, against the Revolted Negroes of Surinam	image	William Blake Archive image/API metadata	not checked	0.88	Use Archive object/image metadata before museum-catalog corroboration.
bb499	John Gabriel Stedman, Narrative, of a Five Years' Expedition, against the Revolted Negroes of Surinam	image	British Museum collection search	not checked	0.58	Use as visual/catalog corroboration for image provenance.
bb499	John Gabriel Stedman, Narrative, of a Five Years' Expedition, against the Revolted Negroes of Surinam	image	Tate artist page	not checked	0.52	Use as visual/catalog corroboration when the work is in Tate holdings.
bb499	John Gabriel Stedman, Narrative, of a Five Years' Expedition, against the Revolted Negroes of Surinam	image	Blake Quarterly Essick finding list	not checked	0.48	Use as a reproduction finding aid, not as local image evidence.
bb499	John Gabriel Stedman, Narrative, of a Five Years' Expedition, against the Revolted Negroes of Surinam	source match	William Blake Archive work API	not checked	0.96	Checked Archive API metadata and GitHub TEI inventory before external fallbacks.

Target ID	Title	Evidence	Candidate source	Status	Confidence	Action
bb504	The Pastorals of Virgil	image	William Blake Archive image/API metadata	not checked	0.88	Use Archive object/image metadata before museum-catalog corroboration.
bb504	The Pastorals of Virgil	image	British Museum collection search	not checked	0.58	Use as visual/catalog corroboration for image provenance.
bb504	The Pastorals of Virgil	image	Tate artist page	not checked	0.52	Use as visual/catalog corroboration when the work is in Tate holdings.
bb504	The Pastorals of Virgil	image	Blake Quarterly Essick finding list	not checked	0.48	Use as a reproduction finding aid, not as local image evidence.
bb504	The Pastorals of Virgil	source match	William Blake Archive work API	not checked	0.96	Checked Archive API metadata and GitHub TEI inventory before external fallbacks.
bb512	John Whitaker, The Seraph	image	William Blake Archive image/API metadata	not checked	0.88	Use Archive object/image metadata before museum-catalog corroboration.
bb512	John Whitaker, The Seraph	image	British Museum collection search	not checked	0.58	Use as visual/catalog corroboration for image provenance.

Target ID	Title	Evidence	Candidate source	Status	Confidence	Action
bb512	John Whitaker, The Seraph	image	Tate artist page	not checked	0.52	Use as visual/catalog corroboration when the work is in Tate holdings.
bb512	John Whitaker, The Seraph	image	Blake Quarterly Essick finding list	not checked	0.48	Use as a reproduction finding aid, not as local image evidence.
bb512	John Whitaker, The Seraph	source match	William Blake Archive work API	not checked	0.96	Checked Archive API metadata and GitHub TEI inventory before external fallbacks.
bbwba14	Portrait of George Romney	image	William Blake Archive image/API metadata	not checked	0.88	Use Archive object/image metadata before museum-catalog corroboration.
bbwba14	Portrait of George Romney	image	British Museum collection search	not checked	0.58	Use as visual/catalog corroboration for image provenance.
bbwba14	Portrait of George Romney	image	Tate artist page	not checked	0.52	Use as visual/catalog corroboration when the work is in Tate holdings.
bbwba14	Portrait of George Romney	image	Blake Quarterly Essick finding list	not checked	0.48	Use as a reproduction finding aid, not as local image evidence.

Target ID	Title	Evidence	Candidate source	Status	Confidence	Action
bbwba14	Portrait of George Romney	source match	William Blake Archive work API	not checked	0.96	Checked Archive API metadata and GitHub TEI inventory before external fallbacks.
biblical temperas	Paintings Illustrating the Bible	image	William Blake Archive image/API metadata	not checked	0.88	Use Archive object/image metadata before museum-catalog corroboration.
biblical temperas	Paintings Illustrating the Bible	image	British Museum collection search	not checked	0.58	Use as visual/catalog corroboration for image provenance.
biblical temperas	Paintings Illustrating the Bible	image	Tate artist page	not checked	0.52	Use as visual/catalog corroboration when the work is in Tate holdings.
biblical temperas	Paintings Illustrating the Bible	image	Blake Quarterly Essick finding list	not checked	0.48	Use as a reproduction finding aid, not as local image evidence.
biblical temperas	Paintings Illustrating the Bible	source match	William Blake Archive work API	not checked	0.96	Checked Archive API metadata and GitHub TEI inventory before external fallbacks.

Target ID	Title	Evidence	Candidate source	Status	Confidence	Action
biblicalwc	Water Color Drawings Illustrating the Bible	image	William Blake Archive image/API metadata	not checked	0.88	Use Archive object/image metadata before museum-catalog corroboration.
biblicalwc	Water Color Drawings Illustrating the Bible	image	British Museum collection search	not checked	0.58	Use as visual/catalog corroboration for image provenance.
biblicalwc	Water Color Drawings Illustrating the Bible	image	Tate artist page	not checked	0.52	Use as visual/catalog corroboration when the work is in Tate holdings.
biblicalwc	Water Color Drawings Illustrating the Bible	image	Blake Quarterly Essick finding list	not checked	0.48	Use as a reproduction finding aid, not as local image evidence.
biblicalwc	Water Color Drawings Illustrating the Bible	source match	William Blake Archive work API	not checked	0.96	Checked Archive API metadata and GitHub TEI inventory before external fallbacks.
but330	Illustrations to Edward Young's Night Thoughts	image	William Blake Archive image/API metadata	not checked	0.88	Use Archive object/image metadata before museum-catalog corroboration.
but330	Illustrations to Edward Young's Night Thoughts	image	British Museum collection search	not checked	0.58	Use as visual/catalog corroboration for image provenance.

Target ID	Title	Evidence	Candidate source	Status	Confidence	Action
but330	Illustrations to Edward Young's Night Thoughts	image	Tate artist page	not checked	0.52	Use as visual/catalog corroboration when the work is in Tate holdings.
but330	Illustrations to Edward Young's Night Thoughts	image	Blake Quarterly Essick finding list	not checked	0.48	Use as a reproduction finding aid, not as local image evidence.
but330	Illustrations to Edward Young's Night Thoughts	source match	William Blake Archive work API	not checked	0.96	Checked Archive API metadata and GitHub TEI inventory before external fallbacks.
but527	Illustrations to Milton's Comus, The Thomas Set	image	William Blake Archive image/API metadata	not checked	0.88	Use Archive object/image metadata before museum-catalog corroboration.
but527	Illustrations to Milton's Comus, The Thomas Set	image	British Museum collection search	not checked	0.58	Use as visual/catalog corroboration for image provenance.
but527	Illustrations to Milton's Comus, The Thomas Set	image	Tate artist page	not checked	0.52	Use as visual/catalog corroboration when the work is in Tate holdings.
but527	Illustrations to Milton's Comus, The Thomas Set	image	Blake Quarterly Essick finding list	not checked	0.48	Use as a reproduction finding aid, not as local image evidence.

Target ID	Title	Evidence	Candidate source	Status	Confidence	Action
but527	Illustrations to Milton's Comus, The Thomas Set	source match	William Blake Archive work API	not checked	0.96	Checked Archive API metadata and GitHub TEI inventory before external fallbacks.
but528	Illustrations to Milton's Comus, The Butts Set	image	William Blake Archive image/API metadata	not checked	0.88	Use Archive object/image metadata before museum-catalog corroboration.
but528	Illustrations to Milton's Comus, The Butts Set	image	British Museum collection search	not checked	0.58	Use as visual/catalog corroboration for image provenance.
but528	Illustrations to Milton's Comus, The Butts Set	image	Tate artist page	not checked	0.52	Use as visual/catalog corroboration when the work is in Tate holdings.
but528	Illustrations to Milton's Comus, The Butts Set	image	Blake Quarterly Essick finding list	not checked	0.48	Use as a reproduction finding aid, not as local image evidence.
but528	Illustrations to Milton's Comus, The Butts Set	source match	William Blake Archive work API	not checked	0.96	Checked Archive API metadata and GitHub TEI inventory before external fallbacks.

Target ID	Title	Evidence	Candidate source	Status	Confidence	Action
but529	Illustrations to Milton's Paradise Lost, The Thomas Set	image	William Blake Archive image/API metadata	not checked	0.88	Use Archive object/image metadata before museum-catalog corroboration.
but529	Illustrations to Milton's Paradise Lost, The Thomas Set	image	British Museum collection search	not checked	0.58	Use as visual/catalog corroboration for image provenance.
but529	Illustrations to Milton's Paradise Lost, The Thomas Set	image	Tate artist page	not checked	0.52	Use as visual/catalog corroboration when the work is in Tate holdings.
but529	Illustrations to Milton's Paradise Lost, The Thomas Set	image	Blake Quarterly Essick finding list	not checked	0.48	Use as a reproduction finding aid, not as local image evidence.
but529	Illustrations to Milton's Paradise Lost, The Thomas Set	source match	William Blake Archive work API	not checked	0.96	Checked Archive API metadata and GitHub TEI inventory before external fallbacks.
but536	Illustrations to Milton's Paradise Lost, The Butts Set	image	William Blake Archive image/API metadata	not checked	0.88	Use Archive object/image metadata before museum-catalog corroboration.
but536	Illustrations to Milton's Paradise Lost, The Butts Set	image	British Museum collection search	not checked	0.58	Use as visual/catalog corroboration for image provenance.

Target ID	Title	Evidence	Candidate source	Status	Confidence	Action
but536	Illustrations to Milton's Paradise Lost, The Butts Set	image	Tate artist page	not checked	0.52	Use as visual/catalog corroboration when the work is in Tate holdings.
but536	Illustrations to Milton's Paradise Lost, The Butts Set	image	Blake Quarterly Essick finding list	not checked	0.48	Use as a reproduction finding aid, not as local image evidence.
but536	Illustrations to Milton's Paradise Lost, The Butts Set	source match	William Blake Archive work API	not checked	0.96	Checked Archive API metadata and GitHub TEI inventory before external fallbacks.
but537	Illustrations to Milton's Paradise Lost, The Linnell Set	image	William Blake Archive image/API metadata	not checked	0.88	Use Archive object/image metadata before museum-catalog corroboration.
but537	Illustrations to Milton's Paradise Lost, The Linnell Set	image	British Museum collection search	not checked	0.58	Use as visual/catalog corroboration for image provenance.
but537	Illustrations to Milton's Paradise Lost, The Linnell Set	image	Tate artist page	not checked	0.52	Use as visual/catalog corroboration when the work is in Tate holdings.
but537	Illustrations to Milton's Paradise Lost, The Linnell Set	image	Blake Quarterly Essick finding list	not checked	0.48	Use as a reproduction finding aid, not as local image evidence.

Target ID	Title	Evidence	Candidate source	Status	Confidence	Action
but537	Illustrations to Milton's Paradise Lost, The Linnell Set	source match	William Blake Archive work API	not checked	0.96	Checked Archive API metadata and GitHub TEI inventory before external fallbacks.
but538	Illustrations to Milton's On the Morning of Christ's Nativity, The Thomas Set	image	William Blake Archive image/API metadata	not checked	0.88	Use Archive object/image metadata before museum-catalog corroboration.
but538	Illustrations to Milton's On the Morning of Christ's Nativity, The Thomas Set	image	British Museum collection search	not checked	0.58	Use as visual/catalog corroboration for image provenance.
but538	Illustrations to Milton's On the Morning of Christ's Nativity, The Thomas Set	image	Tate artist page	not checked	0.52	Use as visual/catalog corroboration when the work is in Tate holdings.
but538	Illustrations to Milton's On the Morning of Christ's Nativity, The Thomas Set	image	Blake Quarterly Essick finding list	not checked	0.48	Use as a reproduction finding aid, not as local image evidence.
but538	Illustrations to Milton's On the Morning of Christ's Nativity, The Thomas Set	source match	William Blake Archive work API	not checked	0.96	Checked Archive API metadata and GitHub TEI inventory before external fallbacks.

Target ID	Title	Evidence	Candidate source	Status	Confidence	Action
but542	Illustrations to Milton's On the Morning of Christ's Nativity, The Butts Set	image	William Blake Archive image/API metadata	not checked	0.88	Use Archive object/image metadata before museum-catalog corroboration.
but542	Illustrations to Milton's On the Morning of Christ's Nativity, The Butts Set	image	British Museum collection search	not checked	0.58	Use as visual/catalog corroboration for image provenance.
but542	Illustrations to Milton's On the Morning of Christ's Nativity, The Butts Set	image	Tate artist page	not checked	0.52	Use as visual/catalog corroboration when the work is in Tate holdings.
but542	Illustrations to Milton's On the Morning of Christ's Nativity, The Butts Set	image	Blake Quarterly Essick finding list	not checked	0.48	Use as a reproduction finding aid, not as local image evidence.
but542	Illustrations to Milton's On the Morning of Christ's Nativity, The Butts Set	source match	William Blake Archive work API	not checked	0.96	Checked Archive API metadata and GitHub TEI inventory before external fallbacks.
but550	Illustrations to the Book of Job, The Butts Set	image	William Blake Archive image/API metadata	not checked	0.88	Use Archive object/image metadata before museum-catalog corroboration.

Target ID	Title	Evidence	Candidate source	Status	Confidence	Action
but550	Illustrations to the Book of Job, The Butts Set	image	British Museum collection search	not checked	0.58	Use as visual/catalog corroboration for image provenance.
but550	Illustrations to the Book of Job, The Butts Set	image	Tate artist page	not checked	0.52	Use as visual/catalog corroboration when the work is in Tate holdings.
but550	Illustrations to the Book of Job, The Butts Set	image	Blake Quarterly Essick finding list	not checked	0.48	Use as a reproduction finding aid, not as local image evidence.
but550	Illustrations to the Book of Job, The Butts Set	source match	William Blake Archive work API	not checked	0.96	Checked Archive API metadata and GitHub TEI inventory before external fallbacks.
but551	Illustrations to the Book of Job, The Linnell Set	image	William Blake Archive image/API metadata	not checked	0.88	Use Archive object/image metadata before museum-catalog corroboration.
but551	Illustrations to the Book of Job, The Linnell Set	image	British Museum collection search	not checked	0.58	Use as visual/catalog corroboration for image provenance.
but551	Illustrations to the Book of Job, The Linnell Set	image	Tate artist page	not checked	0.52	Use as visual/catalog corroboration when the work is in Tate holdings.

Target ID	Title	Evidence	Candidate source	Status	Confidence	Action
but551	Illustrations to the Book of Job, The Linnell Set	image	Blake Quarterly Essick finding list	not checked	0.48	Use as a reproduction finding aid, not as local image evidence.
but551	Illustrations to the Book of Job, The Linnell Set	source match	William Blake Archive work API	not checked	0.96	Checked Archive API metadata and GitHub TEI inventory before external fallbacks.
cpd	The Large Color Printed Drawings	image	William Blake Archive image/API metadata	not checked	0.88	Use Archive object/image metadata before museum-catalog corroboration.
cpd	The Large Color Printed Drawings	image	British Museum collection search	not checked	0.58	Use as visual/catalog corroboration for image provenance.
cpd	The Large Color Printed Drawings	image	Tate artist page	not checked	0.52	Use as visual/catalog corroboration when the work is in Tate holdings.
cpd	The Large Color Printed Drawings	image	Blake Quarterly Essick finding list	not checked	0.48	Use as a reproduction finding aid, not as local image evidence.
cpd	The Large Color Printed Drawings	source match	William Blake Archive work API	not checked	0.96	Checked Archive API metadata and GitHub TEI inventory before external fallbacks.

Target ID	Title	Evidence	Candidate source	Status	Confidence	Action
esi	Joseph of Arimathea Among the Rocks of Albion	source match	William Blake Archive work API	not checked	0.96	Checked Archive API metadata and GitHub TEI inventory before external fallbacks.
esv	Job	source match	William Blake Archive work API	not checked	0.96	Checked Archive API metadata and GitHub TEI inventory before external fallbacks.
esvii	Albion rose	source match	William Blake Archive work API	not checked	0.96	Checked Archive API metadata and GitHub TEI inventory before external fallbacks.
esviii	The Accusers of Theft Adultery Murder	source match	William Blake Archive work API	not checked	0.96	Checked Archive API metadata and GitHub TEI inventory before external fallbacks.
esx	Lucifer and the Pope in Hell	source match	William Blake Archive work API	not checked	0.96	Checked Archive API metadata and GitHub TEI inventory before external fallbacks.

Target ID	Title	Evidence	Candidate source	Status	Confidence	Action
esxiv	Experime-ntal Relief Plate	source match	William Blake Archive work API	not checked	0.96	Checked Archive API metadata and GitHub TEI inventory before external fallbacks.
europe	Europe a Prophecy	source match	William Blake Archive work API	not checked	0.96	Checked Archive API metadata and GitHub TEI inventory before external fallbacks.
everlast ing-gospel	The Everlasting Gospel	source match	Project Gutenberg author page	not checked	0.64	Search text-canon fallback holdings for a title or alias match.
everlast ing-gospel	The Everlasting Gospel	source match	Wikisource author page	not checked	0.62	Search public transcription holdings for a title or alias match.
everlast ing-gospel	The Everlasting Gospel	source match	Internet Archive advanced search	not checked	0.56	Search facsimile and edition metadata for title corrobor-ation.
everlast ing-gospel	The Everlasting Gospel	text	Project Gutenberg author page	not checked	0.72	Record as corrobor-ating text evidence only; do not override Archive authority.

Target ID	Title	Evidence	Candidate source	Status	Confidence	Action
everlasting-gospel	The Everlasting Gospel	text	Wikisource author page	not checked	0.68	Record as corroborating transcription evidence when title/alias matches.
everlasting-gospel	The Everlasting Gospel	text	Wikisource	not checked	0.67	manual review: source-owned lead only; exact-title validation, attribution, checksum, rights metadata, and regenerated coverage are required before any target status changes.
everlasting-gospel	The Everlasting Gospel	text	Internet Archive advanced search	not checked	0.62	Record facsimile or derivative-edition evidence as fallback provenance.
everlasting-gospel	The Everlasting Gospel	text	HathiTrust Blake record	not checked	0.56	Use catalog records as bibliographic corroboration, not primary text authority.
gates-child	For Children: The Gates of Paradise	source match	William Blake Archive work API	not checked	0.96	Checked Archive API metadata and GitHub TEI inventory before external fallbacks.

Target ID	Title	Evidence	Candidate source	Status	Confidence	Action
gates-sexes	For the Sexes: The Gates of Paradise	source match	William Blake Archive work API	not checked	0.96	Checked Archive API metadata and GitHub TEI inventory before external fallbacks.
gravepd	Sketches for Robert Blair's The Grave	image	William Blake Archive image/API metadata	not checked	0.88	Use Archive object/image metadata before museum-catalog corroboration.
gravepd	Sketches for Robert Blair's The Grave	image	British Museum collection search	not checked	0.58	Use as visual/catalog corroboration for image provenance.
gravepd	Sketches for Robert Blair's The Grave	image	Tate artist page	not checked	0.52	Use as visual/catalog corroboration when the work is in Tate holdings.
gravepd	Sketches for Robert Blair's The Grave	image	Blake Quarterly Essick finding list	not checked	0.48	Use as a reproduction finding aid, not as local image evidence.
gravepd	Sketches for Robert Blair's The Grave	source match	William Blake Archive work API	not checked	0.96	Checked Archive API metadata and GitHub TEI inventory before external fallbacks.

Target ID	Title	Evidence	Candidate source	Status	Confidence	Action
gravewc	Preliminary Illustrations to Robert Blair's The Grave	image	William Blake Archive image/API metadata	not checked	0.88	Use Archive object/image metadata before museum-catalog corroboration.
gravewc	Preliminary Illustrations to Robert Blair's The Grave	image	British Museum collection search	not checked	0.58	Use as visual/catalog corroboration for image provenance.
gravewc	Preliminary Illustrations to Robert Blair's The Grave	image	Tate artist page	not checked	0.52	Use as visual/catalog corroboration when the work is in Tate holdings.
gravewc	Preliminary Illustrations to Robert Blair's The Grave	image	Blake Quarterly Essick finding list	not checked	0.48	Use as a reproduction finding aid, not as local image evidence.
gravewc	Preliminary Illustrations to Robert Blair's The Grave	source match	William Blake Archive work API	not checked	0.96	Checked Archive API metadata and GitHub TEI inventory before external fallbacks.
gravewd	Drawings for Robert Blair's The Grave	image	William Blake Archive image/API metadata	not checked	0.88	Use Archive object/image metadata before museum-catalog corroboration.
gravewd	Drawings for Robert Blair's The Grave	image	British Museum collection search	not checked	0.58	Use as visual/catalog corroboration for image provenance.

Target ID	Title	Evidence	Candidate source	Status	Confidence	Action
gravewd	Drawings for Robert Blair's The Grave	image	Tate artist page	not checked	0.52	Use as visual/catalog corroboration when the work is in Tate holdings.
gravewd	Drawings for Robert Blair's The Grave	image	Blake Quarterly Essick finding list	not checked	0.48	Use as a reproduction finding aid, not as local image evidence.
gravewd	Drawings for Robert Blair's The Grave	source match	William Blake Archive work API	not checked	0.96	Checked Archive API metadata and GitHub TEI inventory before external fallbacks.
homer	On Homer's Poetry [and] On Virgil	image	William Blake Archive image/API metadata	not checked	0.88	Use Archive object/image metadata before museum-catalog corroboration.
homer	On Homer's Poetry [and] On Virgil	image	British Museum collection search	not checked	0.58	Use as visual/catalog corroboration for image provenance.
homer	On Homer's Poetry [and] On Virgil	image	Tate artist page	not checked	0.52	Use as visual/catalog corroboration when the work is in Tate holdings.
homer	On Homer's Poetry [and] On Virgil	image	Blake Quarterly Essick finding list	not checked	0.48	Use as a reproduction finding aid, not as local image evidence.

Target ID	Title	Evidence	Candidate source	Status	Confidence	Action
homer	On Homer's Poetry [and] On Virgil	source match	William Blake Archive work API	not checked	0.96	Checked Archive API metadata and GitHub TEI inventory before external fallbacks.
homer	On Homer's Poetry [and] On Virgil	text	William Blake Archive work API	not checked	0.96	Checked Archive API metadata and GitHub TEI inventory before external fallbacks.
homer	On Homer's Poetry [and] On Virgil	text	Blake Archive GitHub TEI inventory	not checked	0.90	Search exact Archive id in the live TEI filename inventory.
homer	On Homer's Poetry [and] On Virgil	text	Project Gutenberg author page	not checked	0.72	Record as corroborating text evidence only; do not override Archive authority.
homer	On Homer's Poetry [and] On Virgil	text	Wikisource author page	not checked	0.68	Record as corroborating transcription evidence when title/alias matches.
homer	On Homer's Poetry [and] On Virgil	text	Internet Archive advanced search	not checked	0.62	Record facsimile or derivative-edition evidence as fallback provenance.

Target ID	Title	Evidence	Candidate source	Status	Confidence	Action
homer	On Homer's Poetry [and] On Virgil	text	HathiTrust Blake record	not checked	0.56	Use catalog records as bibliographic corroboration, not primary text authority.
jerusalem	Jerusalem The Emanation of The Giant Albion	source match	William Blake Archive work API	not checked	0.96	Checked Archive API metadata and GitHub TEI inventory before external fallbacks.
laocoon	Laocoon	image	William Blake Archive image/API metadata	not checked	0.88	Use Archive object/image metadata before museum-catalog corroboration.
laocoon	Laocoon	image	British Museum collection search	not checked	0.58	Use as visual/catalog corroboration for image provenance.
laocoon	Laocoon	image	Tate artist page	not checked	0.52	Use as visual/catalog corroboration when the work is in Tate holdings.
laocoon	Laocoon	image	Blake Quarterly Essick finding list	not checked	0.48	Use as a reproduction finding aid, not as local image evidence.

Target ID	Title	Evidence	Candidate source	Status	Confidence	Action
laocoon	Laocoon	source match	William Blake Archive work API	not checked	0.96	Checked Archive API metadata and GitHub TEI inventory before external fallbacks.
laocoon	Laocoon	text	William Blake Archive work API	not checked	0.96	Checked Archive API metadata and GitHub TEI inventory before external fallbacks.
laocoon	Laocoon	text	Blake Archive GitHub TEI inventory	not checked	0.90	Search exact Archive id in the live TEI filename inventory.
laocoon	Laocoon	text	Project Gutenberg author page	not checked	0.72	Record as corroborating text evidence only; do not override Archive authority.
laocoon	Laocoon	text	Wikisource author page	not checked	0.68	Record as corroborating transcription evidence when title/alias matches.
laocoon	Laocoon	text	Internet Archive advanced search	not checked	0.62	Record facsimile or derivative-edition evidence as fallback provenance.

Target ID	Title	Evidence	Candidate source	Status	Confidence	Action
laocoon	Laocoon	text	HathiTrust Blake record	not checked	0.56	Use catalog records as bibliographic corroboration, not primary text authority.
letters	Letters	source match	William Blake Archive work API	not checked	0.96	Checked Archive API metadata and GitHub TEI inventory before external fallbacks.
letters	Letters	text	William Blake Archive work API	not checked	0.96	Checked Archive API metadata and GitHub TEI inventory before external fallbacks.
letters	Letters	text	Blake Archive GitHub TEI inventory	not checked	0.90	Search exact Archive id in the live TEI filename inventory.
letters	Letters	text	Project Gutenberg author page	not checked	0.72	Record as corroborating text evidence only; do not override Archive authority.
letters	Letters	text	Wikisource author page	not checked	0.68	Record as corroborating transcription evidence when title/alias matches.

Target ID	Title	Evidence	Candidate source	Status	Confidence	Action
letters	Letters	text	Internet Archive advanced search	not checked	0.62	Record facsimile or derivative-edition evidence as fallback provenance.
letters	Letters	text	HathiTrust Blake record	not checked	0.56	Use catalog records as bibliographic corroboration, not primary text authority.
mhh	The Marriage of Heaven and Hell	source match	William Blake Archive work API	not checked	0.96	Checked Archive API metadata and GitHub TEI inventory before external fallbacks.
milton	Milton a Poem	source match	William Blake Archive work API	not checked	0.96	Checked Archive API metadata and GitHub TEI inventory before external fallbacks.
nnr	There is No Natural Religion	source match	William Blake Archive work API	not checked	0.96	Checked Archive API metadata and GitHub TEI inventory before external fallbacks.
pencil1	Pencil Sketches	image	William Blake Archive image/API metadata	not checked	0.88	Use Archive object/image metadata before museum-catalog corroboration.

Target ID	Title	Evidence	Candidate source	Status	Confidence	Action
pencil1	Pencil Sketches	image	British Museum collection search	not checked	0.58	Use as visual/catalog corroboration for image provenance.
pencil1	Pencil Sketches	image	Tate artist page	not checked	0.52	Use as visual/catalog corroboration when the work is in Tate holdings.
pencil1	Pencil Sketches	image	Blake Quarterly Essick finding list	not checked	0.48	Use as a reproduction finding aid, not as local image evidence.
pencil1	Pencil Sketches	source match	William Blake Archive work API	not checked	0.96	Checked Archive API metadata and GitHub TEI inventory before external fallbacks.
s-inn	Songs of Innocence	source match	William Blake Archive work API	not checked	0.96	Checked Archive API metadata and GitHub TEI inventory before external fallbacks.
s-los	The Song of Los	source match	William Blake Archive work API	not checked	0.96	Checked Archive API metadata and GitHub TEI inventory before external fallbacks.

Target ID	Title	Evidence	Candidate source	Status	Confidence	Action
songs-experience	Songs of Experience	image	William Blake Archive image/API metadata	not checked	0.88	Use Archive object/image metadata before museum-catalog corroboration.
songs-experience	Songs of Experience	image	British Museum collection search	not checked	0.58	Use as visual/catalog corroboration for image provenance.
songs-experience	Songs of Experience	image	Tate artist page	not checked	0.52	Use as visual/catalog corroboration when the work is in Tate holdings.
songs-experience	Songs of Experience	image	Blake Quarterly Essick finding list	not checked	0.48	Use as a reproduction finding aid, not as local image evidence.
songs-experience	Songs of Experience	source match	William Blake Archive work API	not checked	0.96	Checked Archive API metadata and GitHub TEI inventory before external fallbacks.
songs-experience	Songs of Experience	text	William Blake Archive work API	not checked	0.96	Checked Archive API metadata and GitHub TEI inventory before external fallbacks.
songs-experience	Songs of Experience	text	Blake Archive GitHub TEI inventory	not checked	0.90	Search exact Archive id in the live TEI filename inventory.

Target ID	Title	Evidence	Candidate source	Status	Confidence	Action
songs-experience	Songs of Experience	text	Project Gutenberg author page	not checked	0.72	Record as corroborating text evidence only; do not override Archive authority.
songs-experience	Songs of Experience	text	Wikisource author page	not checked	0.68	Record as corroborating transcription evidence when title/alias matches.
songs-experience	Songs of Experience	text	Internet Archive advanced search	not checked	0.62	Record facsimile or derivative-edition evidence as fallback provenance.
songs-experience	Songs of Experience	text	HathiTrust Blake record	not checked	0.56	Use catalog records as bibliographic corroboration, not primary text authority.
songsie	Songs of Innocence and of Experience	source match	William Blake Archive work API	not checked	0.96	Checked Archive API metadata and GitHub TEI inventory before external fallbacks.
thel	The Book of Thel	source match	William Blake Archive work API	not checked	0.96	Checked Archive API metadata and GitHub TEI inventory before external fallbacks.

Target ID	Title	Evidence	Candidate source	Status	Confidence	Action
urizen	The First Book of Urizen	source match	William Blake Archive work API	not checked	0.96	Checked Archive API metadata and GitHub TEI inventory before external fallbacks.
vda	Visions of the Daughters of Albion	source match	William Blake Archive work API	not checked	0.96	Checked Archive API metadata and GitHub TEI inventory before external fallbacks.

The manual-review rows include source-owned leads and scholarship controls. For example, Morgan Library page-level records for *The Pickering Manuscript* show that exact page transcriptions can be reviewed, while a single page remains insufficient for whole-work evidence. Conversely, the Blake/An Illustrated Quarterly *Four Zoas* bibliography is review context: it helps explain why *VALA, or The Four Zoas* requires manuscript-aware editorial handling, but it cannot itself satisfy text or image evidence [The Morgan Library & Museum, 2021, 2026, Blake/An Illustrated Quarterly, 2026b]. The table therefore preserves uncertainty as actionable metadata rather than forcing uncertain leads into a binary acquired/missing label.

13 Supplement: Aggregate Image and Evidence Profiles

This public supplement reports aggregate inventory and provenance graphics. The local generator also produces `all_acquired_images_mosaic.png` and `work_area_image_mosaics.png` for private cache inspection. Those mosaics contain provider-supplied images and are excluded from the public manuscript, HTML, and release archives. Their generation does not grant redistribution rights. The public figures below contain project-authored aggregate marks rather than acquired source images [Drucker, 2020, Kirschenbaum, 2008].




Figure 15: Compact target-ledger overview, intended for enlargement in the accompanying PNG. Each tile records the target's ledger status. Text availability (T) and image associations (I) describe only its first matched source/copy record; they do not aggregate all matching copies. Targets without a match show no text and zero image associations. The ledger unit differs from a source/copy record and from a physical image file.




Figure 16: Archive image depth by local source record for the largest image carriers. Bars report resolved object candidates and locally available image associations in retained metadata. Reused physical files can contribute to multiple record-level bars; this is not an independent-image census.




Figure 17: Archive image depth aggregated by target-ledger work area. Counts describe object candidates and local image associations attached to retained records. They do not measure completeness across museum collections or Blake's entire visual oeuvre.




Figure 18: Source-authority tiers attached to local metadata records. Archive-primary identifies a source relationship, not independent verification that every extracted transcription is Blake-authored primary reading text. Reading-text authorship remains a separate classification.

14 Supplement: Rights Matrix for Distribution and Reuse Decisions

The matrix below converts the legal distribution analysis in sec. 7 into a release checklist. It is not a permission grant. It records the default publication posture for each artifact class and the evidence needed to change that posture.

Artifact class	Rights layer	Default public-release rule	Required metadata	Escalation path
Project code, tests, scripts, and project-authored documentation	Project-authored software and prose	Include under the repository license to the extent the authors hold relevant rights	Repository license, authorship, version	Standard software release review
Aggregate counts, coverage tables, checksums, source URLs, authority tiers, and non-image charts	Facts, provenance, and project-authored arrangement	Include with citations and provenance	Source URL, checksum where applicable, authority tier, generation command	Confirm no embedded source expression beyond factual data [Supreme Court of the United States, 1991]
Published Blake-authored underlying works	Underlying public-domain work, separate from edition or file	Treat as low-risk underlying content only	Work title, source edition/provider, publication-history note where known	Recheck item-level publication history for manuscripts or uncertain editions
Project Gutenberg fallback text	Underlying U.S.-unrestricted text plus Project Gutenberg trademark/license wrapper	Include only validated text with Project Gutenberg references handled under the license policy	Source URL, checksum, validation note, branding/license handling	Strip Project Gutenberg references when relying on the underlying text layer, or comply with Project Gutenberg conditions [Project Gutenberg Literary Archive Foundation, 2026]
Wikisource fallback text	Public-domain source text plus contributor/editorial licensing	Include only with attribution and license continuity; do not relicense into MIT	Page URL, revision or retrieval note, attribution, Applicable revision-specific license and attribution metadata, checksum	Use a clean public-domain source or preserve Wikimedia reuse obligations [Wikimedia Foundation, 2026]
William Blake Archive TEI, transcriptions, object images, and bulk mirrors	Provider text/image terms, possible copyright, contract, and fair-use layers	Exclude raw files and mirrors from the public repository	Source URL, object/work id, checksum, local-cache path excluded from release	Seek permission, document venue-specific fair use, or publish acquisition instructions only [The William Blake Archive, n.d.a]

Artifact class	Rights layer	Default public-release rule	Required metadata	Escalation path
Museum, HathiTrust, Internet Archive, Tate, British Museum, and catalogue leads	Provider-specific access and catalogue terms	Use as corroborating metadata unless license-compatible files are identified	Provider URL, checked status, license or terms note	Verify item-level terms before bundling content
Generated cover and project-authored diagrams	Generated design and project-authored marks	Include with provenance and non-evidence label; do not assert exclusive copyright in generated output	Prompt/provenance record, generation command, manuscript role	Keep separate from acquired corpus evidence
Image mosaics and visual supplements made from local source files	New layout containing provider-supplied images	Exclude from general public source release unless cleared for the exact venue	Input file list, source URLs, resolution, caption caveat, permission or fair-use memo	Replace with source-compatible thumbnails, seek permission, or keep as local review artifact

The practical release rule is conservative: publish code, commands, metadata, manifests, and aggregate diagnostics; keep expressive provider files local unless their source-specific rights layer has been resolved. This supports collections-as-data reproducibility without treating the local evidence cache as part of the open-source license [Candela et al., 2023, Wallace, 2022].

15 Supplement: Local Recovery and Integrity Evidence

The captured inventory contains 8481 files totaling 8838179463 bytes and is bound by manifest SHA-256 `7b98377fe3e3f61cf8dd8781d47e5854876c490472419df61b1a7d6689186e96`. Its source scope is the pinned Archive repository and retained Erdman API response, rather than every Blake holding. Source-inventory recovery is `complete`; whole-oeuvre coverage is `not_established`.

The extraction ledger contains 727 source/copy documents and 540 nonempty reading transcriptions. Of those, 199 carry primary-reading labels and 341 retain unverified authorship. The retained Erdman response has 799 page records, of which 796 are nonempty. The private projection contains 2067 records across reading, editorial-page, and XML source planes. These planes have different meanings and are not pooled into a Blake-authored occurrence denominator.

Image recovery obtained 5975 of 6003 discovered image identifiers (99.53%). It leaves 28 unresolved identifiers. The nominal source resolution codes are 5971 files at 300 and 4 at 100; these codes describe requested variants, not independently measured scan resolution. The image-recovery status remains `incomplete`.

The retained portable backup contains 8847564800 bytes, with SHA-256 `9b5004bbbab7cd6c9b68724ded9817d53c9d9a028d018cb97a5d2e61db97235f`. The prior offline restore drill verified 8481 restored files, then deliberately corrupted a copied transcription. Verification rejected that copy before repair restored the inventoried bytes. The drill receipt has SHA-256 `fb74b73e1bfd109eb8fbdbe33018073773005fa30345acaacab2d22f143cec42`. Current integrity verification rechecks the captured files and existing backup; it does not repeat or overwrite the historical restore experiment. This demonstrates recoverability of the captured inventory, not recovery of unknown or unavailable source material.

Raw transcriptions, TEI/XML, images, private indexes, backup archives, and restore copies remain ignored local materials. Public deposits contain project-authored code, manuscript sources, derived aggregate evidence, and checksums. Exact byte identity does not establish transcription accuracy, Blake authorship, scholarly completeness, or redistribution permission [Owens, 2018, Candela et al., 2023].

References

Taylor Arnold and Lauren Tilton. Distant viewing: Analyzing large visual corpora. *Digital Scholarship in the Humanities*, 34(Supplement 1):i3–i16, 2019. doi: 10.1093/llc/fqz013. URL https://academic.oup.com/dsh/article/34/Supplement_1/i3/5694340.

B. T. Sue Atkins, Jeremy Clear, and Nicholas Ostler. Corpus design criteria. *Literary and Linguistic Computing*, 7(1): 1–16, 1992.

G. E. Bentley. *Blake Books: Annotated Catalogues of William Blake's Writings in Illuminated Printing, in Conventional Typography and in Manuscript and Reprints thereof, Reproductions of His Designs, Books with His Engravings, Catalogues, Books He Owned, and Scholarly and Critical Works about Him*. Clarendon Press, Oxford, 1977.

G. E. Bentley. *Blake Books Supplement*. Clarendon Press, Oxford, 1995.

G. E. Bentley. *Blake Records*. Yale University Press, New Haven, CT, 2 edition, 2004.

Douglas Biber. Representativeness in corpus design. *Literary and Linguistic Computing*, 8(4):243–257, 1993.

David Bindman. *The Complete Graphic Works of William Blake*. Thames and Hudson, London, 1978.

Blake/An Illustrated Quarterly. Index of articles and reviews. https://bq.blakearchive.org/articles, 2026a. Journal index consulted for Blake scholarship and article-review discovery.

Blake/An Illustrated Quarterly. A bibliography for the study of VALA/The Four Zoas. https://blakequarterly.org/public/journals/2/BonusFeatures/FourZoasbibliography.htm, 2026b. Work-specific bibliography consulted as scholarship context, not corpus evidence.

David M. Blei. Probabilistic topic models. *Communications of the ACM*, 55(4):77–84, 2012.

David M. Blei, Andrew Y. Ng, and Michael I. Jordan. Latent dirichlet allocation. *Journal of Machine Learning Research*, 3:993–1022, 2003.

Katherine Bode. *A World of Fiction: Digital Collections and the Future of Literary History*. University of Michigan Press, Ann Arbor, MI, 2018. doi: 10.3998/mpub.8784777.

Christine L. Borgman. *Big Data, Little Data, No Data: Scholarship in the Networked World*. MIT Press, Cambridge, MA, 2015. doi: 10.7551/mitpress/9963.001.0001.

Geoffrey C. Bowker and Susan Leigh Star. *Sorting Things Out: Classification and Its Consequences*. MIT Press, Cambridge, MA, 1999.

Lou Burnard. *What Is the Text Encoding Initiative? How to Add Intelligent Markup to Digital Resources*. OpenEdition Press, Marseille, 2014. doi: 10.4000/books.oep.426.

Martin Butlin. *The Paintings and Drawings of William Blake*. Yale University Press, New Haven, CT, 1981.

Gustavo Candela, Nele Gabriëls, Sally Chambers, Thuy-An Pham, Sarah Ames, Neil Fitzgerald, Katrine Hofmann, Victor Harbo, Abigail Potter, Meghan Ferriter, Eileen Manchester, Alba Irollo, Ellen Van Keer, Mahendra Mahey, Olga Holownia, and Milena Dobreva. A checklist to publish collections as data in glam institutions, 2023. URL https://arxiv.org/abs/2304.02603. Collections-as-data checklist consulted for rights-aware release architecture.

Kendal Crawford and Michelle Levy. The william blake archive. *RIDE: A Review Journal for Digital Editions and Resources*, 6, 2017. doi: 10.18716/ride.a.5.5. URL https://ride.i-d-e.de/issues/issue-5/the-william-blake-archive/.

Steven J. DeRose, David G. Durand, Elli Mylonas, and Allen H. Renear. What is text, really? *Journal of Computing in Higher Education*, 1(2):3–26, 1990.

Johanna Drucker. Humanities approaches to graphical display. *Digital Humanities Quarterly*, 5(1), 2011. doi: 10.63744/r4ysrh7ae534.

Johanna Drucker. *Visualization and Interpretation: Humanistic Approaches to Display*. MIT Press, Cambridge, MA, 2020. ISBN 978-0-262-04473-8. doi: 10.7551/mitpress/12523.001.0001. URL https://mitpress.mit.edu/9780262044738/visualization-and-interpretation/.

Morris Eaves. Behind the scenes at the william blake archive: Collaboration takes more than e-mail. *Journal of Electronic Publishing*, 3(2), 1997. doi: 10.3998/3336451.0003.202.

Morris Eaves, Robert N. Essick, and Joseph Viscomi. The william blake archive. https://www.blakearchive.org/, 1996. Editors. Online digital edition of Blake's illuminated books and works.

Morris Eaves, Robert N. Essick, Joseph Viscomi, and Matthew G. Kirschenbaum. Standards, methods, and objectives in the william blake archive: A response. *The Wordsworth Circle*, 30(3):135–144, 1999. doi: 10.1086/TWC24044108.

Morris Eaves, Robert N. Essick, and Joseph Viscomi. The william blake archive: The medium when the millennium is the message. In Tim Fulford, editor, *Romanticism and Millenarianism*, pages 219–233. Palgrave Macmillan, New York, 2002. doi: 10.1057/9780230107205_14.

David V. Erdman. *The Complete Poetry and Prose of William Blake*. Anchor Books, New York, NY, newly revised edition, 1988. Commentary by Harold Bloom.

Robert N. Essick. A finding list of reproductions of blake's art. *Blake: An Illustrated Quarterly*, 3(2), 1969. URL https://bq.blakearchive.org/3.2.essick.

Robert N. Essick. *William Blake, Printmaker*. Princeton University Press, Princeton, NJ, 1980.

European Parliament and Council of the European Union. Directive 2006/116/ec on the term of protection of copyright and certain related rights. https://eur-lex.europa.eu/legal-content/EN/TXT/?uri=CELEX:32006L0116, 2006. European Union copyright-term directive consulted for life-plus-70 and related-rights analysis.

European Parliament and Council of the European Union. Directive (eu) 2019/790 on copyright and related rights in the digital single market. https://eur-lex.europa.eu/eli/dir/2019/790/oj/eng, 2019. Article 14 consulted for faithful reproductions of public-domain visual art.

Julia Flanders and Fotis Jannidis. Data modeling in a digital humanities context: An introduction. In Julia Flanders and Fotis Jannidis, editors, *The Shape of Data in Digital Humanities: Modeling Texts and Text-based Resources*, pages 3–25. Routledge, London, 2019. doi: 10.4324/9781315552941-1. URL https://www.taylorfrancis.com/chapters/edit/10.4324/9781315552941-1/data-modeling-digital-humanities-context-julia-flanders-fotis-jannidis. Copyright year 2019; publisher-deposited online publication date 2018.

Rudolf Flesch. A new readability yardstick. *Journal of Applied Psychology*, 32(3):221–233, 1948. doi: 10.1037/h0057532.

Ashley Reed Fox and Rachel Lee Fletcher. All Relate to Art: The william blake archive and its web of relations. *Digital Humanities Quarterly*, 12(1), 2018. doi: 10.63744/2vvrwm5cmc2g. URL https://www.digitalhumanities.org/dhq/vol/12/1/000372/000372.html.

Gavin Greif, Niclas Griesshaber, and Robin Greif. Multimodal LLMs for OCR, OCR post-correction, and named entity recognition in historical documents, 2025. URL https://arxiv.org/abs/2504.00414. Preprint.

HathiTrust Digital Library. Hathitrust catalog record: William blake. https://catalog.hathitrust.org/Record/102153075, 2026. Bibliographic source used for corpus-source checks.

C. J. Hutto and Eric Gilbert. VADER: A parsimonious rule-based model for sentiment analysis of social media text. *Proceedings of the International AAAI Conference on Web and Social Media*, 8(1):216–225, 2014. doi: 10.1609/icwsm.v8i1.14550.

Internet Archive. Internet archive advanced search. https://archive.org/advancedsearch.php, 2026. Search endpoint used for Blake source discovery checks.

Matthew L. Jockers. *Macroanalysis: Digital Methods and Literary History*. University of Illinois Press, Urbana, IL, 2013. ISBN 978-0-252-07907-8.

Steven E. Jones. The william blake archive: An overview. *Literature Compass*, 3(3):409–416, 2006. doi: 10.1111/j.1741-4113.2006.00331.x.

Evgeny Kim and Roman Klinger. A survey on sentiment and emotion analysis for computational literary studies. *Zeitschrift für digitale Geisteswissenschaften*, 2019.

Matthew G. Kirschenbaum. *Mechanisms: New Media and the Forensic Imagination*. MIT Press, Cambridge, MA, 2008. ISBN 978-0-262-11311-3. doi: 10.7551/mitpress/7393.001.0001. URL https://mitpress.mit.edu/9780262113113/mechanisms/.

Lauren Klein, Meredith Martin, André Brock, Maria Antoniak, Melanie Walsh, Jessica Marie Johnson, Lauren Tilton, and David Mimno. Provocations from the humanities for generative AI research, 2025. URL https://arxiv.org/abs/2502.19190. arXiv preprint, originally submitted 2025; revised version 2026. Not a final peer-reviewed publication.

Lauren F. Klein. The image of absence: Archival silence, data visualization, and james hemings. *American Literature*, 85(4):661–688, 2013. doi: 10.1215/00029831-2367310.

Martin Klein, Herbert Van de Sompel, Robert Sanderson, Harihar Shankar, Lyudmila Balakireva, Ke Zhou, and Richard Tobin. Scholarly context not found: One in five articles suffers from reference rot. *PLOS ONE*, 9(12):e115253, 2014. doi: 10.1371/journal.pone.0115253.

Jinhao Li, Jianzhong Qi, Soyeon Caren Han, and Eun-Jung Holden. MUSEKG: A knowledge graph over museum collections, 2025. URL https://arxiv.org/abs/2511.16014. Preprint.

Jason Mazzone. Copyfraud. *New York University Law Review*, 81:1026–1100, 2006. URL https://www.nyulawreview.org/wp-content/uploads/2018/08/NYULawReview-81-3-Mazzone.pdf.

Philip M. McCarthy and Scott Jarvis. MTLD, vocd-d, and HD-D: A validation study of sophisticated approaches to lexical diversity assessment. *Behavior Research Methods*, 42:381–392, 2010. doi: 10.3758/brm.42.2.381.

Willard McCarty. *Humanities Computing*. Palgrave Macmillan, Basingstoke, 2005. ISBN 978-1-4039-3504-5. doi: 10.1057/9780230504219.

Tony McEnery and Andrew Hardie. *Corpus Linguistics: Method, Theory and Practice*. Cambridge University Press, Cambridge, 2012.

Jerome J. McGann. *The Textual Condition*. Princeton University Press, Princeton, NJ, 1991.

D. F. McKenzie. *Bibliography and the Sociology of Texts*. Cambridge University Press, Cambridge, 1999. doi: 10.1017/cbo9780511483226.

W. J. T. Mitchell. *Picture Theory: Essays on Verbal and Visual Representation*. University of Chicago Press, Chicago, IL, 1994.

Luc Moreau and Paul Groth. PROV-Overview: An overview of the PROV family of documents. https://www.w3.org/TR/prov-overview/, 2013. W3C Working Group Note.

Franco Moretti. Network theory, plot analysis. *New Left Review*, 68:80–102, 2011.

Mark E. J. Newman. *Networks: An Introduction*. Oxford University Press, Oxford, 2010.

Trevor Owens. *The Theory and Craft of Digital Preservation*. Johns Hopkins University Press, Baltimore, MD, 2018. ISBN 978-1-4214-2697-6. doi: 10.1353/book.62324.

Thomas Padilla, Laurie Allen, Hannah Frost, Sarah Potvin, Elizabeth Russey Roke, and Stewart Varner. Always already computational: Collections as data: Final report. Technical report, University of Nebraska–Lincoln Digital Commons, 2019a. URL https://digitalcommons.unl.edu/scholcom/181/. Final report of the Always Already Computational: Collections as Data project.

Thomas Padilla, Laurie Allen, Hannah Frost, Sarah Potvin, Elizabeth Russey Roke, and Stewart Varner. Santa barbara statement on collections as data. https://zenodo.org/records/3066209, 2019b. Version 2 of the Always Already Computational collections-as-data statement.

Bo Pang and Lillian Lee. Opinion mining and sentiment analysis. *Foundations and Trends in Information Retrieval*, 2 (1–2):1–135, 2008. doi: 10.1561/1500000011.

Eitan Adam Pechenick, Christopher M. Danforth, and Peter Sheridan Dodds. Characterizing the google books corpus: Strong limits to inferences of socio-cultural and linguistic evolution. *PLOS ONE*, 10(10):e0137041, 2015. doi: 10.1371/journal.pone.0137041.

Roger D. Peng. Reproducible research in computational science. *Science*, 334(6060):1226–1227, 2011. doi: 10.1126/science.1213847.

Grischka Petri. The public domain vs. the museum: The limits of copyright and reproductions of two-dimensional works of art. *Journal of Conservation and Museum Studies*, 12(1):8, 2014. doi: 10.5334/jcms.1021217. URL https://jcms-journal.com/articles/10.5334/jcms.1021217.

Michael Phillips. *William Blake: The Creation of the Songs*. British Library, London, 2000.

Andrew Piper. *Enumerations: Data and Literary Study*. University of Chicago Press, Chicago, IL, 2018. ISBN 978-0-226-56889-8. doi: 10.7208/chicago/9780226568898.001.0001.

Kenneth M. Price. Edition, project, database, archive, thematic research collection: What's in a name? *Digital Humanities Quarterly*, 3(3), 2009. doi: 10.63744/jjfxfkv55guw.

Project Gutenberg. Project gutenberg: William blake. https://www.gutenberg.org/ebooks/author/295, 2026. Author page used for text-source corroboration.

Project Gutenberg Literary Archive Foundation. The project gutenberg license. https://www.gutenberg.org/policy/license.html, 2026. License and trademark terms consulted for fallback text distribution.

Stephen Ramsay. *Reading Machines: Toward an Algorithmic Criticism*. University of Illinois Press, Urbana, IL, 2011. ISBN 978-0-252-03641-5. URL https://www.press.uillinois.edu/books/?id=p079511.

Ashley Reed. Managing an established digital humanities project: Principles and practices from the twentieth year of the william blake archive. *Digital Humanities Quarterly*, 8(1), 2014. doi: 10.63744/w45pfs4bazky. URL https://www.digitalhumanities.org/dhq/vol/8/1/000174/000174.html.

Luis Rei, Dunja Mladenić, Mareike Dorozynski, Franz Rottensteiner, Thomas Schleider, Raphaël Troncy, Jorge Sebastián Lozano, and Mar Gaitán Salvatella. Multimodal metadata assignment for cultural heritage artifacts. *Multimedia Systems*, 29:847–869, 2023. doi: 10.1007/s00530-022-01025-2. URL https://arxiv.org/abs/2406.00423. Published article; later author preprint is arXiv:2406.00423.

Geoffrey Rockwell and Stéfan Sinclair. *Hermeneutica: Computer-Assisted Interpretation in the Humanities*. MIT Press, Cambridge, MA, 2016. ISBN 978-0-262-03435-9. URL https://mitpress.mit.edu/9780262034359/hermeneutica/.

Patrick Sahle. What is a scholarly digital edition? In Matthew James Driscoll and Elena Pierazzo, editors, *Digital Scholarly Editing: Theories and Practices*, pages 19–40. Open Book Publishers, Cambridge, 2016. doi: 10.11647/OBP.0095.02. URL https://www.openbookpublishers.com/books/10.11647/obp.0095/chapters/10.11647/obp.0095.02.

Geir Kjetil Sandve, Anton Nekrutenko, James Taylor, and Eivind Hovig. Ten simple rules for reproducible computational research. *PLOS Computational Biology*, 9(10):e1003285, 2013. doi: 10.1371/journal.pcbi.1003285.

Arfon M. Smith, Daniel S. Katz, and Kyle E. Niemeyer. Software citation principles. *PeerJ Computer Science*, 2:e86, 2016. doi: 10.7717/peerj-cs.86.

Stian Soiland-Reyes, Peter Sefton, Mercè Crosas, Leyla Jael Castro, Frederik Coppens, José M. Fernández, Daniel Garijo, et al. Packaging research artefacts with RO-Crate. *Data Science*, 5(2):97–138, 2022. doi: 10.3233/DS-210053.

Supreme Court of the United States. Feist publications, inc. v. rural telephone service co., 499 u.s. 340. https://tile.loc.gov/storage-services/service/ll/usrep/usrep499/usrep499340/usrep499340.pdf, 1991. Case consulted for originality, facts, and compilation-protection limits.

Tate. William blake. https://www.tate.org.uk/art/artists/william-blake-39, 2026. Artist catalogue page used for visual-source corroboration.

TEI Consortium. TEI P5: Guidelines for electronic text encoding and interchange. https://tei-c.org/guidelines/p5/, 2026. Versioned guidelines for electronic text encoding.

The British Museum. British museum collection search: William blake. https://www.britishmuseum.org/collection/search?agent=William+Blake, 2026. Visual and catalogue corroboration source.

The Morgan Library & Museum. William blake's pickering manuscript. https://www.themorgan.org/collection/william-blake/pickering-manuscript, 2021. Source-owned digital facsimile and context page consulted as a manual-review lead for the Pickering Manuscript.

The Morgan Library & Museum. MA 2879, pp. 16–17, auguries of innocence. https://www.themorgan.org/collection/william-blake/pickering-manuscript/13, 2026. Page-level Pickering Manuscript record consulted as a manual-review negative-control lead.

The William Blake Archive. William blake archive: Conditions of use. https://terpconnect.umd.edu/~mgk/blake/conditions.html, n.d.a. Historical static conditions page; publication date not established. Consulted 2026-10-23; not treated as a verified current permission grant.

The William Blake Archive. Copyright and permissions. https://blakearchive.org/staticpage/permissionsNEW, n.d.b. Current permissions route; unavailable during the 2026-10-23 publication check. No permission grant inferred.

Fiona J. Tweedie and R. Harald Baayen. How variable may a constant be? measures of lexical richness in perspective. *Computers and the Humanities*, 32:323–352, 1998.

UK Intellectual Property Office. Copyright notice: Duration of copyright (term). https://www.gov.uk/government/publications/copyright-notice-duration-of-copyright-term/copyright-notice-duration-of-copyright-term, 2021. Guidance consulted for UK duration and pre-1989 unpublished-work rules.

Ted Underwood. *Distant Horizons: Digital Evidence and Literary Change*. University of Chicago Press, Chicago, IL, 2019. ISBN 978-0-226-61297-3. doi: 10.7208/chicago/9780226612973.001.0001.

United States Court of Appeals for the Ninth Circuit. Nguyen v. barnes & noble inc., 763 f.3d 1171. https://cdn.ca9.uscourts.gov/datastore/opinions/2014/08/18/12-56628.pdf, 2014. Browsewrap case consulted for online terms notice and assent.

United States Court of Appeals for the Second Circuit. Specht v. netscape communications corp., 306 f.3d 17. https://law.justia.com/cases/federal/appellate-courts/F3/306/17/642323/, 2002. Online-assent case consulted for notice and assent limits.

United States Court of Appeals for the Second Circuit. Authors guild, inc. v. hathitrust, 755 f.3d 87. https://law.justia.com/cases/federal/appellate-courts/ca2/12-4547/12-4547-2014-06-10.html, 2014. Fair-use case consulted for search and accessibility analogies.

United States Court of Appeals for the Second Circuit. Authors guild v. google, inc., 804 f.3d 202. https://law.justia.com/cases/federal/appellate-courts/ca2/13-4829/13-4829-2015-10-16.html, 2015. Fair-use case consulted for search, indexing, and snippet-display analogies.

United States District Court for the Southern District of New York. Bridgeman art library, ltd. v. corel corp., 36 f. supp. 2d 191. https://law.justia.com/cases/federal/district-courts/FSupp2/36/191/2413183/, 1999. Case consulted for U.S. originality treatment of exact photographic copies of public-domain two-dimensional art.

U.S. Copyright Office. Chapter 1: Subject matter and scope of copyright. https://www.copyright.gov/title17/92chap1.html, 2026a. Section 107 consulted for the use-specific fair-use factors; accessed 2026-10-23.

U.S. Copyright Office. Chapter 3: Duration of copyright. https://www.copyright.gov/title17/92chap3.html, 2026b. Title 17 duration provisions consulted for publication legal-risk analysis.

U.S. Copyright Office. Circular 15a: Duration of copyright. https://www.copyright.gov/circs/circ15a.pdf, 2026c. Revised April 2026; consulted for public-domain and pre-1978 duration rules.

Herbert Van de Sompel, Michael L. Nelson, and Robert Sanderson. HTTP framework for time-based access to resource states–memento. Technical Report RFC 7089, RFC Editor, 2013.

Joseph Viscomi. *Blake and the Idea of the Book*. Princeton University Press, Princeton, NJ, 1993. ISBN 978-0-691-06962-4.

Joseph Viscomi. Digital facsimiles: Reading the william blake archive. *Computers and the Humanities*, 36(1):27–48, 2002.

Andrea Wallace. A culture of copyright: A scoping study on open access to digital cultural heritage collections in the uk. Technical report, Towards a National Collection, 2022. URL https://zenodo.org/records/6242611.

Scott B. Weingart. Demystifying networks. *Journal of Digital Humanities*, 1(1), 2011.

Melvin Wevers and Thomas Smits. The visual digital turn: Using neural networks to study historical images. *Digital Scholarship in the Humanities*, 35(1):194–207, 2020. doi: 10.1093/llc/fqy085. URL https://academic.oup.com/dsh/article/35/1/194/5296356.

Roger Whitson and Jason Whittaker. *William Blake and the Digital Humanities: Collaboration, Participation, and Social Media*. Routledge, New York, NY, 2013. doi: 10.4324/9780203078068.

Wikimedia Foundation. Wikimedia foundation terms of use. https://foundation.wikimedia.org/wiki/Policy:Terms_of_Use, 2026. Terms consulted for Wikisource contribution and reuse licensing.

Wikisource contributors. Author: William blake. https://en.wikisource.org/wiki/Author:William_Blake, 2026. Public text index used for source corroboration.

Matthew Wilkens. Digital humanities and its application in the study of literature and culture. *Comparative Literature*, 67(1):11–20, 2015. doi: 10.1215/00104124-2861911.

Mark D. Wilkinson, Michel Dumontier, IJsbrand Jan Aalbersberg, et al. The FAIR guiding principles for scientific data management and stewardship. *Scientific Data*, 3:160018, 2016. doi: 10.1038/sdata.2016.18.

Greg Wilson, D. A. Aruliah, C. Titus Brown, Neil P. Chue Hong, Matt Davis, Richard T. Guy, Steven H. D. Haddock, et al. Best practices for scientific computing. *PLOS Biology*, 12(1):e1001745, 2014. doi: 10.1371/journal.pbio.1001745.

Yale Library. William blake: Collection lists. https://guides.library.yale.edu/blake/blakeatyale, 2026. Institutional collection guide consulted as corroborating source-discovery context.

Yang Zhang, Nada Mimouni, Jean-Claude Moissinac, and Fayçal Hamdi. Multimodal cultural heritage knowledge graph extension with language and vision models, 2026. URL https://arxiv.org/abs/2605.17669. Preprint.