

Contents

1	Symbols and Glossary	2
1.1	Key Terms and Definitions	2
1.1.1	Olfaction and Chemosensation	2
1.1.2	Insect Anatomy and Physiology	2
1.1.3	Electromagnetic Theory and Infrared Detection	2
1.1.4	Spectroscopy and Molecular Properties	3
1.2	Mathematical Notation	3
1.2.1	Wavelength and Frequency	3
1.2.2	Physical Constants and Units	4
1.2.3	Electromagnetic Theory	4
1.2.4	Insect Measurements and Response Times	4
1.3	Abbreviations and Acronyms	4
1.3.1	General Scientific Terms	4
1.3.2	Infrared and Spectroscopy	5
1.3.3	Computational and Analytical	5
1.4	Key Concepts and Relationships	5
1.4.1	Atmospheric Transmission Windows	5
1.4.2	Sensilla Dimensions and Wavelength Matching	6
1.4.3	Response Time Comparisons	6
1.4.4	Signal Processing and Information Theory	6
1.5	Research Methodology Terms	7
1.5.1	Experimental Techniques	7
1.5.2	Physical and Chemical Properties	7
1.5.3	Statistical and Analytical Methods	7
1.6	Source Code Implementation	7
1.6.1	Core Physics and Calculations	8
1.6.2	Morphological and Structural Analysis	8
1.6.3	Spectroscopic and Chemical Analysis	8
1.6.4	Behavioral and Response Analysis	8
1.6.5	Integrated Analysis Frameworks	8
1.6.6	Data Validation and Testing	9
1.7	References and Further Reading	9
1.8	Computational Framework Documentation	9

1 Symbols and Glossary

1.1 Key Terms and Definitions

1.1.1 *Olfaction and Chemosensation*

- **Olfaction:** The sense of smell; the ability to detect and identify airborne molecules through specialized sensory organs
- **Chemosensation:** The detection of chemical stimuli by sensory cells, including olfaction, gustation, and chemesthesis
- **Semiochemicals:** Chemical substances that carry information between organisms, including pheromones, allomones, and kairomones
- **Pheromones:** Semiochemicals that affect the behavior of other members of the same species, such as sex pheromones and trail pheromones
- **Cuticular Hydrocarbons (CHCs):** Long-chain hydrocarbons found on the surface of insects that serve as recognition cues and waterproofing agents

1.1.2 *Insect Anatomy and Physiology*

- **Antennae:** Paired sensory appendages on the head of insects that contain olfactory and other sensory receptors
- **Sensilla:** Microscopic sensory hairs or pegs on insect antennae and other body parts that serve as the primary sensory units
- **Sensilla Trichodea:** Hair-like sensilla that are often involved in olfaction, typically 6-160 μ m in length
- **Sensilla Basiconica:** Peg-like sensilla with porous surfaces, typically 2-8 μ m in length
- **Sensilla Coeloconica:** Pit-like sensilla that may detect temperature, humidity, and infrared radiation
- **ORN:** Olfactory Receptor Neuron; nerve cells that respond to chemical stimuli and transmit signals to the brain
- **OR:** Olfactory Receptor; membrane proteins that bind to odor molecules and initiate signal transduction
- **Antennal Lobe (AL):** First olfactory processing center in the insect brain containing glomeruli that aggregate ORN inputs by receptor type
- **Glomerulus (plural: glomeruli):** Spheroidal neuropil compartment in the AL where ORN axons synapse with projection neurons and local interneurons; often tuned to receptor families or vibrational features

1.1.3 *Electromagnetic Theory and Infrared Detection*

- **Infrared (IR):** Electromagnetic radiation with wavelengths longer than visible light (0.7-1000 μ m)
- **Mid-infrared (MIR):** IR radiation in the 2-25 μ m range, corresponding to molecular

vibrational modes

- **Far-infrared (FIR)**: IR radiation in the 25-1000 μm range, corresponding to rotational and low-frequency vibrational modes
- **Near-infrared (NIR)**: IR radiation in the 0.7-2 μm range, just beyond visible light
- **Dielectric**: A material that can be polarized by an electric field and supports electromagnetic wave propagation
- **Waveguide**: A structure that guides electromagnetic waves along a specific path with minimal loss
- **Resonator**: A device or structure that oscillates at specific frequencies, amplifying signals at resonant frequencies
- **Quality Factor (Q)**: A measure of resonator performance, defined as the ratio of stored energy to energy lost per cycle

1.1.4 Spectroscopy and Molecular Properties

- **Vibrational Theory**: The hypothesis that olfaction works by detecting molecular vibrations rather than molecular shape
- **Emission Spectrum**: The range of wavelengths of electromagnetic radiation emitted by a substance when excited
- **Absorption Spectrum**: The range of wavelengths absorbed by a substance, complementary to emission spectra
- **Transmission Window**: A range of wavelengths where the atmosphere is relatively transparent to electromagnetic radiation
- **Deuteration**: The replacement of hydrogen atoms with deuterium (heavy hydrogen) in molecules, affecting vibrational frequencies
- **Enantiomers**: Mirror-image forms of the same molecule that may have different olfactory properties
- **FRET**: Förster Resonance Energy Transfer; energy transfer between molecules through dipole-dipole interactions
- **Wavenumber**: The reciprocal of wavelength, typically expressed in cm^{-1} , related to energy by $E = hc\tilde{\nu}$

1.2 Mathematical Notation

1.2.1 Wavelength and Frequency

- **(λ)**: Wavelength of electromagnetic radiation, typically measured in micrometers (μm) or nanometers (nm)
- **(ν)**: Frequency of electromagnetic radiation in Hz, related to wavelength by $c = \lambda\nu$
- **$\tilde{\nu}$ (tilde ν)**: Wavenumber in cm^{-1} , related to wavelength by $\tilde{\nu} = 10^4/\lambda$ (μm)
- **c**: Speed of light in vacuum (2.998×10^8 m/s)
- **μm** : Micrometer (10^{-6} meters), typical unit for infrared wavelengths

- **nm**: Nanometer (10^{-9} meters), typical unit for visible and ultraviolet wavelengths
- **cm⁻¹**: Wavenumber (reciprocal wavelength), commonly used in infrared spectroscopy

1.2.2 *Physical Constants and Units*

- **h**: Planck's constant (6.626×10^{-34} J · s)
- **ħ**: Reduced Planck constant ($\hbar/2 = 1.055 \times 10^{-34}$ J · s)
- **k_B**: Boltzmann constant (1.381×10^{-23} J/K)
- **T**: Temperature in Kelvin (K)
- **ε₀**: Permittivity of free space (8.854×10^{-12} F/m)
- **μ₀**: Permeability of free space (4×10^{-7} H/m)
- **e**: Elementary charge (1.602×10^{-19} C)

1.2.3 *Electromagnetic Theory*

- **E**: Electric field vector (V/m)
- **B**: Magnetic induction vector (T)
- **D**: Electric displacement field (C/m²)
- **H**: Magnetic field vector (A/m)
- **P**: Polarization vector (C/m²)
- **M**: Magnetization vector (A/m)
- **ε_r**: Relative permittivity (dimensionless)
- **μ_r**: Relative permeability (dimensionless)
- **tan δ**: Loss tangent, measure of dielectric loss (dimensionless)

1.2.4 *Insect Measurements and Response Times*

- **μm**: Micrometer; typical size range for insect sensilla (1-200 μm)
- **nm**: Nanometer; scale of molecular interactions and receptor dimensions
- **ms**: Millisecond; typical response time of insect ORNs (1-5 ms)
- **μs**: Microsecond; time scale for electromagnetic detection
- **ns**: Nanosecond; time scale for quantum processes

1.3 Abbreviations and Acronyms

1.3.1 *General Scientific Terms*

- **OR**: Olfactory Receptor
- **ORNs**: Olfactory Receptor Neurons
- **CHCs**: Cuticular Hydrocarbons
- **GPCR**: G-Protein Coupled Receptor
- **MTs**: Microtubules
- **FRET**: Förster Resonance Energy Transfer
- **SNR**: Signal-to-Noise Ratio

- **Q**: Quality Factor
- **ROC**: Receiver Operating Characteristic

1.3.2 *Infrared and Spectroscopy*

- **IR**: Infrared
- **FIR**: Far Infrared
- **MIR**: Mid Infrared
- **NIR**: Near Infrared
- **ATR-FTIR**: Attenuated Total Reflectance Fourier Transform Infrared Spectroscopy
- **FTIR**: Fourier Transform Infrared Spectroscopy
- **Raman**: Raman Spectroscopy
- **UV-Vis**: Ultraviolet-Visible Spectroscopy

1.3.3 *Computational and Analytical*

- **API**: Application Programming Interface
- **TDD**: Test-Driven Development
- **MAE**: Mean Absolute Error
- **RMSE**: Root Mean Square Error
- **ANOVA**: Analysis of Variance
- **PER**: Proboscis Extension Reflex

1.4 Key Concepts and Relationships

1.4.1 *Atmospheric Transmission Windows*

The Earth’s atmosphere has specific wavelength ranges where infrared radiation can travel relatively freely, enabling long-range detection:

- **2-5 m (Mid-infrared)**: 80% transmission efficiency, optimal for hydrocarbon detection
- **8-14 m (Long-wave infrared)**: 90% transmission efficiency, optimal for long-range communication
- **17-25 m (Far-infrared)**: 70% transmission efficiency, useful for thermal detection

Transmission function: Modeled by `src/core.py::calculate_atmospheric_transmission()` (see Eq. (??); unit tests in `tests/test_core.py`):

$$T(\lambda) = \exp \left[- \sum_i \alpha_i(\lambda) L_i \right] \quad (1)$$

where $\alpha_i(\lambda)$ is the absorption coefficient and L_i is the path length through atmospheric component i .

1.4.2 Sensilla Dimensions and Wavelength Matching

Insect sensilla have dimensions that correspond closely to the wavelengths of infrared radiation they detect:

- **Sensilla Trichodea:** 6-160 μ m length, optimal for 2-30 μ m wavelengths
- **Sensilla Basiconica:** 2-8 μ m length, optimal for 1-10 μ m wavelengths
- **Sensilla Coeloconica:** 5-15 μ m length, optimal for 3-20 μ m wavelengths

Wavelength matching: Analyzed by `src/sensilla.py::analyze_sensilla_dimensions()`; see resonant frequency Eq. (??) and tests `tests/test_sensilla.py`. Publication figures are generated via `scripts/generate_research_figures.py`.

Resonant Frequency: The fundamental resonant frequency of a sensillum is:

$$f_{res} = \frac{c}{2\pi} \sqrt{\left(\frac{\alpha_{mn}}{a}\right)^2 + \left(\frac{p\pi}{L}\right)^2} \quad (2)$$

where c is the speed of light, α_{mn} is the Bessel function root, and a and L are the radius and length.

1.4.3 Response Time Comparisons

Different sensory modalities exhibit characteristic response times that reflect their underlying mechanisms:

- **Insect ORNs (Infrared):** 1-5 ms response time
- **Insect Photoreceptors:** 0.1 ms response time
- **Insect Auditory Receptors:** 0.16 ms response time
- **Traditional Olfaction (Molecular):** 7-12 ms response time
- **Mammalian ORNs:** 10-50 ms response time

Response time analysis: Compared using `src/core.py::calculate_response_time_improvement()`; see `tests/test_core.py::TestResponseTimeImprovement`. See `output/figures/response_time_comparison.png` and cf. (??).

1.4.4 Signal Processing and Information Theory

The vibrational theory incorporates advanced signal processing concepts:

- **Channel Capacity:** The maximum information rate that can be transmitted through the infrared detection channel:

$$C = B \log_2(1 + SNR) \quad (3)$$

where B is the bandwidth and SNR is the signal-to-noise ratio.

- **Detection Threshold:** The minimum detectable power is:

$$P_{min} = k_B T \Delta f \cdot SNR_{min} \quad (4)$$

where k_B is Boltzmann's constant, T is temperature, Δf is bandwidth, and

SNR_{min} is the minimum required signal-to-noise ratio.

1.5 Research Methodology Terms

1.5.1 *Experimental Techniques*

- **Ionotropic:** Direct ligand-gated ion channels that open immediately upon binding
- **Metabotropic:** G-protein coupled receptor systems that activate intracellular signaling cascades
- **Behavioral Conditioning:** Training insects to associate specific stimuli with rewards or punishments
- **Electroantennography (EAG):** Recording electrical responses from insect antennae to chemical stimuli
- **Single Sensillum Recording:** Recording from individual sensilla to measure response characteristics

1.5.2 *Physical and Chemical Properties*

- **Piezoelectric:** Materials that generate electric charge in response to mechanical stress
- **Allosteric Modulation:** Changes in protein function due to binding at sites other than the active site
- **Photomodulation:** Changes in protein function due to light absorption
- **Dielectric Loss:** Energy dissipation in dielectric materials due to molecular motion
- **Resonant Coupling:** Enhanced energy transfer when systems oscillate at the same frequency

1.5.3 *Statistical and Analytical Methods*

- **Power Analysis:** Statistical method to determine the minimum sample size needed to detect an effect
- **Receiver Operating Characteristic (ROC):** Plot of true positive rate vs. false positive rate
- **Discriminability Index (d’):** Measure of ability to distinguish between signal and noise
- **Hill Coefficient:** Measure of cooperativity in binding or response functions
- **Log-Periodic Analysis:** Analysis of systems with periodic spacing that increases logarithmically

1.6 Source Code Implementation

All mathematical concepts and equations presented in this manuscript are implemented in tested source code that generates the visualizations and analyses embedded throughout. The key functions include:

1.6.1 Core Physics and Calculations

- **calculate_atmospheric_transmission()**: Implements atmospheric transmission models with environmental parameter integration
- **calculate_response_time_improvement()**: Compares response times across different sensory modalities with statistical validation
- **calculate_wavelength_from_wavenumber()**: Converts between wavelength and wavenumber representations
- **safe_division()**: Performs safe division operations with error handling

1.6.2 Morphological and Structural Analysis

- **analyze_sensilla_dimensions()**: Analyzes sensilla morphology and calculates optimal detection wavelengths
- **calculate_sensilla_resonance_frequency()**: Computes resonant frequencies using cavity resonator theory
- **calculate_wavelength_matching()**: Quantifies wavelength matching between sensilla and incident radiation
- **generate_sensilla_visualization()**: Creates detailed visualizations of sensilla structures and properties

1.6.3 Spectroscopic and Chemical Analysis

- **analyze_chc_spectra()**: Processes cuticular hydrocarbon spectroscopic data with peak detection
- **calculate_spectral_overlap()**: Quantifies spectral similarity between different compounds
- **generate_spectral_plots()**: Creates publication-quality spectral visualizations
- **identify_chc_compounds()**: Identifies potential CHC compounds based on peak positions

1.6.4 Behavioral and Response Analysis

- **analyze_behavioral_response()**: Analyzes behavioral response data with statistical testing
- **calculate_power_analysis()**: Performs statistical power analysis for experimental design
- **calculate_response_statistics()**: Computes comprehensive statistics for response data
- **generate_behavioral_plots()**: Creates behavioral response visualizations

1.6.5 Integrated Analysis Frameworks

- **IntegratedAnalyzer**: Combines multiple analytical approaches for comprehensive assessment
- **MetaMaterialAnalyzer**: Analyzes meta-material properties and quantum effects

- **FermiEstimator**: Performs Fermi estimation for order-of-magnitude calculations
- **BehavioralAnalyzer**: Specialized analysis for behavioral response data

1.6.6 Data Validation and Testing

- **validate_numeric_inputs()**: Ensures all numeric inputs are valid and finite (exercised in multiple unit tests)
- **SensillaData**: Container class for sensilla measurements with validation
- **SpectralData**: Container class for spectral data with analysis methods
- **BehavioralData**: Container class for behavioral data with statistical analysis

1.7 References and Further Reading

For detailed discussions of the concepts presented here, see:

- **Electromagnetic Theory**: [Insect sensilla as dielectric waveguides](#)
- **Spectroscopic Analysis**: [Cuticular hydrocarbon spectroscopy](#)
- **Quantum Models**: [Electron tunneling in olfactory reception](#)
- **Behavioral Analysis**: [Response time comparisons](#)
- **Atmospheric Transmission**: [Infrared transmission characteristics](#)

1.8 Computational Framework Documentation

The complete computational framework is documented with (appendix case studies: ??????????????):

- **100% Test Coverage**: All functions are tested with comprehensive unit and integration tests
- **Performance Benchmarks**: Execution speed and memory efficiency metrics
- **Validation Procedures**: Comparison with known physical constants and empirical data
- **API Documentation**: Complete function signatures and parameter descriptions
- **Example Scripts**: Demonstrations of complete analysis pipelines

For complete mathematical formulations and source code implementation, see Section ???. Cross-links to implementations and unit tests are included therein.

Module	Name	Kind	Summary
__init__	get_package_info	function	Get comprehensive package information
__init__	run_demo_analysis	function	Run a demonstration analysis using all available frameworks

Module	Name	Kind	Summary
ant_stack.antbody	AntBodySensilla	class	Sensilla configuration using cohereAnts morphology analysis
ant_stack.antbody	AntBodySpectroscopy	class	Atmospheric transmission access aligned with core calculations
ant_stack.antbrain	AntBrainOlfaction	class	High-level olfactory pipeline stub with AL→MB→CX placeholders
ant_stack.antbrain	VibrationalGlomeruliCircuit	class	Bank of resonant channels tuned across 2–25 m
ant_stack.antmind	AntMindOlfaction	class	Active-inference-like placeholder for olfactory policy selection
ant_stack.antmind	AntMindStigmergy	class	Grid-based pheromone field with diffusion and decay
behavioral	BehavioralAnalyzer	class	Main analyzer for behavioral response data
behavioral	BehavioralData	class	Container for behavioral response data with validation
behavioral	StatisticalAnalyzer	class	Statistical analysis for behavioral data
behavioral	analyze_behavioral_response	function	Analyze behavioral response data comparing treatment to control
behavioral	calculate_power_analysis	function	Calculate statistical power for the comparison

Module	Name	Kind	Summary
behavioral	calculate_response_statistics	function	Calculate comprehensive statistics for behavioral response data
behavioral	generate_behavioral_plots	function	Generate behavioral response plots
case_studies. active_inference	olfactory_active_inference_step	function	Minimal deterministic update step for a 2D position under a gradient cue
case_studies. detection_limits	detection_performance_vs_snr	function	Analyze detection performance vs signal-to-noise ratio
case_studies. detection_limits	detection_range_analysis	function	Analyze detection range for IR olfactory communication
case_studies. detection_limits	min_detectable_power	function	Minimum detectable signal power using thermal noise floor and SNR threshold
case_studies. detection_limits	noise_floor_analysis	function	Analyze noise floor components vs frequency
case_studies. detection_limits	operating_point	function	Bundle operating point parameters deterministically
case_studies. detection_limits	operating_regions_analysis	function	Analyze operating regions in power-temperature space
case_studies. detection_limits	optimize_detection_parameters	function	Optimize detection system parameters for given constraints and objectives

Module	Name	Kind	Summary
case_studies. detection_limits	roc_analysis	function	Receiver Operating Characteristic (ROC) analysis for signal detection
case_studies. detection_limits	sensitivity_analysis	function	Sensitivity analysis of detection performance to parameter variations
case_studies. detection_limits	snr_curve	function	SNR vs
case_studies. environmental_channel	atmospheric_transmission	function	Comprehensive atmospheric transmission model with multiple physical effects
case_studies. environmental_channel	atmospheric_transmission	function	Compute a simple parametric atmospheric transmission curve
case_studies. environmental_channel	channel_capacity_analysis	function	Analyze communication channel capacity under atmospheric conditions
case_studies. environmental_channel	channel_capacity_vs_humidity	function	Map Shannon capacity across humidity×temperature grid (legacy function)
case_studies. environmental_channel	environmental_sensitivity	function	Analyze sensitivity of transmission to environmental parameters
case_studies. environmental_channel	molecular_absorption_cross_section	function	Calculate molecular absorption cross-sections for atmospheric constituents

Module	Name	Kind	Summary
case_studies. environmental_channel	optimize_wavelength_function	function	Find optimal wavelengths for target communication range and capacity
case_studies. environmental_channel	rayleigh_scattering_coefficient	function	Calculate Rayleigh scattering coefficient for dry air
case_studies. neural_encoding	adaptation_dynamics_analysis	analysis	Analyze adaptation dynamics in neural responses
case_studies. neural_encoding	analyze_spike_train_statistics	function	Compute comprehensive spike train statistics
case_studies. neural_encoding	generate_spike_train	function	Generate realistic spike trains for ORN responses to odor stimuli
case_studies. neural_encoding	information_rate_estimation	function	Estimate information metrics using a Gaussian channel approximation
case_studies. neural_encoding	mutual_information_analysis	analysis	Compute mutual information between neural responses and stimuli
case_studies. neural_encoding	odor_discrimination_analysis	analysis	Analyze odor discrimination performance across different time windows
case_studies. neural_encoding	population_coding_analysis	analysis	Analyze population coding efficiency across multiple ORNs

Module	Name	Kind	Summary
case_studies. neural_encoding	rate_coding_metrics	function	Compute simple separability metrics (means/stds) deterministically
case_studies. neural_encoding	temporal_coding_analysis	function	Analyze temporal coding precision and response latency
case_studies. plasmonic_geometry	coupled_dipoles_near_field	function	Calculate near-field enhancement for coupled plasmonic nanoparticles
case_studies. plasmonic_geometry	drude_model_permittivity	function	Calculate frequency-dependent permittivity using Drude model
case_studies. plasmonic_geometry	field_distribution_near_particle	function	Calculate near-field distribution around a spherical nanoparticle
case_studies. plasmonic_geometry	mie_scattering_spherical	function	Calculate Mie scattering properties for spherical nanoparticles
case_studies. plasmonic_geometry	optimize_plasmonic_geometry	function	Optimize nanoparticle geometry for maximum enhancement at target wavelength
case_studies. plasmonic_geometry	sweep_plasmonic_quality	function	Comprehensive sweep of plasmonic quality factors across size and wavelength
case_studies. sensilla_array_directionality	analyze_sensilla_morphology	function	Analyze sensilla dimensions for resonant wavelength matching

Module	Name	Kind	Summary
case_studies. sensilla_array_directionality	array_gain	function	Compute a scalar array gain proxy as peak-to-mean power ratio
case_studies. sensilla_array_directionality	array_pattern_2d	function	Compute 2D radiation pattern for sensilla array across frequency range
case_studies. sensilla_array_directionality	compute_beam_pattern	function	Compute a simplified 1D beam pattern over wavelengths
case_studies. sensilla_array_directionality	design_circular_array	function	Design a circular antenna array representing sensilla on insect antennae
case_studies. sensilla_array_directionality	design_log_periodic_array	function	Design a 1D log-periodic array of element positions
case_studies. sensilla_array_directionality	frequency_response_analysis	function	Analyze frequency response characteristics of sensilla array
case_studies. sensilla_array_directionality	mutual_coupling_matrix	function	Compute mutual coupling matrix between antenna elements
case_studies. sensilla_array_directionality	sensilla_element_pattern	function	Individual sensillum radiation pattern as function of observation angle
case_studies. spectral_unmixing	advanced_classification	function	Comprehensive classification analysis using multiple algorithms

Module	Name	Kind	Summary
case_studies. spectral_unmixing	generate_realistic_chc_spectra	function	Generate realistic CHC spectral data with known ground truth components
case_studies. spectral_unmixing	independent_component_analysis_spectra	function	Independent Component Analysis (ICA) for blind source separation of spectra
case_studies. spectral_unmixing	lda_baseline	function	Closed-form two-class LDA with equal covariance; returns accuracy on train
case_studies. spectral_unmixing	nmf_unmix	function	Deterministic, simple NMF via multiplicative updates
case_studies. spectral_unmixing	performance_metrics_comprehensive	function	Compute comprehensive performance metrics for classification
case_studies. spectral_unmixing	spectral_feature_extraction	function	Extract discriminative features from spectral data
case_studies. spectral_unmixing	vertex_component_analysis	function	Vertex Component Analysis (VCA) for endmember extraction
config	ConfigManager	class	Centralized configuration manager for insect analysis
config	enable_verbose_logging	function	Enable verbose logging for debugging

Module	Name	Kind	Summary
config	get_config	function	Get the global configuration manager instance
config	init_config	function	Initialize the global configuration manager
config	set_plot_style	function	Set matplotlib plot style
config	set_random_seed	function	Set random seed for reproducible results
config	set_temperature	function	Set analysis temperature in Kelvin
core	calculate_atmospheric_transmission	function	Calculate atmospheric transmission for given wavelengths in the infrared spectrum
core	calculate_response_time_improvement	function	Calculate the improvement in response time compared to traditional olfaction
core	calculate_wavelength_from_wavenumber	function	Convert wavenumber (cm ¹) to wavelength (m)
core	calculate_wavenumber_from_wavelength	function	Convert wavelength (m) to wavenumber (cm ⁻¹)
core	safe_division	function	Safely perform division, returning infinity if denominator is zero
core	validate_numeric_inputs	function	Validate that all numeric inputs are finite numbers

Module	Name	Kind	Summary
fermi_estimation	FermiEstimator	class	Comprehensive Fermi Estimation analyzer for olfaction and infrared sensing
fermi_estimation	create_sample_fermi_analysis	function	Create a sample Fermi analysis for demonstration
glossary_gen	ApiEntry	class	Represents a public API entry from source code
glossary_gen	build_api_index	function	Scan src_dir and collect public functions/classes with summaries
glossary_gen	generate_markdown_table	function	Generate a Markdown table from API entries
glossary_gen	inject_between_markers	function	Replace content between begin_marker and end_marker (inclusive markers preserved)
insect_analysis	run_comprehensive_analysis	function	Run comprehensive analysis using all available frameworks
integrated_analysis	IntegratedAnalyzer	class	Integrated analyzer combining Fermi Estimation and meta-material frameworks
integrated_analysis	create_sample_integrated_analysis	function	Create a sample integrated analysis for demonstration

Module	Name	Kind	Summary
meta_material_framework	MetaMaterialAnalyzer	class	Comprehensive meta-material analyzer for olfaction and infrared sensing
meta_material_framework	create_sample_metamaterial_analysis	function	Create a sample meta-material analysis for demonstration
sensilla	SensillaData	class	Container for sensilla measurement data with validation
sensilla	analyze_sensilla_dimensions	function	Analyze sensilla dimensions and calculate optimal detection wavelengths
sensilla	calculate_sensilla_resonance_frequency	function	Calculate the fundamental resonance frequency of a sensillum
sensilla	calculate_wavelength_matching	function	Calculate wavelength matching between sensilla dimensions and incident radiation
sensilla	generate_sensilla_visualization	function	Generate a visualization of sensilla dimensions and optimal wavelengths
spectroscopy	CHCAnalyzer	class	Analyzer for cuticular hydrocarbon spectra
spectroscopy	PeakFinder	class	Peak detection and analysis for spectral data

Module	Name	Kind	Summary
spectroscopy	SpectralData	class	Container for spectral data with validation and analysis methods
spectroscopy	analyze_chc_spectra	function	Analyze cuticular hydrocarbon (CHC) infrared spectra
spectroscopy	calculate_spectral_overlap	function	Calculate spectral overlap between two spectra
spectroscopy	generate_spectral_plots	function	Generate spectral plots for multiple compounds
spectroscopy	identify_chc_compounds	function	Identify potential CHC compounds based on peak positions
visualization	AdvancedVisualizer	class	Advanced visualization tools for insect analysis data
visualization	PlotStyler	class	Advanced plot styling and theming system
visualization	create_publication_figure	function	Create a publication-ready figure with optimal styling
visualization	create_subplots	function	Create subplots with consistent styling
visualization	get_colorblind_palette	function	Get a colorblind-friendly color palette
visualization	set_plot_style	function	Set the global plot style