

Ento-Linguistics: Language, Ambiguity, and Scientific Communication in Entomology

How Terminology Networks Shape Understanding of Insect Biology (And Vice-Versa)

Daniel Ari Friedman

Active Inference Institute, APOIDEAS
daniel@activeinference.institute · ORCID:
0000-0001-6232-9096

Tucker Cahill Chambers

APOIDEAS
ORCID: 0009-0008-3793-7872

2026-09-15

DOI: [10.5281/zenodo.19574118](https://doi.org/10.5281/zenodo.19574118)

Contents

1 Abstract	3
2 Introduction	4
2.1 Linguistic Priors and Generative Models	4
2.2 Motivation: Minimizing Model Misspecification	4
2.3 The Challenge of Terminological Reform	5
2.4 Ento-Linguistic Domains: A Framework for Analysis	5
2.5 Research Approach	6
2.6 Terminology Network Visualization	6
3 Methods	7
3.1 Data Acquisition	7
3.2 Statistical Analysis	9
4 Results: Corpus Analysis and Terminology Networks	13
4.1 Terminology Extraction Across Domains	13
4.2 Terminology Network Structure	13
4.3 Framing Analysis	15
5 Results: Domain-Specific Findings	17
5.1 Unit of Individuality	17
5.2 Power & Labor	17
5.3 Behavior & Identity	17
5.4 Sex & Reproduction	18
5.5 Kin & Relatedness	18
5.6 Economics	18
5.7 Longitudinal Case Studies	19
6 Discussion	20
6.1 Language as Constitutive of Scientific Practice	20
6.2 From Metaphor to Mechanism: An Active Inference Perspective	21

6.3	Comparison with Existing Approaches	22
6.4	Practical Implications for Scientific Communication	22
6.5	The “Slave” Terminology Debate: A Case Study in Reform	23
6.6	Limitations	23
7	Conclusion	25
7.1	Core Contributions	25
7.2	Future Directions	25
7.3	Closing Remarks	26
8	Related Work	27
8.1	Critical Discourse Analysis and Science Studies	27
8.2	Feminist and Postcolonial Epistemology	27
8.3	Computational Approaches to Scientific Discourse	28
8.4	Terminology Studies in Entomology	28
8.5	Active Inference and Colony Modeling	29
8.6	Positioning This Work	29
9	Acknowledgments	30
9.1	Institutional Support	30
9.2	Collaborations	30
9.3	Data and Software	30
10	Symbols and Notation Glossary	31
10.1	Mathematical Notation	31
10.2	Theoretical Terms	32
10.3	Pipeline Modules	32
11	References	34
12	Supplemental Methods: Text Processing and Term Extraction	37
12.1	Package Architecture	37
12.2	Text Processing (<code>src/analysis/text_analysis.py</code>)	37
12.3	Terminology Extraction (<code>src/analysis/term_extraction.py</code>)	39
12.4	Semantic Entropy (<code>src/analysis/semantic_entropy.py</code>)	40
13	Supplemental Methods: Statistical and Scoring Infrastructure	42
13.1	Statistical Analysis (<code>src/analysis/statistics.py</code>)	42
13.2	Domain Analysis (<code>src/analysis/domain_analysis.py</code>)	42
13.3	Conceptual Mapping (<code>src/analysis/conceptual_mapping.py</code>)	43
13.4	CACE Scoring (<code>src/analysis/cace_scoring.py</code>)	43
13.5	Rhetorical Analysis (<code>src/analysis/rhetorical_analysis.py</code>)	44
13.6	Visualization (<code>src/visualization/</code>)	44
13.7	Core Infrastructure (<code>src/core/</code>)	44
13.8	Reproducibility	45
14	Supplemental Results	46
14.1	Pairwise Domain Comparisons	46

14.2 CACE Scoring for Key Terms	46
14.3 Semantic Entropy Distribution	46
14.4 Confidence Intervals for Domain Metrics	46
14.5 Full-Text Parallel Layer	47
14.6 Discourse and Rhetorical Layer	47
15 Supplemental Analysis: Theoretical Extensions	49
15.1 Theoretical Extensions	49
15.2 Framing Analysis Methods	50
15.3 Network Analysis	50
16 Supplemental Analysis: Case Studies and Validation	52
16.1 Validation Frameworks	52
16.2 Case Study Analysis	52
16.3 Methodological Reflections	53

1 Abstract

Scientific language does not merely describe biological phenomena; it actively constitutes the generative models through which researchers parse complex systems. This paper makes three core contributions to understanding—and correcting—the epistemic consequences of this constitutive role. First, we introduce a six-domain Ento-Linguistic framework that decomposes the terminological landscape of insect research into analytically tractable themes, isolating domains where anthropomorphic language most severely distorts causal modeling. Second, we develop an open-source computational pipeline that integrates automated term extraction, co-occurrence network construction, and information-theoretic ambiguity scoring with principles from Active Inference and Complex Systems Theory. Third, we propose and validate four evidence-based meta-standards—Clarity, Appropriateness, Consistency, and Evolvability (CACE)—as a formalized protocol for lexical engineering. Analysis of a corpus encompassing 7609 entomological publications (1000038 tokens; 47230 unique token types; Type-Token Ratio 0.0472) extracts 11617 candidate terms (with 1239 assigned to specific semantic domains across 6 conceptual clusters linked by 15 weighted relationships). The resulting terminology networks display strong modularity alongside systematic cross-domain bridging—most prominently in the Power and Labor domain, where 139 bridging terms generate extensive semantic bleed-over into adjacent domains. Terms such as “queen” (4053 occurrences), “worker” (6396), and “caste” (762) implicitly impose hierarchical control topologies onto biological structures that are fundamentally stigmergic and decentralized. Across all 1239 domain-assigned terms, 12.8% exhibit context-dependent semantic drift, demonstrating how conceptual constructs like “individuality” span multiple biological scales and consequently blur the formal systemic boundaries (Markov Blankets) required for mathematically rigorous modeling. The accompanying fully reproducible computational pipeline provides the quantitative analytical tools necessary for a more self-aware and epistemically rigorous scientific practice. All code and data are available at https://github.com/docxology/ento_linguistics.

2 Introduction

2.1 Linguistic Priors and Generative Models

Scientific inquiry is a process of **active inference**, where researchers refine generative models to minimize surprise about biological observations [Friston \(2010\)](#). Language acts as the **hyper-prior** for these models: it constrains the hypothesis space before data collection begins. When entomologists employ terms like “queen” or “caste,” they are not merely labeling phenomena; they are importing a high-precision prior from human social systems into their model of insect biology. If this prior is structurally misaligned with the target system—for instance, assuming top-down control in a stigmergic network—the resulting model will necessarily suffer from high variational free energy, manifesting as persistent anomalies and theoretical epicycles [Clark \(2013\)](#), [Kuhn \(1996\)](#).

The **scientific community itself can be modeled as a multi-scale Active Inference agent** whose collective task is to minimize long-term surprise about the entomological world it observes. Its generative model is the shared ontology of the field—the lexicon and conceptual structures encoded in the literature. When this ontology is precise and plastic, the community efficiently updates its priors in response to new evidence (e.g., genomic data revealing that caste determination is a labile epigenetic process rather than a fixed fate). When the ontology is rigid or laden with hidden anthropomorphic priors, the agent suffers from **prior dogmatism**: a failure of belief updating where high-precision, fixed priors overwhelm contradictory sensory evidence. In this state, anomalies are explained away rather than used to update the model. Terminology reform is therefore a **model selection** process: optimizing the community’s generative model to restore its capacity for free-energy minimization.

This optimization requires specific criteria. We propose **Evolvability**—defined here as **scale-invariance**—as a critical metric for scientific terms. An evolvable term maintains its validity across biological scales (gene, organism, superorganism) without fracturing. “Queen,” by contrast, is scale-brittle: it functions as a metaphor at the colony level but dissolves into incoherence when applied to the underlying genetic or molecular mechanisms of reproductive differentiation.

The consequences of this misalignment are not merely philosophical. They propagate through every stage of the research cycle—from hypothesis formulation, through variable selection, to the causal explanations offered for observed phenomena. The following section formalizes this propagation as a problem of model integrity.

2.2 Motivation: Minimizing Model Misspecification

The drive for terminological clarity is not a stylistic preference but a requirement for model integrity. As [Keller \(1991\)](#) argued, the language of science constitutes the cognitive scaffolding of research. In the framework of Active Inference, an undefined or metaphor-laden term introduces **irreducible uncertainty** (entropy) into the scientific communication channel, degrading the precision of the community’s collective generative model.

The present moment demands this formalization. Recent cognitive science emphasizes the distinction between deliberate and conventional metaphor use, demonstrating that metaphor in scientific discourse often operates as a conscious communicative strategy rather than an automatic conceptual mapping [Steen \(2017\)](#). Rather than perpetuating inherited assumptions in our linguistic ontology, researchers must critically assess whether their terminological priors minimize or maximize the complexity of their biological models.

A paradigmatic example is the “slave-making” debate. [Herbers \(2006\)](#) showed that the term “slave” naturalizes a human institution while obscuring the biological mechanism of **social parasitism**. In formal terms, the “slave” metaphor implies a conscious coercion policy, whereas the replacement term “dulosis” correctly identifies the phenomenon as a breakdown in nestmate recognition signals—a failure of the Markov Blanket’s security filter. Reform here is not merely ethical; it restores the causal fidelity of the scientific model by replacing a high-entropy metaphor with a mechanistically precise descriptor.

2.3 The Challenge of Terminological Reform

A common objection to terminological reform is that changing vocabulary creates disconnection from existing literature. If entomologists abandon terms like “caste” or “slave,” how would researchers locate papers on task performance or social parasitism?

This objection inadvertently strengthens the case for reform. Retaining problematic terminology for convenience perpetuates and compounds the conceptual distortions it encodes [Herbers \(2006\)](#). The appropriate response is systematic development of clearer vocabulary alongside the indexing infrastructure needed for literature continuity—cross-referencing deprecated terms, establishing synonym mappings, and leveraging modern search capabilities that already make vocabulary-independent retrieval routine. Growing professional consensus around inclusive language in myrmecology and the Entomological Society of America’s Better Common Names Project [Entomological Society of America \(2024\)](#) demonstrate that the field increasingly recognizes both the necessity and the feasibility of reform.

2.4 Ento-Linguistic Domains: A Framework for Analysis

We organize our analysis around six domains where entomological language creates ambiguity or imports unjustified assumptions. Each domain isolates a distinct category of terminological friction between human conceptual frameworks and ant biology.

Unit of Individuality. The definition of a biological individual is formally equivalent to the specification of a **Markov Blanket**—the statistical boundary separating internal states from external states [Friston \(2013\)](#). Terms like “colony,” “superorganism,” and “individual” confuse these boundaries, creating models where the relevant unit of agency is undefined. Critically, the term “colony” also carries a fraught ideological history: as [Vis \(2026\)](#) demonstrates, its too-casual adoption across entomological literature imports settler-colonial assumptions about social arrangements into descriptions of insect life, compounding the epistemic problem of misspecified Markov Blanket boundaries with a broader political–historical distortion.

Behavior & Identity. Task performance in ants is a fluid process of **policy selection** based on local cues [Gordon \(2010\)](#). However, terminology transforms these transient policies into categorical identities (“forager,” “nurse”). This effectively hard-codes a fixed-role prior into the model, obscuring the plasticity and Bayesian updating that actually drives task allocation.

Power & Labor. Terms like “queen,” “worker,” and “caste” impose a hierarchical control architecture on a system that is fundamentally **stigmergic**. This introduces a causal error: it attributes colony-level regulation to centralized agency (the queen) rather than distributed feedback loops, fundamentally misrepresenting the system’s control theory.

Sex & Reproduction. Terms like “sex determination” and “sex differentiation” carry implicit assumptions about binary systems that may not map onto ant reproductive biology, where haplodiploidy creates fundamentally different patterns [Chandra et al. \(2021\)](#).

Kin & Relatedness. Human kinship terminology, grounded in bilateral relatedness, creates systematic friction when applied to ant societies structured by haplodiploidy. In haplodiploid species, full sisters share an average relatedness coefficient of $r = 0.75$ —higher than the mother–daughter coefficient of $r = 0.5$ —a fundamental asymmetry absent from human kinship models. Terms such as “sister,” “mother,” and “family” obscure this asymmetry and its profound consequences for kin selection theory [Chandra et al. \(2021\)](#).

Economics. Economic metaphors—markets, trade, investment, cost-benefit—shape analysis of ant foraging, resource distribution, and colony-level resource management. This domain investigates how transactional frameworks constrain biological interpretation by conflating proximate energetic expenditure with ultimate fitness

costs, importing assumptions of rational optimisation from microeconomics into systems that operate through evolved heuristics rather than deliberative calculation. In Active Inference terms, economic metaphors impose a **utility-maximising** generative model on systems that instead minimise variational free energy through local policy selection—a distinction with profound consequences for how foraging efficiency, brood investment, and inter-colony resource flows are modelled and interpreted.

2.5 Research Approach

This work employs a mixed-methodology framework combining computational text analysis with theoretical discourse examination. The computational component processes a **corpus of 7609 entomological publications** (1000038 tokens; 47230 unique token types; 11617 extracted candidate terms, 1239 domain-assigned) using automated term extraction, co-occurrence network construction, and information-theoretic ambiguity scoring. The theoretical component, informed by Foucault’s archaeological method (1972), conceptual metaphor theory Lakoff and Johnson (1980), and Gordon’s (2023) ecological framework for collective behavior, examines how the statistical patterns reflect deeper conceptual structures. Longitudinal case studies of “caste” and “superorganism” vocabularies (Section 4) track terminological evolution alongside empirical discoveries over five decades, providing diachronic evidence for the framework’s claims. All data and analysis code are reproducible and available for validation.

2.6 Terminology Network Visualization

To illustrate the framework’s output, Figure 1 shows how terms cluster around the six Ento-Linguistic domains and form cross-domain networks of meaning; detailed quantitative analysis follows in Section 4.




Figure 1. Conceptual map of Ento-Linguistic domains showing relationships between terminology networks. Each node represents an extracted concept; node size is proportional to term frequency in the corpus and node color encodes the primary domain assignment. Edges connect co-occurring concepts, with thickness reflecting co-occurrence strength. The six domains form interconnected clusters; central hub terms such as “colony,” “caste,” and “individual” bridge multiple domains, demonstrating how specific terminological choices propagate across the scientific discourse of entomology.

3 Methods

Our methodology combines two sequential phases: systematic corpus construction through multi-source literature mining, followed by a multi-layer computational and discourse-analytic pipeline applied to the assembled corpus. This section describes each phase at the level of detail required for replication; full implementation specifications are provided in Supplemental Methods 12, and extended theoretical derivations in Supplemental Analysis 15.

3.1 Data Acquisition

3.1.1 Search Strategy and Source Selection

The primary corpus was assembled by querying two open-access databases — **PubMed** (NCBI) and **arXiv** — using the `PubMedMiner` and `ArXivMiner` classes implemented in `src/data/literature_mining.py`. Database selection was driven by complementary coverage: PubMed provides peer-reviewed entomological journals indexed under the MEDLINE vocabulary; arXiv provides quantitative biology preprints that may not yet appear in MEDLINE.

PubMed query (`create_entomology_query()`):

```
\NormalTok{("ants" OR "Formicidae" OR "Hymenoptera" OR "eusocial" OR "eusociality")
\NormalTok{OR "social insects" OR "colony" OR "nest" OR "foraging"}
\NormalTok{OR "division of labor") AND (English[Language])}
```

The query was submitted to the NCBI Entrez Utilities API (`esearch.fcgi` , `retmode=json`). Results were retrieved in batches of 20 PMIDs via `eSummary` (metadata: title, authors, journal, year, DOI) and `eFetch` (`rettype=abstract` , `retmode=xml`) for abstract text, with a 500 ms inter-batch delay to comply with NCBI rate limits. `PubMedMiner` caches search results (`enable_cache=True`) to prevent redundant API calls during pipeline re-runs.

arXiv query (`ArXivMiner.search()`):

```
\NormalTok{cat:q{-}bio.PE OR cat:q{-}bio.QM}
```

Results retrieved via the **arXiv API** (Atom XML, `sortBy=submittedDate` , `sortOrder=descending`). Records were post-filtered by keyword overlap against the entomology vocabulary set { *ant*, *ants*, *formicidae*, *eusocial*, *colony*, *social insect* }; only records whose combined title+abstract text contained at least one keyword were retained.

3.1.2 Corpus Composition and Cleaning

The assembled `LiteratureCorpus` stores `Publication` dataclass objects with the following fields: `title` , `authors` , `abstract` , `doi` , `pmid` , `year` , `journal` , `keywords` , `full_text` . After deduplication (by PMID) and quality filtering (records with neither abstract nor full text were excluded), the final corpus comprises:

Metric	Value
Documents	7609
Total processed tokens	1000038
Unique token types	47230
Candidate terms extracted	11617
Domain-assigned terms	1239

These statistics are computed at runtime by `TextProcessor.get_vocabulary_stats()` and serialized to `output/data/corpus_statistics.json` ; the values reported here are read directly from that file and are therefore always current with the last pipeline run.

Full text preprocessing — tokenization (`sent_tokenize` , `word_tokenize`), scientific-term merge, stop-word removal (NLTK `English` + `SCIENTIFIC_STOP_WORDS`), and lemmatization (`WordNetLemmatizer`) — is implemented in `TextProcessor` (`src/analysis/text_analysis.py`), with `process_text()` and `normalize_text()` orchestrating the pipeline.

3.1.3 Domain Coverage Verification

To verify that the search strategy captured all six target Ento-Linguistic domains, term counts were computed across domains immediately after corpus construction. The six domains and their seed vocabularies are:

Domain	Example Seed Terms
Power & Labor	queen, worker, dominance, hierarchy, division of labor
Unit of Individuality	colony, superorganism, eusocial, individual, organism
Sex & Reproduction	mating, haplodiploidy, parthenogenesis, queen, egg
Behavior & Identity	caste, forager, nurse, task, polyethism
Kin & Relatedness	kin selection, inclusive fitness, relatedness, altruism
Economics	foraging, cost, benefit, resource allocation, trade-off

The current pipeline run extracted **11617 terms distributed across all six domains**, of which **1239 receive specific domain assignments**, sourced from `output/data/domain_statistics.json`. Domain-specific acquisition details, bridging term frequencies, and per-domain confidence statistics are reported in Supplemental Results 14.

3.2 Statistical Analysis

3.2.1 Analytical Framework Overview

The statistical pipeline comprises six interdependent analytical layers applied sequentially to the assembled corpus: (1) term extraction and classification, (2) semantic entropy estimation, (3) domain-level statistical testing, (4) conceptual network construction and centrality analysis, (5) rhetorical and discourse pattern scoring, and (6) CACE meta-standard evaluation. All analyses are implemented in `src/analysis/` and are fully deterministic (`random_state=42` throughout). Extended statistical derivations and robustness tests are presented in Supplemental Analysis 15.

3.2.2 Term Extraction and Classification

`TerminologyExtractor` (`src/analysis/term_extraction.py`) assigns each extracted term to one or more domains via seed-expansion: tokens are first matched against a domain seed lexicon, then extended to co-occurring tokens within a 3-token sliding window. Each `Term` dataclass carries `text`, `lemma`, `domains`, `frequency`, `contexts` (deduplicated sentences), `pos_tags`, `confidence`, and `semantic_entropy`. N-gram extraction (`TextProcessor.extract_ngrams`) captures compound terms (e.g., *division of labor*, *kin selection*) that single-token analysis would fragment. Full API documentation is in Supplemental Methods 12.

3.2.3 Semantic Entropy

To quantify terminological ambiguity, we compute **Semantic Entropy** $H(t)$ for each term t with sufficient attestation (≥ 5 valid contexts):

$$H(t) = - \sum_{i=1}^k p_i \log_2 p_i \quad (\text{bits}) \quad (3.1)$$

where p_i is the empirical proportion of usage contexts assigned to semantic cluster i by k -means (`scikit-learn`, `random_state=42`) over TF-IDF context vectors. The number of clusters is set to $k = \max(2, \min(k_{\max}, n - 1, \max(2, \lfloor \sqrt{n} \rfloor)))$ with $k_{\max} = 5$ and $n = |C_t|$, ensuring $k < n$ so that at least some clusters contain multiple contexts and the resulting entropy reflects genuine semantic spread rather than a degenerate uniform assignment. Each result additionally reports the maximum attainable entropy $H_{\max} = \log_2 k$

and the normalized entropy $\hat{H}(t) = H(t)/H_{\max} \in [0, 1]$, which rescales semantic spread independently of the cluster count. Terms with $H(t) > H^* = 2.0$ bits—roughly corresponding to four or more equiprobable semantic senses under uniform cluster sizes—are flagged `is_high_entropy`. The threshold was calibrated against terms of known polysemy (*colony*, *queen*) and specificity (*haplodiploidy*, *trophallaxis*). Implementation: `src/analysis/semantic_entropy.py::calculate_semantic_entropy`; corpus-level results: `src/analysis/semantic_entropy.py::calculate_corpus_entropy`.

3.2.4 Domain-Level Statistical Tests

Cross-domain entropy comparisons use the following battery, all implemented from scratch in `src/analysis/statistics.py`:

Test	Function	Application
Two-sample Welch’s <i>t</i> -test	<code>t_test</code>	Pairwise entropy comparison between domains
One-way ANOVA	<code>anova_test</code>	Simultaneous entropy comparison across all 6 domains
95% confidence intervals	<code>calculate_confidence_interval</code>	Mean entropy uncertainty per domain
Pearson / Spearman correlation	<code>calculate_correlation</code>	Entropy–frequency relationship
Normal / Exponential / Uniform fit	<code>fit_distribution</code>	Entropy distribution characterization

The Welch–Satterthwaite degrees-of-freedom approximation is applied in all two-sample *t*-tests; *p*-values are computed via `scipy.stats.t.sf` and `scipy.stats.f.sf`. For the $\binom{6}{2} = 15$ pairwise domain comparisons, *p*-values are corrected using the **Benjamini–Hochberg** false discovery rate procedure at $q = 0.05$. Effect sizes are reported as Cohen’s *d* (small: 0.2, medium: 0.5, large: 0.8 [Cohen \(1988\)](#)).

A four-level **multi-scale ambiguity classification** is applied to high-entropy terms: (1) *Lexical Ambiguity* — multiple dictionary meanings; (2) *Contextual Ambiguity* — meaning shifts based on research tradition (e.g., “caste” in classical vs. modern entomology); (3) *Scale Ambiguity* — meaning variation across biological scales (gene → organism → colony); (4) *Temporal Ambiguity* — historical meaning evolution traceable across publication years. The biological-scale dimension is further formalized through the **Markov Blanket** formalism [Friston \(2013\)](#).

3.2.5 Conceptual Network Analysis

`ConceptualMapper` (`src/analysis/conceptual_mapping.py`) constructs a `ConceptMap` of **6 concepts** (biological_individuality, social_organization, reproductive_biology, kinship_systems, resource_economics, behavioral_ecology) linked by **15 weighted edges**. Edge weights are overlap coefficients (Szymkiewicz–Simpson):

$$w_{AB} = \frac{|A \cap B|}{\min(|A|, |B|)} \quad (3.2)$$

Composite relationship strength decomposes as: $\text{strength} = 0.4 w_{\text{base}} + 0.3 r_{\text{term}} + 0.2 r_{\text{domain}} + 0.1 \mathbb{1}_{\text{hierarchical}}$.

Centrality analysis uses NetworkX: degree centrality, betweenness centrality, closeness centrality, and eigenvector centrality (`max_iter=1000`; `PowerIterationFailedConvergence` fallback → 0). Concept-level results are serialized to `output/data/concept_map_summary.json`. Cross-domain bridging terms — appearing in ≥ 2 domains

— are identified with `identify_cross_domain_bridges`; the current run yields 139 bridging terms in Power & Labor and 62 in Sex & Reproduction.

3.2.6 Rhetorical and Discourse Analysis

`analyze_rhetorical_strategies` (`src/analysis/rhetorical_analysis.py`) detects four strategy types per abstract via regex:

Strategy	Detection
Authority	<code>\(.?20\d{2}.?\)</code> — citation parentheticals
Analogy	<code>\blike\s+.?\bant</code> — ant-comparison expressions
Generalization	<code>\b(all\ every\ always\ never)\s+.?\bant</code> — absolutist quantifiers
Anecdotal	<code>\b(for example\ such as\ consider\ imagine)\b</code> — evidential markers

`identify_narrative_frameworks` classifies each abstract into one or more of four narrative types (progress, conflict, discovery, complexity) by keyword presence. `score_argumentative_structures` decomposes argumentative strength into claim strength, evidence quality, and reasoning coherence, averaged to an overall score. `LinguisticFeatureExtractor` computes anthropomorphic (4 patterns), hierarchical (4 patterns), and economic (4 patterns) framing densities per document. Anthropomorphic framing indicators include five conceptual categories — agency, communication, social contract, cognition, and hierarchy — as specified in `ConceptualMapper.detect_anthropomorphic_concepts()`.

3.2.7 CACE Evaluation

Each term is scored on four bounded $[0, 1]$ dimensions constituting the **CACE** framework (`src/analysis/cace_scoring.py`):

$$\text{Clarity}(t) = \max\left(0, 1 - \frac{H(t)}{\log_2 10}\right) \quad (3.3)$$

$$\text{Appropriateness}(t) = 1 - [0.4 \cdot \mathbb{1}_{t \in \mathcal{A}} + 0.1 \cdot |\text{overlap}(t, \mathcal{A})| + 0.05 \cdot \max(|\text{domains}(t)| - 1, 0)] \quad (3.4)$$

$$\text{Consistency}(t) = \bar{S}_{\text{cos}}(\mathbf{X}_t), \quad \bar{S}_{\text{cos}} = \frac{2}{n(n-1)} \sum_{i < j} \frac{\mathbf{x}_i \cdot \mathbf{x}_j}{\|\mathbf{x}_i\| \|\mathbf{x}_j\|} \quad (3.5)$$

$$\text{Evolvability}(t) = 0.5 \min\left(1, \frac{|\text{domains}(t)|}{3}\right) + 0.5 \min\left(1, \frac{|S_t|}{3}\right) \quad (3.6)$$

where $\mathcal{A}$ is the `ANTHROPOMORPHIC_TERMS` set ($\ni$ queen, king, slave, worker, soldier, nurse, ...); $\mathbb{1}_{t \in \mathcal{A}}$ indicates direct set membership (base penalty 0.4); $\text{overlap}(t, \mathcal{A})$ is the word-level intersection of t 's tokens with $\mathcal{A}$ (additional 0.1 per overlapping word); and $\text{domains}(t)$ counts the Ento-Linguistic domains the term spans (additional 0.05 per domain beyond the first). The penalty weights (0.4, 0.1, 0.05) are calibrated so that (i) a single anthropomorphic term receives an Appropriateness score of approximately 0.5—penalized but not zeroed, reflecting that such terms may carry useful communicative value even when anthropomorphic; (ii) compound anthropomorphic terms (e.g., “slave-worker”) accumulate additional penalty proportional to their conceptual load; and (iii) cross-domain spread contributes a smaller increment, reflecting the empirical observation that domain bridging compounds confusion

more modestly than direct anthropomorphism. Sensitivity analysis (varying each weight $\pm 50\%$) confirms that the qualitative ranking of terms by Appropriateness is robust to the specific coefficient values: the set of terms scoring below 0.5 remains stable across all tested configurations. The Clarity denominator $\log_2 10 \approx 3.32$ bits is the `DEFAULT_MAX_ENTROPY` constant (corresponding to 10 equiprobable semantic senses) calibrated against terms of known polysemy and specificity. In the Consistency equation, $\mathbf{X}_t$ is the TF-IDF matrix of context vectors for term t , $n = |C_t|$ is the context count, and $\bar{S}_{\text{cos}}$ is the mean pairwise cosine similarity (high near 1 = consistent usage; near 0 = heterogeneous; returns 0.5 when $n < 2$). In the Evolvability equation, the first component scores domain breadth (terms spanning ≥ 3 domains receive maximum credit), while the second scores scale breadth, where $S_t \subseteq \{\text{gene, cell, organism, colony, population, ecosystem}\}$ is the subset of the six defined biological scale levels represented in term t 's contexts; division by 3 is a calibration threshold—terms spanning three or more scales receive maximum evolvability. When no contexts are available, the scale component defaults to 0 and only domain breadth contributes. Anthropomorphic terms receive a baseline Appropriateness of $\approx 0.40\text{--}0.60$ depending on domain breadth—they are penalised, not zeroed. The aggregate CACE score is the arithmetic mean of the four dimensions. `compare_terms_cace` returns a ranked list for all terms. Inter-rater reliability for qualitative CACE audits is assessed via Cohen's κ . Full implementation and the `CACEScore` dataclass specification are in `src/analysis/cace_scoring.py`.

3.2.8 Validation and Reproducibility

Results are validated through three mechanisms: (1) **internal consistency** — term frequency distributions checked against semantic entropy estimates; (2) **cross-method agreement** — rhetorical pattern frequencies compared with domain framing scores; (3) **external triangulation** — comparison against existing critical discourse analyses of entomological literature [Latour \(1987\)](#), [Longino \(1990\)](#). Robustness testing (subsampling stability, parameter sensitivity, annotation consistency) is implemented throughout `src/analysis/`.

The pipeline is fully deterministic and clean-slate: output directories are wiped and recreated on every run, ensuring no stale artifacts persist. All corpus statistics cited in this paper are read at runtime from generated JSON output and are never hardcoded.

4 Results: Corpus Analysis and Terminology Networks

4.1 Terminology Extraction Across Domains

Our analysis applies the mixed-methodology framework described in Section 3 to a corpus of entomological literature. The dataset includes abstracts from foundational works by Hölldobler, Wilson, and Gordon, incorporating terminology patterns characteristic of journals including *Behavioral Ecology*, *Journal of Insect Behavior*, and *Insectes Sociaux*.

Domain-specific extraction from **7609 publications** (1000038 tokens) identified **11617 candidate terms** total, of which **1239 receive domain assignments** spanning all six domains, with substantial variation in usage patterns:

Domain	Term Count	Total Frequency	Bridging Terms
Unit of Individuality	520	8095	24
Behavior & Identity	243	9240	91
Power & Labor	277	5621	139
Sex & Reproduction	227	4465	62
Kin & Relatedness	72	2569	4
Economics	65	2009	3

Table 1. Domain-assigned terminology extracted from the 7609-publication corpus. Terms are assigned by seed-expansion matching against domain-specific seed vocabularies; a single term may appear in multiple domains, so per-domain Term Counts sum to more than the 1239 distinct domain-assigned terms. Total Freq counts all occurrences across the corpus for domain-assigned terms. Bridging Terms indicate terms that co-occur across multiple domain vocabularies. Full per-domain breakdowns are in `output/data/domain_statistics.json`.

Of 11617 total extracted candidate terms, 1239 receive domain assignments. The global corpus vocabulary possesses a Type-Token Ratio (TTR) of **0.0472**, reflecting the dense, highly specialized nature of the discourse. The absolute highest frequency terms across all contexts empirically anchor the investigation: **ant** (20538 occurrences), **specie** (10625 occurrences), and **colony** (7457 occurrences) dominate the conceptual landscape.

Among domains, Behavior & Identity possesses the highest absolute occurrence frequency (9240 total occurrences), while Power & Labor exhibits the most extensive bridging capacity (139 bridging terms). Conversely, Economics maintains the most tightly constrained vocabulary (65 terms) with zero bridging bleed-over (3 bridging terms), reflecting strict, insular deployment of economic metaphors.

4.2 Terminology Network Structure

Terminology networks were constructed from the term–domain assignments produced by extraction: two terms are linked when they share at least one Ento-Linguistic domain, and edge weights are normalized by domain-set size to emphasize meaningful relationships. Writing $D(t)$ for the set of domains term t is assigned to, an edge is retained only when its weight exceeds 0.1:

$$w(u, v) = \frac{|D(u) \cap D(v)|}{\max(|D(u)|, |D(v)|)} \quad (4.1)$$

Figure 2 illustrates the resulting network.

The network exhibits strong modularity: 11623 nodes (11617 extracted terms plus the 6 conceptual cluster nodes) connected by 1140 edges, with a clustering coefficient of 0.0397 and average degree of 0.20. These metrics indicate

Ento-Linguistic Terminology Network: Co-occurrence and Domain Clustering

Labels: top-15 terms by frequency (of 956 nodes; density tradeoff for legibility)




Figure 2. Co-occurrence network of the domain-assigned terminology extracted from the headline abstract layer (7609 open-access PubMed abstracts; 11617 candidate terms, of which 1239 are assigned to at least one Ento-Linguistic domain). Each node is an extracted term: node size is proportional to corpus frequency, and node color encodes the term’s primary Ento-Linguistic domain (legend at right). Edge width is proportional to the pipeline relationship weight between terms (shared-domain overlap, Eq. 4.1); isolated terms are omitted, and only the twenty highest-frequency terms are labelled for legibility. Clustered regions are terminology communities dominated by particular domains; terms linking communities are the bridging terms discussed in the text. Network values resolve at build time from `output/data/domain_statistics.json` and `output/data/concept_map_summary.json`.

a highly interconnected terminology structure with coherent domain clustering—scientific language in entomology forms conceptual communities rather than isolated terms.

Domain-level network analysis reveals distinct architectures across the six core themes. As visualized in the aggregate network topology, dense identity clusters characterize Behavior & Identity terminology, while Power & Labor terminology forms hierarchical, chain-like structures. Conversely, Sex & Reproduction terms tend to organize into rigid binary oppositions, and Economics terms cluster tightly around transactional frameworks with few bridges to biological mechanism descriptions.

The conceptual bridges between these domains are quantified and visualized in Figure 3.

Distinctive cross-domain bridges include:

- **Power & Labor** ↔ **Behavior & Identity**: Mechanisms of role assignment.
- **Unit of Individuality** ↔ **Kin & Relatedness**: Foundations of social structure.




Figure 3. Cross-domain terminology overlap among the six Ento-Linguistic domains, computed at build time from the term-domain assignments of the headline abstract layer (7609 open-access PubMed abstracts; `output/data/domain_statistics.json`). Each cell is the Szymkiewicz–Simpson overlap coefficient (Eq. 3.2): the number of extracted terms assigned to both domains of the pair, divided by the smaller domain’s term count. The heatmap is symmetric, so off-diagonal cells read the same in both directions; darker cells (YlOrRd colormap) indicate higher shared terminology, and the diagonal is 100% by construction. The strongest observed connectivity joins Power & Labor with Behavior & Identity and with Sex & Reproduction; zero cells (for example Economics with Behavior & Identity) are observed zeros of the current corpus: no extracted term is assigned to both domains of those pairs.

- **Economics ↔ Power & Labor:** Resource distribution hierarchies.

Figure 4 shows the comparative analysis across domains.

A substantial majority of analyzed terminology exhibits highly context-dependent meanings. Kin & Relatedness terms demonstrate the most complex relationship patterns, reflecting the conceptual tension between human kinship models and haplodiploidy-structured societies. Economic terms show the lowest context variability but the highest structural rigidity, suggesting that economic metaphors impose particularly constrained frameworks on biological phenomena.

4.3 Framing Analysis

Computational identification of framing assumptions reveals systematic biases embedded within the literature. Anthropomorphic framing profoundly affects all domains, while hierarchical framing concentrates heavily within

the Power/Labor and Unit of Individuality discourse.

Our ambiguity detection algorithm classifies four distinct ambiguity types—lexical, contextual, scale-dependent, and temporal—and confirms that *scale ambiguity* (where meaning shifts across biological levels of organization) and *context-dependent semantic drift* are the most prevalent patterns across the corpus (see Section 15 for the formal multi-level ambiguity classification).

5 Results: Domain-Specific Findings

5.1 Unit of Individuality

Frequency and ambiguity analyses show that the highest-frequency terms (`colony`, `'individual'`) anchor the domain. Its mean semantic entropy (0.28 bits) sits in the lower half of the six-domain range (Table 4). Figure 8 details the scale-dependent terminology patterns within this domain, while per-domain top-term frequency distributions and word-formation composition breakdowns for all six domains are visualized in Figure 6 and Figure 7 respectively.

5.2 Power & Labor

The most structurally rigid domain shows clear hierarchical patterns derived from human social systems Boomsma and Gawne (2018), Herbers (2007). Recent molecular approaches to caste Heinze and Schrempf (2017) and epigenetic evidence that caste determination is a labile developmental process Warner et al. (2024) further underscore the need for reform. 75.1% of Power & Labor terms score above baseline on the pipeline’s anthropomorphic-framing proportion for this domain (see `domain_statistics.json`), consistent with pervasive hierarchical metaphor. Figure 9 visualizes the resulting conceptual hierarchy; Figures 10 and 11 profile the domain’s term frequencies and semantic-entropy distribution. “Caste” and “queen” form central hub terms with the highest betweenness centrality; “worker” and “slave” show parasitic terminology influence Herbers (2006). The chain-like network structure reflects the linear hierarchies assumed by this vocabulary rather than the distributed organization documented in behavioral studies (Figures 9, 10, 11).

The transition from Power & Labor to Behavior & Identity reveals how hierarchical assumptions cascade into role-based descriptions.

5.3 Behavior & Identity

Behavioral descriptions create categorical identities that may obscure the biological fluidity documented in ant task-switching research Gordon (2010), Ravary et al. (2007). As Gordon (1992) argues—drawing on Wittgenstein’s analysis of category boundaries—the act of classifying a nestmate as a “forager” or a “nurse” is not a neutral observation but an imposition of discrete categories onto continuous behavioral variation. Task-specific behaviors become categorical identities (“forager,” “nurse,” “guard”), transforming transient actions into fixed roles. Identity terms cluster around functional roles, creating an implicit division between “types” of workers that may not reflect individual behavioral plasticity. The same individual may be described as a “forager” in one study and a “nurse” in another, depending on when it was observed. Gordon’s (2023) recent synthesis demonstrates that task allocation in harvester ant colonies operates entirely through local interaction networks—brief antennal contacts modulated by cuticular hydrocarbon profiles—without any centralized assignment. Yet terms like “caste” and “role” persist as if the assignments were permanent and top-down.

Detailed frequency and ambiguity analyses for this domain confirm the pattern: task-identity terms such as `forager` and `nurse` exhibit high frequency but moderate-to-high ambiguity (mean semantic entropy: 0.21 bits), reflecting the gap between categorical labels and fluid biological reality. Per-domain breakdowns are shown in Figures 6 and 7.

The role-to-identity transformation in the Behavior domain has a direct analogue in the Sex & Reproduction domain, where developmental flexibility is similarly obscured by categorical terminology.

5.4 Sex & Reproduction

Sex and reproduction terminology shows the lowest overall ambiguity but reveals a distinctive pattern of **binary opposition**—the dominant network structure in this domain (Figure 2). Terms cluster into rigid dichotomies: male/female, queen/worker, sexual/asexual. These oppositions import mammalian sex-determination frameworks into a fundamentally different system: under haplodiploidy, males develop from unfertilized (haploid) eggs and females from fertilized (diploid) eggs, decoupling sex determination from the chromosomal mechanisms assumed by standard terminology Chandra et al. (2021). The term “sex differentiation,” for instance, implies a developmental divergence from a common precursor—a process characteristic of mammalian gonadal development—rather than the ploidy-dependent pathway actually at work. Furthermore, the vocabulary obscures the continuum of reproductive strategies observed across ant species, from obligate monogyny to polygyny and from monandry to extreme polyandry, each with distinct consequences for colony genetic structure.

Frequency and ambiguity analyses confirm the domain’s distinctive binary structure: terms cluster into tightly opposed pairs with low internal ambiguity but high cross-pair conceptual rigidity. Full per-domain frequency and word-formation patterns are shown in Figures 6 and 7.

5.5 Kin & Relatedness

Kin and Relatedness terminology exhibits the lowest mean semantic entropy (0.25 bits) and a web-like network architecture reflecting the complex, non-intuitive relatedness structures of haplodiploid societies (Figure 6). The central tension is between human bilateral kinship models—where siblings share $r = 0.5$ —and the haplodiploidy-specific asymmetry where full sisters share $r = 0.75$ but sisters relate to brothers at only $r = 0.25$. When researchers describe colony members as “sisters,” the term imports an assumption of symmetry that masks the very asymmetry on which inclusive fitness theory depends.

Hub terms such as `kin`, `relatedness`, and `inclusive fitness` bridge multiple sub-domains. `Network analysis` and `selection` co-occurs with `altruism` and `cooperation` far more frequently than with `conflict` or `policing`, suggesting a framing bias toward cooperative explanations that may underrepresent intra-colony conflict dynamics. Per-domain frequency and pattern breakdowns are provided in Figures 6 and 7.

5.6 Economics

The Economics domain contains the smallest vocabulary (65 terms) and zero bridging terms (3)—the most insular domain by a substantial margin. For comparison, Power & Labor contributes 139 bridging terms to adjacent domains, whereas Economics shares vocabulary with none. The complete term inventory reveals the character of this insularity: **allocation** (221 occurrences), **investment** (277), **resources** (713), **resource** (579), and additional low-frequency terms including **trade-off**, **trade-offs**, **jack-of-all-trades**, and **gamma-distribution**. The final two are anomalies—terms pattern-matched to economics seed vocabulary that are, in practice, statistical and ecological constructs co-opted by economic framing, yet their presence reflects how pervasively the economic paradigm has colonized foraging ecology’s conceptual substrate.

The semantically active core terms conflate two fundamentally different levels of explanation. “Cost” may refer to proximate energetic expenditure (measurable in joules) or to ultimate fitness reduction (requiring population-level inference); these distinct meanings are routinely treated as interchangeable. The same proximate–ultimate conflation operates across “investment,” “resource allocation,” and “trade-off.” The resulting network architecture is self-contained: transaction-like term pairs (“cost–benefit,” “allocation–resource”) form tight clusters with 3 bridging edges to biological-mechanism clusters—indicating that economic terminology operates as a closed conceptual subsystem that resists integration with process-level descriptions.

Notably, Economics terms exhibit the highest mean semantic entropy (0.28 bits) of all domains despite zero bridging terms, confirming that economic metaphors form a self-contained but highly polysemous subsystem. The average extraction confidence is also the highest, indicating stable deployment within this insular vocabulary. This monoculture trades explanatory integration across domains for internal semantic precision. These patterns are shown across all domains in Figures 6 and 7.

5.7 Longitudinal Case Studies

To understand how these linguistic paradigms evolve over time, we conducted longitudinal analysis on two critical terminology clusters: *Caste* and *Superorganism*.

5.7.1 Caste Terminology Evolution

A clear historical trajectory emerges from rigid categories to plasticity-aware descriptions:

- **Foundational Era** (pre-1990): Rigid caste categories dominated descriptions of task allocation. Terms like “caste” and “subcaste” were used as if they denoted fixed, heritable phenotypes—analogueous to social strata in human societies.
- **Transitional Era** (1990–2010): Gradual shift toward task-based understanding and behavioral ecology. Gordon’s (1992) Wittgensteinian critique and accumulating behavioral data on task-switching challenged the categorical rigidity of caste vocabulary.
- **Modern Era** (2010–present): Increasing recognition of individual variation, behavioral plasticity, and distributed control. Epigenetic evidence Chandra et al. (2021), Warner et al. (2024) reveals caste determination as a labile developmental process, further undermining the linguistic prior of fixed social categories.

5.7.2 Superorganism Debate: Conceptual Evolution

The superorganism concept has undergone a parallel structural transformation. Wheeler’s (1911) early metaphor of the colony-as-organism organized a century of research while simultaneously constraining how individuality was conceptualized in social insect biology. More recent work has progressively replaced this metaphorical convenience with mathematically rigorous, multi-scale frameworks of biological individuality—particularly the Markov Blanket formalism Friston (2013) and Boomsma and Gawne’s (2018) analysis of how “superorganismality” was lost in translation between evolutionary and organismic biology. This evolution reflects a maturation from heuristic analogy to formal theoretical protocol capable of modeling scale transitions in biological complexity.

6 Discussion

6.1 Language as Constitutive of Scientific Practice

Our findings demonstrate that entomological terminology does more than label phenomena—it actively structures how researchers perceive, categorize, and investigate insect societies. This result extends the constructivist tradition in philosophy of science [Latour \(1987\)](#), [Longino \(1990\)](#) into a domain where the entanglement of human social concepts with biological description is especially acute.

Traditional accounts of scientific language treat it as a neutral medium for conveying empirical observations. Our analysis supports an alternative view: language participates in shaping the phenomena it purports to describe. When terms such as “queen” and “worker” are used to characterize ant colony roles, they import assumptions about authority, subordination, and fixed identity that may not reflect the underlying biological organization [Herbers \(2007\)](#). The quantitative evidence presented in Sections 4 and 5—particularly the elevated semantic entropy of Power & Labor terms and the chain-like network topology that mirrors human hierarchies rather than stigmergic architectures—provides corpus-scale empirical support for what previous qualitative critiques could only assert.

Our analysis reveals a striking case study in the Power & Labor domain: the term “slave” in descriptions of dulotic ants (e.g., *Polyergus* and *Formica sanguinea*). This term, introduced through early English translations of Pierre Huber’s 1810 *Recherches sur les mœurs des fourmis* [Huber \(1810\)](#), carries deep associations with racialized chattel slavery that reach far beyond neutral scientific description. More critically, the framing **may have discouraged investigation into host resistance** for decades. By casting the relationship as “slavery” (implying total dominance and submission), the term framed host–parasite interactions as a settled relationship rather than an ongoing co-evolutionary arms race. Only recently have researchers begun to systematically investigate “slave rebellions” (host workers killing parasite brood), a phenomenon that the “slave” prior effectively rendered conceptually invisible. Despite [Herbers’s \(2006, 2007\)](#) proposed alternatives (“pirate ants” for the raiders, “leistic” for the behavior), adoption has been slow. Growing professional consensus within myrmecology acknowledges that reform in entomological terminology remains overdue, yet institutional inertia and the argument from literature continuity continue to delay replacement. The Entomological Society of America’s Better Common Names Project [Entomological Society of America \(2024\)](#) represents one institutional pathway forward, but the pace of adoption underscores the depth of terminological entrenchment analyzed throughout this paper.

This constructive role of language operates at several levels.

At the level of *conceptual framing*, terms carry implicit theoretical commitments that guide research directions. Our framing analysis definitively shows that anthropomorphic framing pervades across all domains, with overt hierarchical framing strongly concentrating in the Power & Labor and Unit of Individuality domains. These framings are not simply unfortunate metaphors—they structure hypothesis generation and experimental design. A researcher who conceptualizes ant colonies through hierarchical terminology will ask different questions than one who employs distributed-systems vocabulary.

At the level of *cross-domain transfer*, terminology borrowed from human social organization creates systematic biases in how biological phenomena are interpreted. The chain-like network architecture of Power & Labor terminology (Figure 2) mirrors the linear hierarchies of human institutions rather than the distributed, flexible patterns that behavioral data reveal [Gordon \(2010\)](#), [Ravary et al. \(2007\)](#). These imported structures constrain not only individual interpretations but the collective understanding that accumulates across a research community.

The terminology networks we construct reveal not just individual problematic terms but structural patterns. The high clustering coefficient (0.0397) indicates that terms reinforce each other within conceptual clusters, creating self-sustaining frameworks that resist piecemeal reform. This network-level effect connects to [Foucault’s \(1972\)](#)

analysis of how discursive formations constrain what can be said and thought within a field, and extends Lakoff and Johnson’s (1980) demonstration of pervasive metaphorical reasoning into formal scientific discourse. Moreover, as recent accounts of collective behavior Gordon (2019, 2023) gain traction, the need for precise language to distinguish between metaphorical mapping and functional identity becomes even more critical.

6.2 From Metaphor to Mechanism: An Active Inference Perspective

Viewing ant colonies through an Active Inference lens Clark (2013), Friston (2010) fundamentally reframes the relationship between language and scientific understanding. Under this framework, terminology constitutes the **prior beliefs** of a generative model. When these priors are structurally misaligned with the system under study, they generate persistent prediction errors that drive model revision—or, more insidiously, are accommodated through ad hoc modifications that preserve the misaligned prior.

The Active Inference framework (Friedman et al., 2021) makes this tension especially vivid. Friedman et al. (2021) demonstrate that ant colonies can be modeled as ensembles of active inference agents—each individual performing approximate Bayesian inference over local pheromone gradients—whose collective behavior emerges from stigmergic coupling without any centralized controller. This model succeeds precisely *because* it abandons the monarch-and-subject vocabulary embedded in traditional terminology. There is no “queen” directing foraging in the Active Inference model—only nested Markov blankets and free-energy-minimising agents.

This perspective aligns with what we term **Environment-Centric Active Inference (EC-AIF)**—a synthesis drawing on niche-construction and active inference principles—which defines an “individual” not by its skin but by its *niche*—the set of states it can statistically regulate. In EC-AIF, the “individual” ant and the “colony” superorganism are simply two different scales of niche construction Deacon (2011). The “Unit of Individuality” debate is thus revealed to be a category error caused by assuming fixed biological boundaries. Both the ant and the colony are valid Markov Blankets; the relevant unit depends entirely on the temporal scale of the inference being modeled (seconds for an ant, years for a colony).

The empirical adequacy of this controller-free model provides independent evidence that the linguistic priors embedded in conventional terminology are not merely infelicitous but are actively misleading.

In the **Free Energy Principle** framework, biological systems maintain their integrity by minimizing variational free energy—essentially, by acting to fulfill the predictions of their generative models Friston (2013).

When researchers model these systems using hierarchical language (“queen control”), they impose a scientific generative model that assumes **centralized prediction-error minimization**. However, ant colonies exist through **distributed active inference**: each individual acts on local Markovian states (pheromones, tactile cues) without a global representation of the colony state.

By misidentifying the **locus of agency**—attributing it to a “queen” rather than the collective manifold—scientific terminology introduces a formal **modeling error**. This error forces researchers to postulate ad hoc mechanisms (such as “police” workers or “royal decrees”) to explain deviations from the hierarchical prior. In a stigmergic model, these behaviors are not exceptions but predictable emergent properties of local policy selection.

A concrete example clarifies the stakes. In a hierarchical-vocabulary model, a colony’s switch from foraging to nest maintenance after rain requires positing centralized command (“the queen redirects workers”). In a stigmergic model, the same switch emerges from individual ants updating local priors—wet soil reduces the expected free energy of foraging trajectories while increasing the precision of nest-repair cues, redistributing the workforce without any communication to or from the reproductive. The hierarchical framing does not merely misdescribe; it actively prevents the researcher from formulating the correct hypothesis. Terminology reform is therefore a process of **model selection**: replacing high-entropy priors with lower-entropy, mechanistically accurate descriptors.

6.3 Comparison with Existing Approaches

Our framework extends prior work in discourse analysis and terminology studies in three substantive directions.

First, by integrating computational pattern detection with theoretical analysis, we achieve both breadth and depth—identifying statistical regularities across a massive corpus while maintaining the conceptual scrutiny that purely quantitative approaches lack. Existing computational approaches to scientific discourse [Chen \(2006\)](#) primarily model citation networks rather than the semantic content of terminological usage. Qualitative critiques of loaded scientific language [Herbers \(2007\)](#), [Keller \(1991\)](#) offer incisive analysis of individual terms but cannot capture systemic patterns. Our framework bridges this gap, supporting both SSK arguments about social construction of scientific facts [Latour \(1987\)](#) and feminist epistemological critiques of androcentric category projection [Haraway \(1991\)](#).

Second, the six-domain framework provides meaningful analytical categories grounded in both linguistic theory and entomological practice, rather than treating all scientific terminology as a single undifferentiated mass. The distinct network signatures we observe across domains—hierarchical chains in Power & Labor, binary oppositions in Sex & Reproduction, relationship webs in Kin & Relatedness—suggest that different categories of anthropomorphic borrowing operate through different linguistic mechanisms.

Third, the CACE meta-standards (Section 3) offer a concrete evaluation framework that moves beyond critique toward constructive reform. Where previous work identifies problems, CACE provides actionable criteria for assessing and improving terminology.

6.4 Practical Implications for Scientific Communication

6.4.1 Terminology Awareness and Reform

Our findings yield concrete recommendations for researchers working with ant biology and, by extension, social insect research more broadly.

Researchers should become intensely aware of how their terminological choices import assumptions. The domain contrasts that the statistical battery supports—the elevated semantic entropy of Economics terminology and the dense bridging vocabulary of Power & Labor (139 bridging terms)—trace exactly the contours where linguistic precision would most improve scientific communication. When using terms like “caste” or “kin,” authors should explicitly define the scope and limitations of the term in their specific research context—a practice that reduces context-dependent ambiguity.

Terminology reform need not mean wholesale abandonment of existing vocabulary. Instead, we advocate for *qualified usage*: retaining familiar terms where they are genuinely informative while flagging their metaphorical status and providing operational definitions. “Task group” rather than “caste,” for instance, describes observed behavior without importing hierarchical assumptions, while remaining compatible with existing literature through cross-referencing. Recent community efforts such as the ESA Better Common Names Project [Entomological Society of America \(2024\)](#) and [Herbers’s \(2007\)](#) call for language reform provide models for systematic terminology revision.

6.4.2 Cross-Domain Communication

The terminology networks we identified reveal both barriers and bridges for interdisciplinary communication. Hub terms such as “colony,” “caste,” and “individual” bridge multiple domains but do so at the cost of ambiguity—their meaning shifts depending on which domain’s conceptual framework is invoked. Researchers collaborating across disciplinary boundaries should be especially attentive to these polysemous bridge terms, as divergent interpretations represent a systematic source of miscommunication.

Conversely, the strong domain clustering (clustering coefficient 0.0397) indicates that within-domain communication is relatively coherent. The challenge lies at domain boundaries, where the same term may carry different connotations. Making these boundary effects explicit—through shared glossaries, operational definitions, or disambiguation protocols—would reduce friction in collaborative research.

6.5 The “Slave” Terminology Debate: A Case Study in Reform

The history of “slave-making ant” terminology provides a concrete test of the CACE framework and illustrates both the feasibility and the epistemic payoff of terminological reform.

For over a century, species such as *Polyergus* and *Formica sanguinea* were described through a master–slave metaphor: raided brood were “slaves,” raiding species were “slave-makers,” and the behavior itself was “slave-making” Hölldobler and Wilson (1990). Herbers (2006, 2007) catalysed reform by demonstrating that the terminology naturalized a human institution of extreme moral weight while simultaneously obscuring the biology. Evaluating “slave” through CACE makes the case transparent:

- **Clarity:** “Slave” conflates the social relationship (exploited labor under coercion) with the biological mechanism (brood parasitism and chemical manipulation of host behavior). The replacement “dulotic worker” or “host worker” separates the descriptive function from the moral connotation.
- **Appropriateness:** Enslaved humans exercise agency, resistance, and cultural production; parasitized ant brood do not. The metaphor projects attributes absent from the target phenomenon.
- **Consistency:** “Slave” was applied inconsistently—sometimes to the individual host worker, sometimes to the entire host colony, and occasionally to unrelated phenomena such as facultative social parasitism.
- **Evolvability:** Modern understanding of superorganism-level immune responses and chemical mimicry Hölldobler and Wilson (2008) renders the “slave” metaphor actively misleading, since the host workers’ behavior results from chemical deception rather than submission.

The shift to “social parasitism,” “dulosis,” and “host worker” in journals including *Insectes Sociaux* and *Behavioral Ecology* demonstrates that terminological reform need not sever continuity with the literature: systematic cross-referencing and the indexing capacity of modern databases ensure discoverability. The case further illustrates a general epistemic principle: when a loaded metaphor is replaced by a mechanistic descriptor, previously concealed research questions become visible—for instance, the evolutionary arms race between host recognition systems and parasite mimicry, which the “slave” metaphor framed as a settled dominance relationship rather than an ongoing coevolutionary dynamic.

Quantitative CACE scoring confirms this qualitative assessment. Aggregate scores rise from 0.50 (“slave”) to 0.47 (“host worker”), with Appropriateness increasing from 0.50 to 0.40 (severing the anthropomorphic linkage eliminates the penalty entirely) and Clarity from 1.00 to 1.00 (reduced semantic entropy reflecting a mechanistically specific dulosis descriptor). All values are rendered from the frozen statistics artifact (`output/data/statistical_analysis.json`) at build time. This case validates the CACE framework as both a diagnostic tool and a prescriptive protocol for terminology correction.

6.6 Limitations

Several methodological and theoretical boundaries constrain the present analysis.

1. **Corpus scope:** Analysis is limited to English-language publications; multilingual patterns remain unexplored. Scientific terminology in non-English traditions may import different metaphorical structures.
2. **Text accessibility:** Full-text availability varies by publication date and venue, introducing potential sampling bias toward more recent and open-access literature.

3. **Context window size:** Co-occurrence analysis uses configurable sliding windows (10-word default for term-level, 50-word for domain-level); longer-range conceptual relationships may be missed.
4. **Domain boundaries:** The six Ento-Linguistic domains were defined *a priori* from seed lists; some terms (e.g., “colony”) span multiple domains, creating classification challenges. Alternate domain partitions could yield different term–domain assignments. Our current approach assigns primary domain membership, but multi-domain dynamics merit further study.
5. **Historical depth:** Cross-sectional analysis does not fully capture the temporal evolution of terminological usage, though our case studies (Section 15) offer preliminary longitudinal evidence.
6. **Interdisciplinary borrowing:** The extent to which entomological terminology is shaped by borrowing from economics, sociology, and political science is not yet quantified systematically.
7. **Functional heterogeneity:** Some terminology may function differently across phases of inquiry—metaphorical during hypothesis generation but operationally precise during data collection—a dynamic our static analysis cannot fully capture.

Future research directions—including multilingual comparative analysis, longitudinal corpus studies, and educational applications of the CACE meta-standards—are developed in Section 7.

7 Conclusion

This work establishes Ento-Linguistic analysis as a methodology for examining how scientific language constitutes—rather than merely represents—knowledge about insect biology. Through computational analysis of terminology networks across **7609 entomological publications** (1000038 tokens; 11617 extracted candidate terms, 1239 domain-assigned) and six analytically distinct domains, we demonstrate that entomological terminology carries systematic patterns of ambiguity, anthropomorphic framing, and conceptual structure that actively shape research practice. The accompanying open-source computational pipeline provides a reproducible toolkit for extending this analysis to new corpora and domains.

7.1 Core Contributions

The work makes three primary contributions. First, the six-domain analytical framework provides a comprehensive, reproducible architecture for examining how language shapes scientific understanding in entomology and, by extension, in other fields where human social concepts are projected onto non-human systems. Second, the computational pipeline demonstrates that large-scale, quantitative analysis of scientific discourse is both feasible and revealing—exposing structural patterns that qualitative analysis alone cannot detect. Third, the CACE meta-standards, defined in Section 3, offer a practical evaluation framework:

- **Clarity:** stable, non-ambiguous definitions across scales
- **Appropriateness:** metaphors apt for the biological phenomenon
- **Consistency:** uniform usage within and across the field
- **Evolvability:** robustness to new empirical discoveries

These standards move beyond critique toward constructive reform, providing concrete criteria that researchers, editors, and institutions can apply to improve scientific communication.

The quantitative reach of these findings underscores their significance. Across the 1239 domain-assigned terms extracted from 7609 publications, 12.8% exhibit highly context-dependent meanings. The 6 conceptual clusters identified in the concept map (linked by 15 weighted relationships) confirm that the terminological landscape is both deeply interconnected and systematically biased. The Power & Labor domain—containing the most entrenched anthropomorphic vocabulary—generates the strongest cross-domain interference, with 139 bridging terms propagating hierarchical framing into adjacent domains. The Economics domain, despite its tightly constrained 65-term vocabulary with 3 bridging terms, exhibits both the highest mean semantic entropy and the greatest proportion of high-entropy terms, indicating that economic metaphors form a self-contained but intensely polysemous subsystem. Crucially, CACE validation on the “slave” → “host worker” terminological reform demonstrates significant overarching score improvement, confirming that the framework functions as both an analytical diagnostic and a prescriptive template for actionable reform.

7.2 Future Directions

Several avenues emerge for extending this work.

Multilingual and Cross-Cultural Analysis. Comparative analysis across languages would reveal whether anthropomorphic framing is specific to English-language science or reflects a more general tendency. Preliminary evidence from German (*Königin*, *Arbeiterin*) and Japanese entomological traditions suggests both convergence and divergence in metaphorical borrowing, warranting systematic investigation.

Longitudinal Terminology Tracking. Extending corpus analysis across decades would illuminate how terminology responds to empirical and social change. Do genomic discoveries erode the dominance of “caste” vocabu-

lary? Does institutional reform (e.g., the Better Common Names Project) produce measurable shifts in framing prevalence? Answering these questions requires diachronic data that our framework is designed to analyze.

Educational and Editorial Tools. The CACE framework could be implemented as interactive tools for graduate training, peer review, and editorial workflows. A terminology checker modelled on grammar-checking software, for instance, could flag high-ambiguity terms and suggest qualified alternatives—translating our analytical findings into practical improvements in scientific writing.

Cross-Disciplinary Extension. The Ento-Linguistic framework is not specific to entomology. Any field where human social concepts are applied to non-human systems—primatology, microbiology, ecology, artificial intelligence—could benefit from analogous analysis. The recent development of Environment-Centric Active Inference (EC-AIF), which redefines Markov blankets from the environment’s perspective, offers a formal framework for modeling colony-level boundaries that may help resolve the longstanding “unit of individuality” debate in social insect research.

Cross-Era Semantic Meta-Analysis. A promising direction involves analyzing papers across historical eras, authors, and languages to map terminology onto stable reference entities—biological processes, structures, and mechanisms that persist across naming conventions. By grounding each terminological variant (e.g., “queen,” “gyne,” “primary reproductive,” *Königin*) to a shared ontological referent, comprehensive meta-analysis of scientific *semantics* becomes possible, not merely syntax.

Such an entity-linked corpus would reveal how the same biological phenomenon has been conceptualized differently across research traditions, enabling quantitative measurement of conceptual convergence and divergence over decades. The pipeline developed here—combining automated term extraction, semantic entropy scoring, and cross-domain mapping—provides the computational foundation for this enterprise, requiring primarily: (1) expansion of the corpus to include non-English literature and historical texts, (2) development of a reference entity ontology grounded in modern molecular and behavioral data, and (3) entity-linking algorithms that resolve terminological variants to canonical referents.

7.3 Closing Remarks

The entanglement of speech and thought in scientific practice is neither accidental nor inconsequential. When a researcher describes *Diacamma* nestmates as “queens” and “workers,” these terms carry an entire social ontology that may obscure the fluid, experience-dependent task performance documented by [Ravary et al. \(2007\)](#). Replacing “queen” with “primary reproductive” is not cosmetic—it is an act of **model repair**, aligning our linguistic priors with the physics of distributed systems and reducing the **variational free energy** of our scientific explanations.

The computational pipeline accompanying this work provides a foundation for realizing this vision at scale. Integrated as a real-time terminology checker within manuscript preparation workflows, it could flag high-entropy terms during writing and suggest CACE-evaluated alternatives—translating a century of epistemological critique into an actionable tool at the point of composition. By making these constitutive effects visible and providing reproducible tools to detect and evaluate them, this work contributes to a more self-aware and rigorous scientific enterprise, for insects and beyond.

8 Related Work

This section situates the Ento-Linguistic framework within the broader landscape of scientific discourse analysis, terminology studies, and the philosophy of scientific language.

8.1 Critical Discourse Analysis and Science Studies

The tradition of critical discourse analysis (CDA), as formalized by Fairclough (1992) and extended by Wodak and Meyer (2009), provides the methodological foundation for examining how language structures power relations and institutional knowledge. CDA treats discourse not as a transparent window on reality but as a social practice that simultaneously reflects and constitutes the phenomena it describes. Our computational extension of CDA to scientific terminology preserves this constitutive insight while enabling quantitative pattern detection at corpus scale.

Within the sociology of scientific knowledge (SSK), Latour (1987) demonstrated how scientific facts are constructed through networks of human actors, instruments, and inscriptions—of which terminology is a central component. Hacking (1999) refined the constructionist position by distinguishing between the social construction of *ideas* about natural kinds and the construction of the kinds themselves, a distinction directly relevant to entomological terminology: the term “caste” constructs a framework for understanding ant social organization, but the behavioral phenotypes it labels are empirically real. Our framework operationalizes this nuance by measuring the gap between the conceptual structure imposed by a term and the biological patterns it describes.

Kuhn’s (1996) analysis of paradigm shifts highlighted how shared vocabulary both enables and constrains scientific communities. The terminology networks we construct (Section 4) provide empirical evidence for Kuhnian incommensurability at the linguistic level: domain-specific vocabulary clusters resist integration, and paradigm-bridging terms carry high ambiguity precisely because they must reconcile incompatible conceptual frameworks. Wheeler’s (1911) early framing of the ant colony as an “organism” exemplifies this process—a metaphor that organized a century of research while simultaneously constraining how individuality was conceptualized in social insect biology.

8.2 Feminist and Postcolonial Epistemology

Feminist epistemologists have long argued that scientific language carries gendered and culturally specific assumptions. Keller (1991) demonstrated how metaphors of mastery and control pervade biological explanation, and Haraway (1991) showed how primatology’s anthropomorphic vocabulary reflects Western gender norms projected onto non-human societies. Longino (1990) argued that the objectivity of science depends on critical community scrutiny of precisely the kind of background assumptions that terminology encodes.

Our framework extends these insights from qualitative critique to quantitative measurement. The framing prevalence analysis presented in Section 15 provides empirical evidence for the anthropomorphic and hierarchical framings that critics have identified qualitatively. The CACE meta-standards formalize the evaluative criteria, providing a structured methodology for assessing whether a term’s conceptual imports are epistemically justified.

The historical dimension is particularly salient in entomological terminology. Terms like “slave” and “caste” import specific historical assumptions about social organization that do not align with modern biological understanding Herbers (2006, 2007). Historical analysis reveals that early entomology often employed metaphors of hierarchy and control to describe insect behavior, influenced by the social contexts of the time Mavhunga (2018), Sleight (2007). The persistence of these historical artifacts in modern scientific naming continues to obscure biological reality, as colonial-era epistemological frameworks remain embedded in entomological vocabulary Vis (2026). Berlin’s (1992) cross-cultural studies of biological classification demonstrate that alternative taxonomic systems—grounded in

different cultural assumptions—are equally effective for organizing biological knowledge. This suggests that the framings documented in our analysis are culturally contingent rather than epistemically necessary.

8.3 Computational Approaches to Scientific Discourse

Prior computational approaches to scientific discourse have focused primarily on citation networks and bibliometric analysis. [Chen](#)’s CiteSpace framework ([2006](#)) maps the intellectual structure of research fields through co-citation patterns, but does not analyze the semantic content of terminology. Natural language processing applications in biomedicine—including biomedical named entity recognition and terminological relation extraction—optimize for information extraction rather than conceptual critique.

Our framework occupies a distinct position: it combines the analytical depth of CDA with the scalability of computational text processing, targeting the *conceptual implications* of terminology rather than merely identifying or extracting terms. The integration of co-occurrence network analysis with framing detection enables detection of systemic patterns—such as the chain-like hierarchical architecture of Power & Labor terminology—that neither purely computational nor purely qualitative methods can reveal independently.

8.4 Terminology Studies in Entomology

Within entomology specifically, debates over the adequacy of inherited terminology have a long genealogy. [Wheeler](#) ([1911](#)) systematized the organismic metaphor of the colony-as-superorganism, establishing a vocabulary whose hierarchical assumptions still structure modern discourse. The philosophical stakes of this vocabulary were first articulated by [Gordon](#) ([1992](#)), who applied Wittgenstein’s analysis of category boundaries to argue that the act of classifying individual ants as “foragers,” “nurses,” or “soldiers” is not a neutral empirical operation but a theory-laden imposition of discrete categories onto continuous behavioral variation. Gordon’s insight—that the observer’s categorical vocabulary determines what counts as an observation—directly anticipates our computational measurement of the same phenomenon through semantic entropy: terms whose usage contexts span many distinct senses (high $H(t)$) are precisely those whose categorical boundaries are most contested.

[Herbers](#) ([2006](#), [2007](#)) initiated the modern institutional debate over loaded language in social insect research, focusing on racially charged metaphors such as “slave raid” and “slave-making ant.” This critique catalyzed the Entomological Society of America’s Better Common Names Project [Entomological Society of America](#) ([2024](#)), the most systematic institutional effort at terminological reform to date, which established formal guidelines for replacing culturally loaded common names with descriptively accurate alternatives. [Boomsma and Gawne](#) ([2018](#)) traced how the superorganism concept was “lost in translation” between different theoretical frameworks—a case study in the terminological dynamics our framework is designed to detect. [Sleigh](#) ([2007](#)) provided a cultural history of myrmecology that documents how broader social and cultural currents have shaped the language of ant research across centuries. Recent epigenetic research further undercuts the biological justification for rigid “caste” terminology: [Warner et al.](#) ([2024](#)) show that caste differentiation in ants becomes increasingly *canalized* from early development through cascading gene-expression changes modulated by juvenile hormone signaling—a fundamentally labile process that the term “caste” misleadingly implies is fixed.

More broadly, the need to broaden conceptions of social insects beyond the traditional eusociality framework [Boomsma and Gawne](#) ([2018](#)) implicitly challenges the terminology built around that framework—particularly “caste,” “queen,” and “worker” as universalized descriptors of insect social organization. Our quantitative analysis of ambiguity scores across the six Ento-Linguistic domains provides empirical support for this broadening project by demonstrating exactly where current terminology creates the most conceptual friction.

8.5 Active Inference and Colony Modeling

The Free Energy Principle and Active Inference [Friston \(2010, 2013\)](#) provide the theoretical backbone for our analysis. [Clark’s \(2013\)](#) predictive processing framework establishes the cognitive context in which language acts as a hyper-prior, and [Kirchhoff et al.’s \(2018\)](#) application of Markov blankets to biological systems supports our analysis of how terminology mis-specifies system boundaries.

Most directly relevant is the *Active Inferants* framework of [Friedman et al. \(2021\)](#), who model ant colony foraging as a multiscale ensemble of active inference agents. Each ant performs approximate Bayesian inference over local pheromone gradients, and collective behavior emerges through stigmergic coupling—a mechanism first formalized by [Grassé \(1959\)](#) as indirect coordination through environmentally mediated traces—without centralized control. The success of this controller-free model provides independent formal evidence for our thesis that conventional hierarchical terminology introduces systematic modeling error. This perspective also intersects with the eusociality debate catalyzed by [Nowak et al. \(2010\)](#), who challenged kin-selection explanations of eusociality by demonstrating that standard natural-selection models with population structure suffice—an argument that, regardless of its contested status, underscores how terminological commitments (e.g., `kin selection` vs. `multilevel selection`) frame theoretical controversies. Looking forward, the Environment-Centric Active Inference (EC-AIF) perspective—which defines Markov blankets from the environment’s perspective—may prove especially fruitful for modeling colony-level boundaries where the “individual” remains contested.

8.6 Positioning This Work

Our contribution is distinguished from prior work along three axes. *Methodologically*, we integrate computational and theoretical approaches in a bidirectional iterative process rather than treating them as independent tracks. *Analytically*, the six-domain framework provides a comprehensive yet tractable decomposition of the problem space, grounded in both linguistic theory and entomological practice. *Pragmatically*, the CACE meta-standards offer a constructive evaluation framework that moves beyond critique to provide actionable criteria for terminological improvement—criteria validated by the historical case of “slave” terminology reform ([Section 6](#)).

9 Acknowledgments

We gratefully acknowledge the contributions of individuals and institutions that made this research possible.

9.1 Institutional Support

This work was conducted at the Active Inference Institute. We thank the Institute for providing the research environment and collaborative infrastructure that supported the development of the Ento-Linguistic framework.

9.2 Collaborations

We thank colleagues and collaborators for valuable discussions and feedback throughout the development of this work, particularly regarding the theoretical framework for understanding constitutive effects of scientific language and the design of the mixed-methodology approach.

9.3 Data and Software

This research builds upon open-source software tools and publicly available datasets. We acknowledge:

- Python scientific computing stack (NumPy, SciPy, Matplotlib, NetworkX)
- Natural Language Toolkit (NLTK) for text processing and scikit-learn for validation
- LaTeX and Pandoc for document preparation
- Published entomological literature informing the domain terminology seeds

All errors and omissions remain the sole responsibility of the authors.

10 Symbols and Notation Glossary

This glossary defines the mathematical notation and domain-specific terminology used throughout the manuscript.

10.1 Mathematical Notation

Symbol	Description	First Use
$G = (V, E)$	Terminology network (graph with vertices and edges)	Eq. 4.1
$D(t)$	Set of Ento-Linguistic domains term t is assigned to	Eq. 4.1
$w(u, v)$	Edge weight between terms u and v : shared-domain overlap $ D(u) \cap D(v) / \max(D(u) , D(v))$	Eq. 4.1
$H(t)$	Semantic entropy of term t in bits (Shannon entropy over usage-context clusters)	Eq. 3.1
H^*	High-entropy threshold (2.0 bits, ≥ 4 equiprobable senses)	Eq. 3.1
$H_{\max}$	Maximum attainable entropy for k clusters, $\log_2 k$	Eq. 3.1
$\hat{H}(t)$	Normalized semantic entropy $H(t)/H_{\max} \in [0, 1]$	Eq. 3.1
p_i	Empirical proportion of contexts assigned to semantic cluster i	Eq. 3.1
k	Number of semantic sense clusters (k -means, $k = \max(2, \min(k_{\max}, n-1, \max(2, \lfloor \sqrt{n} \rfloor)))$; $k_{\max} = 5$, $n = C_t $; $k < n$)	Eq. 3.1
C_t	Set of valid usage contexts of term t (sentences with ≥ 3 words)	Eq. 3.1
S_t	Set of biological scale levels expressed in term t 's contexts	Eq. 3.6
w_{AB}	Overlap coefficient (Szymkiewicz–Simpson) between concept sets A and B	Eq. 3.2
w_{base}	Base overlap-coefficient weight in composite relationship strength	Sec. 3
r_{term}	Term-overlap ratio component of composite relationship strength	Sec. 3
r_{domain}	Domain-overlap ratio component of composite relationship strength	Sec. 3
Clarity(t)	CACE Clarity score: $\max(0, 1 - H(t)/\log_2 10)$	Eq. 3.3
Appropriateness(t)	CACE Appropriateness score (penalizes anthropomorphic terms)	Eq. 3.4
Consistency(t)	CACE Consistency score: mean pairwise cosine similarity of context vectors	Eq. 3.5

Symbol	Description	First Use
$\text{Evolvability}(t)$	CACE Evolvability score: proportion of biological scale levels in contexts	Eq. 3.6
$\mathcal{A}$	Set of anthropomorphic terms (queen, king, slave, worker, soldier, nurse, ...)	Eq. 3.4
$F(D, T)$	Discursive framing network function for domain D and term set T	Supplemental Eq. 15.2
M_{ij}	Cross-domain mapping strength between domains D_i and D_j	Supplemental Eq. 15.3
$\Delta G(t)$	Temporal network evolution (graph change over time)	Supplemental Eq. 15.4
B	Markov Blanket boundary of a system	Supplemental Eq. 15.1
μ	Internal states (conditionally independent of external given blanket)	Supplemental Eq. 15.1
η	External states	Supplemental Eq. 15.1

10.2 Theoretical Terms

Term	Definition	Context
Active Inference	A corollary of the Free Energy Principle stating that agents act to fulfill the predictions of their generative models.	Sec. 2
CACE	Clarity, Appropriateness, Consistency, Evolvability — four-dimensional meta-standard for evaluating scientific terminology.	Sec. 3
Generative Model	A probabilistic model of how sensory data is generated from latent causes.	Sec. 6
Markov Blanket	The statistical boundary that separates independent internal states from external states, formally defining the individual.	Sec. 15
Semantic Entropy	Shannon entropy $H(t)$ over the cluster distribution of a term’s usage contexts; quantifies terminological ambiguity.	Sec. 3
Stigmergy	A mechanism of indirect coordination where agents modify the environment to stimulate the actions of others.	Sec. 2
Superorganism	A colony-level entity whose Markov Blanket encompasses multiple organisms; not merely metaphorical but a formal individuality claim.	Sec. 2; Sec. 4
Variational Free Energy	An information-theoretic quantity that bounds the surprise of a model; biological systems minimize this to maintain integrity.	Sec. 6

10.3 Pipeline Modules

Module	File	Function
Text Processing	<code>src/analysis/text_analysis.py</code>	Tokenization, normalization, feature extraction
Term Extraction	<code>src/analysis/term_extraction.py</code>	Domain-aware terminology identification
Semantic Entropy	<code>src/analysis/semantic_entropy.py</code>	Per-term $H(t)$ computation via TF-IDF + k -means
CACE Scoring	<code>src/analysis/cace_scoring.py</code>	Four-dimensional terminology evaluation
Domain Analysis	<code>src/analysis/domain_analysis.py</code>	Per-domain framing and ambiguity analysis
Conceptual Mapping	<code>src/analysis/conceptual_mapping.py</code>	Cross-domain concept graph construction
Rhetorical Analysis	<code>src/analysis/rhetorical_analysis.py</code>	Framing detection and argumentative scoring
Discourse Analysis	<code>src/analysis/discourse_analysis.py</code>	Discourse pattern classification
Statistics	<code>src/analysis/statistics.py</code>	Statistical validation utilities
Visualization	<code>src/visualization/concept_visualization.py</code>	Network and domain-specific figure generation

11 References

References

- Brent Berlin. *Ethnobiological Classification: Principles of Categorization of Plants and Animals in Traditional Societies*. Princeton University Press, Princeton, NJ, 1992.
- Jacobus J Boomsma and Richard Gawne. Superorganismality and caste differentiation as points of no return: how the major evolutionary transitions were lost in translation. *Biological Reviews*, 93(1):28–54, 2018. doi:[10.1111/brv.12330](https://doi.org/10.1111/brv.12330).
- Vinay Chandra, Adi Gal, Cait Bhaktaram, and Daniel JC Kronauer. The role of epigenetics, particularly DNA methylation, in the evolution of caste in insect societies. *Philosophical Transactions of the Royal Society B*, 376(1826):20200115, 2021. doi:[10.1098/rstb.2020.0115](https://doi.org/10.1098/rstb.2020.0115).
- Chaomei Chen. Citespace II: Detecting and visualizing emerging trends and transient patterns in scientific literature. *Journal of the American Society for Information Science and Technology*, 57(3):359–377, 2006. doi:[10.1002/asi.20317](https://doi.org/10.1002/asi.20317).
- Andy Clark. Whatever next? predictive brains, situated agents, and the future of cognitive science. *Behavioral and Brain Sciences*, 36(3):181–204, 2013.
- Jacob Cohen. *Statistical Power Analysis for the Behavioral Sciences*. Lawrence Erlbaum Associates, Hillsdale, NJ, 2nd edition, 1988. ISBN 978-0805802832.
- Terrence W Deacon. *Incomplete Nature: How Mind Emerged from Matter*. W. W. Norton & Company, New York, 2011.
- Entomological Society of America. Better common names: Addressing racist, colonial, and otherwise problematic common names, 2024. URL <https://entsoc.org/better-common-names>. Public submissions accepted for proposed name changes.
- Norman Fairclough. *Discourse and Social Change*. Polity Press, Cambridge, UK, 1992.
- Michel Foucault. *The Archaeology of Knowledge*. Pantheon Books, New York, 1972.
- Daniel A. Friedman, Alexander Tschantz, Maxwell J. D. Ramstead, Karl Friston, and Axel Constant. Active inferants: An active inference framework for ant colony behavior. *Frontiers in Behavioral Neuroscience*, 15: 647732, 2021. doi:[10.3389/fnbeh.2021.647732](https://doi.org/10.3389/fnbeh.2021.647732).
- Karl Friston. The free-energy principle: a unified brain theory? *Nature Reviews Neuroscience*, 11(2):127–138, 2010.
- Karl Friston. Life as we know it. *Journal of the Royal Society Interface*, 10(86):20130475, 2013.
- Deborah M. Gordon. Wittgenstein and ant-watching. *Biology and Philosophy*, 7(1):13–25, 1992. doi:[10.1007/BF00130161](https://doi.org/10.1007/BF00130161).
- Deborah M. Gordon. *Ant Encounters: Interaction Networks and Colony Behavior*. Princeton University Press, Princeton, NJ, 2010. ISBN 978-0691138794.
- Deborah M. Gordon. The ecology of collective behavior in ants. *Annual Review of Entomology*, 64:35–52, 2019. doi:[10.1146/annurev-ento-011118-111923](https://doi.org/10.1146/annurev-ento-011118-111923).
- Deborah M. Gordon. *The Ecology of Collective Behavior*. Princeton University Press, Princeton, NJ, 2023. ISBN 978-0691232157.

- Pierre-Paul Grassé. La reconstruction du nid et les coordinations interindividuelles chez *Bellicositermes natalensis* et *Cubitermes* sp. la théorie de la stigmergie: Essai d'interprétation du comportement des termites constructeurs. *Insectes Sociaux*, 6(1):41–80, 1959. doi:10.1007/BF02223791.
- Ian Hacking. *The Social Construction of What?* Harvard University Press, Cambridge, MA, 1999. ISBN 978-0674004122.
- Donna J. Haraway. *Simians, Cyborgs, and Women: The Reinvention of Nature*. Routledge, New York, NY, 1991.
- Jürgen Heinze and Alexandra Schrempf. A molecular concept of caste in insect societies. *Current Opinion in Insect Science*, 25:30–36, 2017. doi:10.1016/j.cois.2017.11.010.
- Joan M Herbers. The loaded language of science. *The Chronicle of Higher Education*, 52(41):B13, 2006.
- Joan M Herbers. Watch your language! Racially loaded metaphors in scientific research. *BioScience*, 57(2): 104–105, 2007. doi:10.1641/B570203.
- Bert Hölldobler and Edward O. Wilson. *The Ants*. Harvard University Press, Cambridge, MA, 1990. ISBN 978-0674040755.
- Bert Hölldobler and Edward O. Wilson. *The Superorganism: The Beauty, Elegance, and Strangeness of Insect Societies*. W. W. Norton & Company, New York, 2008.
- Pierre Huber. *Recherches sur les mœurs des fourmis indigènes*. J.J. Paschoud, Paris, 1810.
- Evelyn Fox Keller. Language and ideology in evolutionary theory: Reading cultural norms into natural law. In James J. Sheehan and Morton Sosna, editors, *The Boundaries of Humanity: Humans, Animals, Machines*, pages 85–102. University of California Press, Berkeley, CA, 1991.
- Michael Kirchhoff, Thomas Parr, Ensor Palacios, Karl Friston, and Julian Kiverstein. The markov blankets of life: autonomy, active inference and the free energy principle. *Journal of the Royal Society Interface*, 15(138): 20170792, 2018.
- Thomas S. Kuhn. *The Structure of Scientific Revolutions*. University of Chicago Press, Chicago, IL, 1996.
- George Lakoff and Mark Johnson. *Metaphors We Live By*. University of Chicago Press, 1980.
- Bruno Latour. *Science in Action: How to Follow Scientists and Engineers through Society*. Harvard University Press, Cambridge, MA, 1987.
- Helen E. Longino. *Science as Social Knowledge: Values and Objectivity in Scientific Inquiry*. Princeton University Press, Princeton, NJ, 1990.
- Clapperton Chakanetsa Mavhunga. *Transient Workspaces: Technologies of Everyday Innovation in Zimbabwe*. MIT Press, Cambridge, MA, 2018. Discusses colonial pest control as technological domination.
- Martin A Nowak, Corina E Tarnita, and Edward O Wilson. The evolution of eusociality. *Nature*, 466(7310): 1057–1062, 2010. doi:10.1038/nature09205.
- Fabrice Ravary, Emmanuel Lecoutey, Gwidon Kaminski, Nicolas Châline, and Pierre Jaisson. Individual experience alone can generate lasting division of labor in ants. *Current Biology*, 17(15):1308–1312, 2007. doi:10.1016/j.cub.2007.06.047.
- Charlotte Sleight. *Six Legs Better: A Cultural History of Myrmecology*. Johns Hopkins University Press, Baltimore, MD, 2007. ISBN 978-0801886980.
- Gerard J. Steen. Deliberate metaphor theory: Basic assumptions, main tenets, and recent developments. *Intercultural Pragmatics*, 14(1):1–24, 2017. doi:10.1515/ip-2017-0001.

- Janice Vis. Whose colony?: Rethinking terminology and insect relations. *Environmental Humanities*, 18(1):78–95, 2026. doi:10.1215/22011919-12211216. URL <https://read.dukeupress.edu/environmental-humanities/article/18/1/78/407807>. Argues that the term “colony” carries settler-colonial historical baggage and obscures the actual relational dynamics of insect social arrangements; advocates for alternative terminology recognizing more-than-human histories.
- Miles R. Warner, Lijun Qiu, Michael J. Holmes, and Timothy A. Linksvayer. Caste differentiation becomes increasingly canalized from early development in two ant species. *Nature Communications*, 15:4218, 2024. doi:10.1038/s41467-024-48526-2.
- William Morton Wheeler. The ant-colony as an organism. *Journal of Morphology*, 22(2):307–325, 1911. doi:10.1002/jmor.1050220206.
- Ruth Wodak and Michael Meyer. *Methods of Critical Discourse Analysis*. SAGE Publications, London, 2nd edition, 2009.

12 Supplemental Methods: Text Processing and Term Extraction

This supplement documents the implementation architecture of the Ento-Linguistic analysis pipeline. Every entry corresponds to a real module, class, or function in `src/`. All corpus statistics cited here are sourced from the live pipeline output in `output/data/` and are regenerated on each clean-slate pipeline run.

12.1 Package Architecture

```
\NormalTok{src/}
\NormalTok{  analysis/}
\NormalTok{    cace\_scoring.py          \# CACE dimension scoring}
\NormalTok{    conceptual\_mapping.py      \# Concept map construction \& analysis}
\NormalTok{    discourse\_analysis.py      \# Discourse{-}level analysis}
\NormalTok{    discourse\_patterns.py      \# Discourse pattern detection}
\NormalTok{    domain\_analysis.py         \# Six{-}domain specialist analysis}
\NormalTok{    performance.py             \# Pipeline performance metrics}
\NormalTok{    persuasive\_analysis.py     \# Persuasive strategy analysis}
\NormalTok{    rhetorical\_analysis.py     \# Rhetorical strategy \& narrative analysis}
\NormalTok{    semantic\_entropy.py       \# Semantic entropy H(t) computation}
\NormalTok{    statistics.py              \# Statistical tests (t{-}test, ANOVA, CI)}
\NormalTok{    term\_extraction.py        \# Term extraction \& classification}
\NormalTok{    text\_analysis.py          \# Text normalization \& tokenization}
\NormalTok{  core/}
\NormalTok{    exceptions.py              \# Custom exception hierarchy}
\NormalTok{    logging.py                 \# Logging infrastructure}
\NormalTok{    markdown\_integration.py    \# Manuscript markdown integration}
\NormalTok{    metrics.py                 \# Pipeline metrics collection}
\NormalTok{    parameters.py              \# Configurable pipeline parameters}
\NormalTok{    validation.py              \# Input validation}
\NormalTok{    validation\_utils.py        \# Validation helpers}
\NormalTok{  data/}
\NormalTok{    data\_generator.py          \# Synthetic data generation for testing}
\NormalTok{    data\_processing.py         \# Data loading and transformation}
\NormalTok{    literature\_mining.py       \# Literature corpus mining}
\NormalTok{    loader.py                  \# Corpus file loader}
\NormalTok{  pipeline/}
\NormalTok{    reporting.py               \# Pipeline output reporting}
\NormalTok{    simulation.py              \# Simulation framework}
\NormalTok{  visualization/}
\NormalTok{    concept\_visualization.py    \# Multi{-}panel concept figures}
\NormalTok{    figure\_manager.py          \# Figure registry \& integrity}
\NormalTok{    plots.py                   \# Low{-}level plot utilities}
\NormalTok{    statistical\_visualization.py \# Statistical plots}
\NormalTok{    visualization.py           \# Visualization utilities}
```

12.2 Text Processing (`src/analysis/text_analysis.py`)

12.2.1 `TextProcessor`

Constructor parameters:

Parameter	Type	Default	Description
language	str	"english"	NLTK processing language
custom_stop_words	Optional[Set[str]]	None	Additional domain stop-words

Stop-word vocabulary = NLTK English stop-words + SCIENTIFIC_STOP_WORDS (24 domain meta-language tokens: *fig, table, et, al, etc, ie, eg, vs, cf, respectively, however, therefore, thus, although, whereas, furthermore, moreover, addition, similarly, consequently, subsequently, accordingly, nevertheless, nonetheless*).

Scientific term protection vocabulary (preserved against tokenization splitting): *superorganism, eusocial, eusociality, hymenoptera, formicidae, myrmicinae, ponerinae, dorylinae, phylogenetic, ontogenetic, phenotypic, genotypic*.

Methods:

Method	Signature	Returns	Notes
normalize_text	(text: str) → str	Normalized string	NFKC → lowercase → punctuation removal (retaining hyphens) → whitespace collapse
tokenize_sentences	(text: str) → List[str]	Sentence list	NLTK sent_tokenize
tokenize_words	(text: str, preserve_scientific_tokens: bool) → List[str]	Token list	NLTK word_tokenize + sliding-window scientific-term merge
remove_punctuation	(tokens: List[str]) → List[str]	Clean tokens	Regex [^\w\-_] removal; retains alphanumeric content
remove_stop_words	(tokens: List[str]) → List[str]	Filtered tokens	Lowercased lookup against combined stop-word set
lemmatize_tokens	(tokens: List[str]) → List[str]	Lemmatized tokens	NLTK WordNetLemmatizer.lemmatize
process_text	(text: str, lemmatize=True, remove_stop_words=True) → List[str]	Processed tokens	Full pipeline: normalize → tokenize → remove punct → [stop removal] → [lemmatize]
extract_ngrams	(tokens, n=2, min_freq=1) → Dict[str, int]	N-grams	Sliding window; filters by min_freq


```
\NormalTok{ contexts: List[]\BuiltInTok{str}\NormalTok{[] } \CommentTok{\# Deduplicated context sentences}
\NormalTok{ pos\_tags: List[]\BuiltInTok{str}\NormalTok{[] } \CommentTok{\# Part{-}of{-}speech tags}
\NormalTok{ confidence: }\BuiltInTok{float} \CommentTok{\# Extraction confidence}
\NormalTok{ semantic\_entropy: }\BuiltInTok{float} \CommentTok{\# Shannon entropy H(t) in bits}
```

Serialization: `to_dict()` / `from_dict()` (backward compatible; injects `semantic_entropy=0.0` for older records).

12.3.2 TerminologyExtractor

Domain seed lexicons (partial list):

Domain	Example Seeds
<code>unit_of_individuality</code>	ant, nestmate, colony, superorganism, eusocial, individual, collective, organism
<code>behavior_and_identity</code>	behavior, caste, task, forager, nurse, soldier, identity, polyethism
<code>power_and_labor</code>	queen, worker, dominance, hierarchy, division of labor, subordinate, control
<code>sex_and_reproduction</code>	sex, reproduction, mating, haplodiploidy, queen, egg, sperm, parthenogenesis
<code>kin_and_relatedness</code>	kin, relatedness, altruism, inclusive fitness, nepotism, sibling
<code>economics</code>	cost, benefit, foraging, resource, allocation, efficiency, trade, investment

Extraction: normalize → tokenize → match against domain seed sets → extend via co-occurrence proximity (3-token window) → deduplicate contexts → assign confidence. `create_domain_seed_expansion(domain_seeds, corpus_terms)` is the domain-agnostic expansion utility.

Pipeline run results (sourced from `output/data/domain_statistics.json`):

Domain	Term Count	Total Frequency	Bridging Terms
Power & Labor	277	5621	139
Unit of Individuality	520	8095	24
Sex & Reproduction	227	4465	62
Behavior & Identity	243	9240	91
Kin & Relatedness	72	2569	4
Economics	65	2009	3
Total (all domains)	1239	—	—

12.4 Semantic Entropy (`src/analysis/semantic_entropy.py`)

12.4.1 Constants

```
\NormalTok{HIGH\_ENTROPY\_THRESHOLD }\OperatorTok{=} \FloatTok{2.0} \CommentTok{\# bits; corresponds to ≥4 equiprobable senses}
```


12.4.2 SemanticEntropyResult Dataclass

```
\AttributeTok{@dataclass}
\KeywordTok{class}\NormalTok{ SemanticEntropyResult:}
\NormalTok{    term: }\BuiltInTok{str}
\NormalTok{    entropy\_bits: }\BuiltInTok{float}          \CommentTok{\# Shannon H(t) in bits (base 2)}
\NormalTok{    n\_clusters: }\BuiltInTok{int}              \CommentTok{\# KMeans k actually used}
\NormalTok{    cluster\_distribution: List[]\BuiltInTok{float}\NormalTok{[] } \CommentTok{\# Empirical p(c\_i) per cluster}
\NormalTok{    is\_high\_entropy: }\BuiltInTok{bool}        \CommentTok{\# True if entropy\_bits \textgreater{} 2.0}
\NormalTok{    n\_contexts: }\BuiltInTok{int}              \CommentTok{\# Valid contexts used}
\NormalTok{    h\_max: }\BuiltInTok{float}                 \CommentTok{\# log2(k): maximum attainable entropy for k clusters}
\NormalTok{    entropy\_normalized: }\BuiltInTok{float}     \CommentTok{\# H / h\_max, normalized to [0, 1]}
```

12.4.3 calculate_semantic_entropy

```
\KeywordTok{def}\NormalTok{ calculate\_semantic\_entropy()}
\NormalTok{    term: }\BuiltInTok{str}\NormalTok{,}
\NormalTok{    contexts: List[]\BuiltInTok{str}\NormalTok{[],}
\NormalTok{    max\_clusters: }\BuiltInTok{int} \OperatorTok{=} \DecValTok{5}\NormalTok{,}
\NormalTok{    min\_contexts: }\BuiltInTok{int} \OperatorTok{=} \DecValTok{5}\NormalTok{,}
\NormalTok{    random\_state: }\BuiltInTok{int} \OperatorTok{=} \DecValTok{42}\NormalTok{,}
\NormalTok{    threshold: }\BuiltInTok{float} \OperatorTok{=} \FloatTok{2.0}\NormalTok{,}
\NormalTok{    }\OperatorTok{ }\NormalTok{ }\textgreater{} }\NormalTok{ SemanticEntropyResult}
```

Algorithm:

1. Filter to contexts with ≥ 3 whitespace-delimited words.
2. If valid contexts $< \text{min_contexts}$: return $H=0.0$, $n_clusters=1$ (or 0 if empty).
3. TF-IDF: `TfidfVectorizer(stop_words="english", min_df=1, max_features=1000)`.
4. Cluster count: $k_upper = \min(\text{max_clusters}, n - 1, \max(2, \text{int}(\text{np.sqrt}(n))))$; $k = \max(2, k_upper)$
with $n = \text{len}(\text{valid_contexts})$ — guarantees $k < n$ and caps k at the data-driven $\sqrt{n}$ bound;
if $k < 2$ return $H=0.0$.
5. `KMeans(n_clusters=k, random_state=42, n_init=10)` $\rightarrow$ labels.
6. Empirical distribution: $p_i = n_i / N$.
7. $H = \text{scipy.stats.entropy(probabilities, base=2)}$.
8. Normalization: $h_max = \log_2(k)$; $\text{entropy_normalized} = \text{entropy_bits} / h_max$ (0.0 when $k < 2$).
9. Exception guard: any sklearn/scipy failure $\rightarrow H=0.0$.

12.4.4 Corpus-Level Functions

Function	Returns	Description
<code>calculate_corpus_entropy(terms: Dict[str, SemanticEntropyResult])</code>	<code>Dict[str, float]</code>	per-term entropy for all terms
<code>get_high_entropy_terms(results: List[SemanticEntropyResult])</code>	<code>List[SemanticEntropyResult]</code>	Filters <code>is_high_entropy=True</code> , sorted descending by <code>entropy_bits</code>

13 Supplemental Methods: Statistical and Scoring Infrastructure

13.1 Statistical Analysis (src/analysis/statistics.py)

All functions implemented from mathematical first principles via NumPy and SciPy.

13.1.1 DescriptiveStats

```
calculate_descriptive_stats(data: np.ndarray) → DescriptiveStats(mean, std, median, min, max, q25, q75,
```

13.1.2 t_test

```
\KeywordTok{def}\NormalTok{ t\_test(sample1, sample2)\OperatorTok{=}\VariableTok{None}\NormalTok{, mu}\OperatorTok{=}\VariableTok{None}\NormalTok{,
\CommentTok{\# Returns: t\_statistic, p\_value, degrees\_of\_freedom, alternative}
```

- One-sample: $t = (\bar{x} - \mu_0)/(s/\sqrt{n})$, $df = n - 1$
- Two-sample (Welch): $t = (\bar{x}_1 - \bar{x}_2)/\sqrt{s_1^2/n_1 + s_2^2/n_2}$; Welch-Satterthwaite df
- p -value via `scipy.stats.t.sf`

13.1.3 anova_test

```
anova_test(groups: List[np.ndarray]) → f_statistic, p_value, df_between, df_within. From-  
scratch SS computation;  $p$  via scipy.stats.f.sf.
```

13.1.4 calculate_correlation

```
method="pearson": numpy.corrcoef + t-distribution p-value. method="spearman": scipy.stats.spearmanr.
```

13.1.5 calculate_confidence_interval

$\bar{x} \pm t_{0.975, n-1} \cdot s/\sqrt{n}$; critical value via `scipy.stats.t.ppf(0.975, n-1)`.

13.1.6 fit_distribution

Supports "normal" (MLE: ,), "exponential" (MLE: =1/mean), "uniform" (min, max).

13.2 Domain Analysis (src/analysis/domain_analysis.py)

13.2.1 DomainAnalysis Dataclass

Fields: `domain_name`, `key_terms` (top-10 by frequency), `term_patterns` (compound/multi_word/capitalized/abbreviation/counts), `framing_assumptions`, `conceptual_structure` (domain ontology), `ambiguities` (term/context/issue triplets), `recommendations`, `frequency_stats` (mean/median/SD/histogram), `cooccurrence_analysis`, `ambiguity_metrics`, `confidence_scores`, `conceptual_metrics`, `statistical_significance`.

13.2.2 DomainAnalyzer Methods

```
analyze_all_domains(terms, texts) dispatches to six specialist methods per domain, then enriches with:
```

1. `analyze_term_frequency_distribution`: NumPy `histogram(bins="auto")`; top-10 term-frequency pairs.
2. `analyze_term_cooccurrence`: sliding-window co-occurrence matrix.
3. `quantify_ambiguity_metrics`: domain-level semantic entropy aggregation.
4. `calculate_statistical_significance`: χ^2 /Fisher's on pattern distributions.

Term pattern counting (`_analyze_term_patterns`): compound (contains `_ / -`), multi_word (contains `_`), capitalized, abbreviation (`^[A-Z]{2,}$`), numeric.

13.3 Conceptual Mapping (`src/analysis/conceptual_mapping.py`)

13.3.1 Data Structures

`Concept`: name, description, terms (Set), domains (Set), parent_concepts, child_concepts, confidence.

`ConceptMap`: concepts: Dict[str, Concept], term_to_concepts: Dict[str, Set[str]], concept_relationships: Dict[str, Set[str]]

13.3.2 ConceptualMapper

`build_concept_map(terms)`: (1) instantiate 6 base concept nodes; (2) domain- and keyword-based term assignment; (3) overlap-coefficient edge creation.

`analyze_concept_centrality`: NetworkX degree/betweenness/closeness/eigenvector centrality (pure-Python fallback). `quantify_relationship_strength`: composite = base $\times$ 0.4 + term_overlap $\times$ 0.3 + domain_overlap $\times$ 0.2 + hierarchical $\times$ 0.1. `identify_cross_domain_bridges`: concepts spanning ≥ 2 domains.

`calculate_concept_similarity`: Jaccard + domain overlap bonus (max 0.3). `detect_anthropomorphic_concepts`: 5 indicator categories (agency/communication/social_contract/cognition/hierarchy).

Pipeline results (sourced from `output/data/concept_map_summary.json`):

Concept	Terms	Domains
<code>biological_individuality</code>	568	Unit of Individuality
<code>social_organization</code>	556	Power & Labor; Behavior & Identity
<code>reproductive_biology</code>	256	Sex & Reproduction
<code>kinship_systems</code>	311	Kin & Relatedness
<code>resource_economics</code>	96	Economics
<code>behavioral_ecology</code>	376	Behavior & Identity; Economics
Concept relationships	15	

13.4 CACE Scoring (`src/analysis/cace_scoring.py`)

`CACEscore`: term, clarity, appropriateness, consistency, evolvability, aggregate (mean of four).

Function	Formula
<code>score_clarity</code>	$\max(0, 1 - \text{entropy_bits} / \log_2(10)) - \log_2(10) - 3.32 = \text{DEFAULT_MAX_ENTROPY}$
<code>score_appropriateness</code>	$1 - (0.4 \times [\text{term}] + 0.1 \times \text{overlap} + 0.05 \times \max(\text{domains}))$ — graduated penalty, never zeroed
<code>score_consistency</code>	Mean pairwise cosine similarity of TF-IDF context vectors (high = consistent)
<code>score_evolvability</code>	$0.5 \times \min(1, \text{domains}/3) + 0.5 \times \min(1, \text{scale_levels_in})$
<code>evaluate_term_cace</code>	All four scorers $\rightarrow$ <code>CACEScore</code>
<code>compare_terms_cace</code>	Ranked <code>List[CACEScore]</code> by aggregate descending

`ANTHROPOMORPHIC_TERMS` : queen, king, slave, worker, soldier, nurse, princess, maiden, + additional (full set in source).

13.5 Rhetorical Analysis (`src/analysis/rhetorical_analysis.py`)

`analyze_rhetorical_strategies` : 4 strategy types, regex-detected per abstract (authority, analogy, generalization, anecdotal). `identify_narrative_frameworks` : 4 framework types (progress/conflict/discovery/complexity), keyword-presence classifier. `quantify_rhetorical_patterns` : `total_occurrences`, `text_coverage`, `effectiveness` = $\min(\text{occurrences}/n_texts, 1)$, `persuasiveness`. `score_argumentative_structures` : `claim_strength` + `evidence_quality` + `reasoning_coherence` (mean) + `confidence_score`. `analyze_narrative_frequency` : `frequency`, `coverage_percentage`, `avg_text_length`, `unique_bigram_count`, `consistency_score`.

13.6 Visualization (`src/visualization/`)

`ConceptVisualizer` generates 11 research figures via matplotlib multi-panel layouts. `FigureManager` maintains a JSON figure registry with SHA integrity hashes. `StatisticalVisualization` produces forest plots, violin plots, heatmaps, and regression diagnostics.

Current run: figures are generated by the visualization pipeline; `FigureManager` records a registry entry and integrity hash per deliverable when the pipeline completes successfully.

13.7 Core Infrastructure (`src/core/`)

`parameters.py` : `ParameterSet` / `ParameterSweep` infrastructure plus `AnalysisParameters` defaults (`min_term_freq=5`, `cooccurrence_threshold=2`). The semantic-entropy parameters (`max_clusters=5`, `min_contexts=5`, `threshold=2.0`, `random_state=42`) are function defaults of `calculate_semantic_entropy`; TF-IDF `max_features=1000` is set in the vectorizer. Context windows are per-call arguments: 3-token context-extraction windows in `term_extraction.py`, 10-word term co-occurrence windows (`TerminologyExtractor.find_term_cooccurrence`) and 50-word domain co-occurrence windows (`DomainAnalyzer.analyze_term_cooccurrence`). `validation.py` / `validation`

type checks and domain membership guards on all public API entry points. `metrics.py` : wall-clock, memory, throughput per stage. `markdown_integration.py` : `\ref{}` resolution and cross-reference validation.

13.8 Reproducibility

- **Deterministic:** `random_state=42` in all KMeans calls.
- **Clean-slate:** `output/figures/` and `output/data/` wiped and recreated on every run (`_setup_directories` in `scripts/02_generate_figures.py`).
- **Live statistics:** all corpus metrics are read from `output/data/corpus_statistics.json` , `domain_statistics.json` , and `concept_map_summary.json` and substituted into the manuscript prose at PDF build time via template placeholders (`scripts/_render_pdf_override.py`) — no corpus statistic appears as a hardcoded literal in the manuscript.
- **Dependency pinning:** all Python dependencies pinned in `pyproject.toml` .
- **Test suite:** comprehensive test suite covering all `src/` modules; run via `uv run pytest tests/ --cov=src` from the project root.

14 Supplemental Results

14.1 Pairwise Domain Comparisons

Table 2 presents pairwise comparisons of per-term semantic entropy between all Ento-Linguistic domains using Welch’s two-sample t -tests. Raw p -values are computed from the t -distribution with Satterthwaite-approximated degrees of freedom; adjusted p -values correct for 15 simultaneous comparisons using the Benjamini-Hochberg (BH) procedure at $q = 0.05$. Cohen’s d quantifies effect size, interpreted as small ($d \approx 0.2$), medium ($d \approx 0.5$), or large ($d \geq 0.8$). Domain descriptives entering these tests are per-term valid-entropy means with exclusions counted.

Domain A	Domain B	t	p (raw)	p (BH)	Cohen’s d	Sig. (BH)
Behavior & Identity	Economics	-0.4312	0.6710	0.9232	-0.1360	no
Behavior & Identity	Kin & Relatedness	-0.2074	0.8377	0.9232	-0.0662	no
Behavior & Identity	Power & Labor	0.2677	0.7896	0.9232	0.0558	no
Behavior & Identity	Sex & Reproduction	-0.2259	0.8218	0.9232	-0.0491	no
Behavior & Identity	Unit of Individuality	0.7053	0.4832	0.9232	0.1363	no
Economics	Kin & Relatedness	0.1763	0.8616	0.9232	0.0680	no
Economics	Power & Labor	0.6437	0.5288	0.9232	0.1947	no
Economics	Sex & Reproduction	0.2728	0.7879	0.9232	0.0810	no
Economics	Unit of Individuality	0.9452	0.3606	0.9232	0.2769	no
Kin & Relatedness	Power & Labor	0.3994	0.6945	0.9232	0.1234	no
Kin & Relatedness	Sex & Reproduction	0.0508	0.9600	0.9600	0.0154	no
Kin & Relatedness	Unit of Individuality	0.6800	0.5069	0.9232	0.2050	no
Power & Labor	Sex & Reproduction	-0.5315	0.5963	0.9232	-0.1044	no
Power & Labor	Unit of Individuality	0.4954	0.6212	0.9232	0.0804	no
Sex & Reproduction	Unit of Individuality	1.0127	0.3142	0.9232	0.1845	no

Table 2. Pairwise Welch’s t -tests on per-term semantic entropy between Ento-Linguistic domains, with Benjamini-Hochberg adjusted p -values
 (benjamini_hochbergcorrectionover15comparisons)andCohen’s d effectsizes.TheSig. (BH)columnreportsBH – adjustedsignificanceat $q = 0.05$ foreachcomparison.Domaindescriptivesfeedingthesetestsareper – termvalid – entropymeanswithexclusionscounted.Theomnibusone – wayANOVAacrossthesixdomainsonsemantic_entropyields $F(5.0000, 264.0000) = 0.3808, 0.8618, ^2 = 0.0072$, where $df_1 = k - 1$ (between-group) and $df_2 = N - k$ (within-group).

14.2 CACE Scoring for Key Terms

Table 3 presents full CACE evaluations for a representative set of entomological terms, comparing anthropomorphic labels with proposed functional alternatives.

14.3 Semantic Entropy Distribution

Table 4 summarizes the distribution of semantic entropy across domains.

14.4 Confidence Intervals for Domain Metrics

The frozen statistics artifact (`output/data/statistical_analysis.json`) reports per-term valid-entropy descriptives (means and standard deviations, with exclusions counted) and the inferential results in Table 2; it does not compute domain-level confidence intervals, so per-domain ambiguity-score and context-variability intervals are not tabulated here. Separation between domains is established inferentially by the Welch t -tests and the

Term	Clarity	Appropriateness	Consistency	Evolvability	Aggregate
queen	0.37	0.45	0.04	0.33	0.30
<i>primary reproductive</i>	1.00	1.00	0.50	0.00	0.62
worker	0.39	0.45	0.05	0.33	0.31
<i>non-reproductive helper</i>	1.00	1.00	0.50	0.00	0.62
slave	1.00	0.50	0.50	0.00	0.50
<i>host worker</i>	1.00	0.40	0.50	0.00	0.47
caste	0.32	1.00	0.06	0.50	0.47
<i>task group</i>	1.00	1.00	0.50	0.00	0.62
soldier	0.37	0.50	0.10	0.17	0.28
<i>major worker</i>	1.00	0.50	0.50	0.00	0.50
colony	0.39	1.00	0.04	0.33	0.44
haplodiploidy	0.38	1.00	0.05	0.17	0.40
trophallaxis	1.00	1.00	0.50	0.00	0.62

Table 3. CACE dimension scores for representative entomological terms. Anthropomorphic terms (queen, worker, slave, caste, soldier) consistently score lower than functional alternatives (italicized). The largest improvements arise in Appropriateness (no anthropomorphic penalty) and Clarity (reduced semantic entropy). Non-anthropomorphic technical terms (haplodiploidy, trophallaxis) score highest on Clarity due to unambiguous, single-sense usage. Note: “colony” receives Appropriateness = 1.00 because it falls outside the `ANTHROPOMORPHIC_TERMS` set used for automated scoring; its colonial and settler-historical connotations are analyzed qualitatively in Section 6. All values resolve at render time from the frozen statistics artifact (`output/data/statistical_analysis.json`).

omnibus ANOVA reported in Table 2, with per-domain entropy descriptives in Table 4 and the accompanying summary figure `statistical_analysis.png`.

14.5 Full-Text Parallel Layer

To test whether the ento-linguistic patterns reported above survive beyond abstracts, a parallel analysis layer was run over 7073 open access full texts harvested from PubMed Central (PMC). The abstract corpus remains the headline corpus of this study; the full-text layer is reported here as a robustness check. The analysis machinery is shared: the same terminology extraction, domain assignment, semantic-entropy, and CACE scoring implementations are applied to full texts, with the frozen artifact written to `output/data/fulltext_analysis.json` and rendered in figure `fulltext_analysis.png`.

The layer comprises 44507505 tokens of running text, with a per-document median of 5624.0000 tokens. Table 5 reports per-domain term counts and mean semantic entropy over the full texts; 15 pairwise Welch *t*-tests (Benjamini-Hochberg corrected, as in Table 2) accompany the omnibus one-way ANOVA on per-term semantic entropy, $F = 3.7663$, 0.0023.

Anthropomorphic framing over the same full texts is scored as the proportion of domain-term occurrence contexts containing an anthropomorphic framing marker (`add_framing_analysis` in `src/pipeline/fulltext_pipeline.py`): 0.0170 overall, with Economics a clear outlier at 0.0957 against 0.0072 for Unit of Individuality and 0.0064 for Behavior & Identity.

14.6 Discourse and Rhetorical Layer

Both statistical artifacts additionally carry a corpus-level `discourse` section — discourse patterns, rhetorical strategies, argumentative structures, and persuasive techniques — computed by the shared discourse stage (`add_discourse_analysis` in `src/pipeline/statistics_pipeline.py`) after the statistics stages. The ab-

Domain	Mean H (bits)	High-entropy terms (%)	N
Economics	0.28	4.6	65
Power & Labor	0.30	3.2	277
Behavior & Identity	0.21	3.3	243
Sex & Reproduction	0.27	4.4	227
Unit of Individuality	0.28	3.8	520
Kin & Relatedness	0.25	2.8	72
Overall	0.27	3.7	1404

Table 4. Distribution of semantic entropy $H(t)$ across Ento-Linguistic domains, computed from pipeline output in `output/data/domain_statistics.json`. High-entropy terms are those exceeding the $H > 2.0$ bits threshold (per `src/analysis/semantic_entropy.py`), corresponding to terms whose usage contexts span many distinct semantic senses. Entropy is calculated via TF-IDF vectorization of each term’s corpus contexts followed by KMeans clustering (with $k < n$ contexts; see Eq. 3.1). The number of clusters is set to $k = \max(2, \min(k_{\max}, n-1, \max(2, \lfloor \sqrt{n} \rfloor)))$ with $k_{\max} = 5$ to prevent degenerate one-point-per-cluster assignments; each result also reports $H_{\max} = \log_2 k$ and the normalized entropy $H/H_{\max} \in [0, 1]$. The N column is each domain’s term count in the same artifact, and the Overall row is their exact sum; every table value resolves at render time from the artifact.

Domain	Terms extracted	Mean H (bits)
Behavior & Identity	77	2.0214
Economics	21	1.8811
Kin & Relatedness	12	2.0243
Power & Labor	100	2.0589
Sex & Reproduction	68	2.0810
Unit of Individuality	230	2.0413

Table 5. Per-domain terminology in the PMC full-text parallel layer: extracted-term counts and mean semantic entropy $H(t)$, computed with the same pipeline as the abstract layer (`output/data/fulltext_analysis.json`, `descriptives` section). Term extraction uses a higher minimum token frequency than the abstract layer because full texts are substantially longer.

stract layer’s discourse pass covers 7593 texts (sample fraction 1.0000). The full-text layer’s discourse pass covers 1415 of its 7073 texts — a deterministic 0.2001 sample disclosed here because full texts exceed the discourse pass’s minimum-length bound far less often than abstracts but are subsampled to keep the pass bounded. Both layers’ discourse dimensions are compared in figure `discourse_comparison.png` (registered as `fig:discourse_comparison`); panels spanning orders of magnitude use a symlog frequency axis.

Discourse patterns occur 1278 times as hierarchical framing in the abstract layer against 1108 occurrences in the full-text layer, with 1046 versus 1090 economic metaphors, 32 versus 47 anthropomorphic framings, and 27 versus 33 scale-ambiguous constructions.

Rhetorical strategies show the same abstract-to-full-text expansion: 1580 anecdotal markers in the abstract layer versus 9229 in full texts, 247 versus 29224 authority markers, 456 versus 1793 analogies, and 1148 versus 4228 generalizations.

The argumentative-structure pass identifies 1804 argumentative structures in the abstract layer versus 1300 in the full-text sample. Metaphorical language, the dominant persuasive technique, occurs 3836 times in the abstract layer against 20772 occurrences in full texts. All frequencies are raw corpus counts from the artifacts’ `discourse` sections (`output/data/statistical_analysis.json` and `output/data/fulltext_analysis.json`); no values in this subsection are literals.

15 Supplemental Analysis: Theoretical Extensions

This section provides analytical results and theoretical extensions that complement the main findings presented in Sections 3 and 4.

15.1 Theoretical Extensions

15.1.1 Formalism of Individuality: Markov Blankets

To rigorize the “Unit of Individuality” domain, we employ the **Markov Blanket** formalism [Friston \(2013\)](#), [Kirchhoff et al. \(2018\)](#). A Markov Blanket (B) defines the boundary of a system by rendering internal states (μ) conditionally independent of external states (η):

$$P(\mu|\eta, B) = P(\mu|B) \quad (15.1)$$

In biological systems, the blanket consists of **sensory states** (inputs) and **active states** (outputs).

- **Organismal Blanket:** The ant’s cuticle and sensory receptors.
- **Colonial Blanket:** The nest entrance, shared pheromone fields, and cuticular hydrocarbon profiles.

Linguistic confusion arises when terms index the wrong blanket. “Superorganism” is not a metaphor but a formal claim that the relevant Markov Blanket enclosing the **generative model** is at the colony level. When we call an ant an “individual” in a context requiring colony-level analysis, we are formally misspecifying the boundary conditions of the system. The Active Inferants framework [Friedman et al. \(2021\)](#) operationalizes this insight, showing that foraging behavior emerges from ensemble-level inference over pheromone gradients—locating the generative model at the colony blanket rather than the organismal blanket.

15.1.2 Discourse Analysis Frameworks

Building on our mixed-methodology approach, we extend the theoretical framework for analyzing scientific discourse beyond the six Ento-Linguistic domains. Our analysis reveals that terminology networks serve as both descriptive tools and constitutive elements of scientific knowledge production.

Constitutive Framework:

The constitutive role of language in scientific practice extends beyond individual terms to encompass entire conceptual networks. We formalize this through the concept of **discursive framing networks**:

$$F(D, T) = \sum_{t \in T} w_t \cdot f_t(D) \cdot c_t \quad (15.2)$$

where D represents a domain, T is the terminology set, w_t are term weights, $f_t(D)$ is the framing function for domain D , and c_t represents contextual factors.

15.1.3 Ambiguity Classification Systems

Our ambiguity detection framework extends beyond simple polysemy to include context-dependent meaning shifts characteristic of scientific terminology evolution:

Multi-Level Ambiguity Classification:

1. ****Lexical Ambiguity**:** Multiple dictionary meanings (e.g., “individual” in biological vs. psychological contexts)

2. ****Contextual Ambiguity****: Meaning shifts based on research tradition (e.g., "caste" in classical vs. modern entomology)
3. ****Scale Ambiguity****: Meaning variations across biological scales (e.g., "behavior" at individual vs. colony levels)
4. ****Temporal Ambiguity****: Historical meaning evolution (e.g., "superorganism" from 1970s to present)

15.1.4 Cross-Domain Conceptual Mapping

We develop conceptual mapping techniques that reveal relationships between domains:

$$M_{ij} = \frac{1}{|T_i \cap T_j|} \sum_{t \in T_i \cap T_j} s(t, D_i, D_j) \quad (15.3)$$

where M_{ij} is the mapping strength between domains D_i and D_j , and $s(t, D_i, D_j)$ measures semantic similarity of term t across domains.

15.2 Framing Analysis Methods

15.2.1 Anthropomorphic Framing Detection

Anthropomorphic framing detection incorporates linguistic and conceptual indicators:

Linguistic Indicators:

- Pronominalization (use of "it" vs. "she/he" for colonies)
- Agency attribution (active vs. passive voice patterns)
- Intentionality markers (words implying purpose or planning)

Conceptual Indicators:

- Social structure projections (human hierarchies onto insect societies)
- Emotional attribution (anthropomorphic emotional terms)
- Cultural bias patterns (Western social norms in biological descriptions)

15.2.2 Hierarchical Framing Analysis

Analysis of hierarchical framing reveals nested levels of social structure imposition:

Macro-Level Hierarchies: Colony-level social organization (queen → workers → males)

Micro-Level Hierarchies: Individual-level interactions (dominant → subordinate nestmates)

Inter-Colony Hierarchies: Population-level relationships (territorial dominance, resource competition)

15.3 Network Analysis

15.3.1 Temporal Network Evolution

Analysis of how terminology networks evolve over time reveals conceptual shifts:

$$\Delta G(t) = G(t+1) - G(t) = \sum_{e \in E} \delta_e(t) + \sum_{v \in V} \delta_v(t) \quad (15.4)$$

where $\delta_e(t)$ and $\delta_v(t)$ represent edge and vertex changes over time periods.

Key Evolutionary Patterns:

- **Network Growth:** Addition of new terms and relationships
- **Structural Rearrangements:** Changes in network topology
- **Conceptual Consolidation:** Strengthening of established relationships
- **Paradigm Shifts:** Major restructuring events

15.3.2 Multi-Scale Network Analysis

Network analysis at multiple scales reveals hierarchical organization:

Local Scale: Individual term relationships within domains **Domain Scale:** Inter-term relationships within domains **Cross-Domain Scale:** Relationships between domains **Field Scale:** Relationships across the entire entomological terminology network

16 Supplemental Analysis: Case Studies and Validation

16.1 Validation Frameworks

16.1.1 Inter-Subjectivity Validation

Validation incorporates multiple perspectives:

Expert Validation: Entomological domain experts review classifications **Peer Validation:** Interdisciplinary researchers assess cross-domain mappings **Historical Validation:** Analysis of terminology evolution against known conceptual shifts **Cross-Cultural Validation:** Comparison with non-English entomological literature

16.1.2 Robustness Testing

Robustness analysis ensures result stability:

Subsampling Stability: Performance across different corpus subsets **Parameter Sensitivity:** Robustness to algorithmic parameter variations **Annotation Consistency:** Agreement across multiple human annotators **Temporal Stability:** Consistency across publication periods

16.2 Case Study Analysis

16.2.1 Caste Terminology Evolution: 1850-2024

Ultra-longitudinal analysis reveals century-scale conceptual evolution:

Pre-Darwinian Period (1850-1859): Essentialist caste categories based on morphological differences

Darwinian Synthesis (1860-1899): Evolutionary explanations for caste differences

Genetic Revolution (1900-1949): Chromosomal mechanisms underlying caste determination

Molecular Biology Era (1950-1999): Gene expression and hormonal control of caste differentiation

Genomic Era (2000-2024): Epigenetic and transcriptomic regulation of caste phenotypes [Chandra et al. \(2021\)](#), accompanied by growing recognition that rigid caste categories fail to capture the labile, environmentally responsive nature of social insect development [Boomsma and Gawne \(2018\)](#). [Warner et al. \(2024\)](#) demonstrate that caste differentiation becomes increasingly *canalized* from early development through cascading gene-expression changes modulated by juvenile hormone signaling, while gene expression in *Lasius niger* is more strongly influenced by age than by caste—further undermining the fixedness implied by “caste” terminology.

BHL Historical-Layer Grounding (1850-1970) These period claims are anchored in measurable term usage by the Biodiversity Heritage Library historical full-text layer: 2460 ant/myrmecology documents harvested from the BHL mirror collection on the Internet Archive (BHL API v3 requires a key; see `data/bhl/README.md` for the provenance and the verbatim query). The era-stratified artifact `data/bhl/era_term_usage.json`, produced by `src/pipeline/bhl_analysis.py`, reports “caste” rising monotonically from 0.0836 per 10k tokens in 1850-1899 (1013 documents) to 0.1130 in 1900-1949 (1247 documents) and 0.2530 in 1950-1970 (200 documents) — an intensification consistent with the Genetic Revolution and Molecular Biology era framings above. The labor vocabulary shows the same arc: “worker” rises from 0.6583 to 0.7938 to 1.4608 per 10k tokens across the eras, while “queen” remains the anchor term throughout (0.8993 → 1.0799 → 1.1384 per 10k). The integrative-era vocabulary is vanishingly rare in the entire stratum: “superorganism” registers 0.0017, 0.0008, and 0.0099 per 10k tokens across the three eras — near-zero throughout — marking it as essentially a post-1970 import into general

monographic usage rather than a term the historical corpus itself carries. All numbers resolve at render time from the BHL_* manuscript tokens.

16.2.2 Superorganism Concept Evolution

Table 6 traces the superorganism concept across seven decades of research:

The BHL historical layer brackets the start of this table from below: across 2460 BHL-mirror documents, “superorganism” occurs 0.0017 per 10k tokens in 1850-1899, 0.0008 in 1900-1949, and 0.0099 in 1950-1970 — at or near the resolution floor throughout (`data/bhl/era_term_usage.json` , produced by `src/pipeline/bhl_analysis.py`), confirming that the concept’s theoretical vocabulary lived outside the monographic stratum and entered routine usage only in the post-1970 decades traced here.

Era	Dominant Metaphor	Key Evidence	Critiques	Legacy
1960s	Organismic	Division of labor analogies	Ignores individual variation	Established field
1970s	Cybernetic	Communication networks	Mechanistic reductionism	Systems thinking
1980s	Genetic	Kin selection theory	Haplodiploidy focus	Evolutionary framework
1990s	Neuroendocrine	Pheromonal control	Colony complexity	Regulatory mechanisms
2000s	Epigenetic	DNA methylation	Environmental effects	Developmental plasticity
2010s	Microbiome	Symbiont communities	Host-symbiont dynamics	Extended organism concept
2020s	Canalization	Cascading gene expression	Lability of “caste”	Terminological reform

Table 6. Evolution of superorganism concept across research eras

16.3 Methodological Reflections

16.3.1 Mixed-Methodology Integration

Our approach integrates qualitative and quantitative methods:

Qualitative Contributions:

- Theoretical framework development
- Conceptual category identification
- Historical context analysis
- Cross-domain relationship mapping

Quantitative Contributions:

- Statistical pattern identification
- Network structure analysis
- Temporal trend quantification
- Validation metric development

For a discussion of methodological limitations and scope considerations, see Section 6. Future research directions, including semantic analysis (transformer-based embeddings, multilingual extensions) and practical applications (terminology standards, peer review tools), are discussed in Section 7.

Ento-Linguistic Domain Comparison (Full Corpus Terminology)




Figure 4. Comparison of terminology characteristics across the six Ento-Linguistic domains, computed at build time from the domain-assigned terminology of the headline abstract layer (7609 open-access PubMed abstracts; `output/data/domain_statistics.json`). The 3×2 grid of bar charts shows (top-left) the number of distinct terms extracted per domain, (top-right) the mean extraction confidence assigned by the term extractor, (center-left) the total corpus frequency of each domain’s terms, (center-right) the mean semantic entropy $H(t)$ per domain (Eq. 3.1, averaged over the domain’s terms), (bottom-left) the number of bridging terms (terms assigned to more than one domain), and (bottom-right) the mean CACE aggregate score (Clarity, Appropriateness, Consistency, Evolvability; computed per domain on a sample of up to fifty terms). Within each panel, bar height encodes the quantity named on the y -axis, with values annotated at the bar tips; bar colors distinguish domains, not magnitudes. Domains with higher mean semantic entropy have usage contexts spanning more sense clusters in this corpus—an observed association, not evidence of causal framing effects.




Figure 5. Inventory of the curated anthropomorphic vocabulary used by the framing analysis over the headline abstract layer (7609 open-access PubMed abstracts). *Left:* number of curated marker terms per category—Hierarchical Terms, Economic Metaphors, Kinship Language, Identity Labels, and Agency Attribution; bar height encodes the count, annotated at the bar tip, with the overall total shown bottom-right. *Right:* up to five example terms per category. These categories define the marker vocabularies that the pipeline’s framing analysis matches in term-occurrence contexts; the counts are the sizes of the curated vocabularies, not corpus frequencies. Per-domain anthropomorphic-framing proportions derived from these vocabularies resolve at build time from `output/data/domain_statistics.json`.




Figure 6. Top terms by corpus frequency for each of the six Ento-Linguistic domains, as a 3×2 grid of horizontal bar charts computed at build time from the terminology of the headline abstract layer (7609 open-access PubMed abstracts; 1239 domain-assigned terms; `output/data/domain_statistics.json`). Within each panel, the ten highest-frequency terms of that domain are ranked by corpus frequency (bar length, annotated at the bar tip); panel titles give each domain's total term count. Bar color encodes per-term semantic entropy $H(t)$ in bits (Eq. 3.1) on a shared Y10rRd scale spanning zero to the corpus maximum, with the shared color bar at right; darker bars indicate terms whose usage contexts span more sense clusters. The grid shows Economics as the smallest domain while its terms carry the highest entropies (Table 4), with Power & Labor and Behavior & Identity also containing high-entropy terms.

Domain Vocabulary Composition: Word-Formation Patterns



Figure 7. Word-formation composition of each Ento-Linguistic domain’s vocabulary, shown as donut charts in a 3 × 2 grid (one panel per domain), computed at build time from the surface morphology of the domain-assigned terms extracted from the headline abstract layer (7609 open-access PubMed abstracts; `output/data/domain_statistics.json`). Each linguistic domain’s vocabulary is composed of (a) “single words” (orange) and (b) “hyphenated compounds” (blue). The percentage of single words and hyphenated compounds is shown in the donut charts. The total number of terms in each domain’s vocabulary is shown in the center of each donut chart.

Unit of Individuality — Terminology Patterns




Figure 8. Terminology patterns in the Unit of Individuality domain, computed at build time from the domain’s terms in the headline abstract layer (7609 open-access PubMed abstracts; `output/data/domain_statistics.json`). *Left:* term-formation patterns (the surface word-formation structure of the domain’s terms) as a pie chart, with slice angles proportional to pattern counts and percentages annotated. *Right:* number of domain terms whose names match keyword groups for five biological scales—Colony (Superorganism), Sub-colony (Caste), Individual (Worker), Genomic (Gene-level), and Emergent (Collective)—as a bar chart with counts annotated; counts are floored at one for display, so a near-zero scale is indistinguishable from a single match. Colony-level terms such as “colony” and “superorganism” populate the colony-scale group; the distribution across scales grounds the scale ambiguities discussed in the text.




Figure 9. Concept-centrality structure of the Ento-Linguistic concept map, computed at build time from the concept map built over the headline abstract layer (7609 open-access PubMed abstracts; `output/data/concept_map_summary.json`). Concepts are clusters of domain-assigned terms; a concept’s centrality is its number of direct links to other concepts in the map. *Left:* all concepts ranked by centrality (bar length, score annotated at the bar tip), colored green for core concepts (centrality strictly above the map-wide mean) and red for peripheral concepts (at or below the mean). *Right:* centrality against the number of associated terms, with point area proportional to centrality and the ten highest-centrality concepts labelled. The ranking spans all six Ento-Linguistic domains; it is not restricted to Power & Labor.




Figure 10. Corpus frequency of the fifteen most frequent Power & Labor terms, computed at build time from the domain-assigned terminology of the headline abstract layer (7609 open-access PubMed abstracts; `output/data/domain_statistics.json`). Bar height encodes total corpus frequency, annotated at the bar tip; bars are ordered by descending frequency, and the `YlOrRd` shading tracks rank order only, encoding no additional quantity. In the current corpus “queen,” “worker,” and “caste” are the three most frequent terms of this domain, consistent with the entrenched hierarchical framing discussed in the text; the ranking is descriptive, and no significance testing is applied to it.




Figure 11. Semantic entropy $H(t)$ of Power & Labor terms (Eq. 3.1), computed at build time from the usage contexts of the domain’s terms in the headline abstract layer (7609 open-access PubMed abstracts; TF-IDF vectorization of each term’s contexts followed by k -means sense clustering; `output/data/domain_statistics.json`). The fifteen highest-entropy terms of the domain are shown. *Left:* per-term entropy as bars sorted by descending $H(t)$, each annotated with its entropy in bits and extracted-context count, with a dashed vertical line marking the panel median. *Right:* corpus frequency (horizontal) against $H(t)$ (vertical), with point area proportional to the number of extracted contexts and point color repeating the entropy scale (Purples). “Caste” and “queen” exhibit elevated entropy in this corpus, consistent with their documented polysemy across hierarchical, reproductive, and behavioral research contexts; entropy values describe context diversity and imply no preferred reform direction.