## Appendix: Repository Directory Structure I

```
template/
|-- infrastructure/
|   |-- config/ docker/ documentation/ llm/
|   |-- orchestration/   # Thin Python entry equal to
`./run.sh` backend
|   |-- prose/ reference/ rendering/ reporting/
|   |-- scientific/ search/ skills/ steganography/
validation/
|   |-- project/ core/
|   `-- logrotate.d/      # Operational rotation
templates (no Python pkg)
|-- scripts/
|   |-- pipeline/          # stage_00_setup.py …
stage_12_metadata.py (canonical, cited by
pipeline.yaml)
|   `-- runner/            # execute_pipeline.py
execute_multi_project.py bundle_executable.py
archive_publication.py
```

## Appendix: Repository Directory Structure II

```
|-- projects/                          # Typed program
subfolders (`discover_projects`)
|   |-- templates/                     # Public exemplars
(git-tracked) - full roster:
|   |   |                              #
docs/_generated/active_projects.md (regenerated by
scripts/docgen/active_projects.py)
|   |   `-- template_template/         # Present manuscript
(`manuscript/` here)
|   |-- active/                        # Hot-seat rendered
set (symlinked, private)
|   |-- working/                       # Non-rendered
backburner (symlinked, private)
|   |-- published/                     # Non-rendered
published (symlinked, private)
|   |-- archive/                       # Non-rendered
retired (symlinked, private)
|   `-- other/                         # Non-rendered misc
(symlinked, private)
```

## Appendix: Repository Directory Structure III

```
|-- docs/ (20 top-level areas, 385+ markdown files
per live counter)
|-- tests/                          # Infra suites (997+
files)
|-- AGENTS.md / README.md / CLAUDE.md /
pyproject.toml
|-- run.sh / secure_run.sh
`-- output/ …                       # Mirrors after copy
stage
```

# Appendix: Repository Directory Structure I

See `docs/_generated/active_projects.md` for regenerated slugs (`uv run python scripts/docgen/active_projects.py`).