# References

# References I

This project can produce **two** BibTeX files; the template combined-PDF path uses Pandoc `--natbib` plus BibTeX and merges every `manuscript/*.bib` for citation resolution:

# References I

- `manuscript/references.bib` — single-query pipeline output (`scripts/run_search_pipeline.py`).
- `manuscript/references_deep.bib` — deduplicated multi-keyword deep-search output (`scripts/run_deep_search.py`). Every citation in sec. 9 resolves against this file. The supplemental section is auto-composed by `scripts/s_compose_literature_review.py`; do not edit by hand.

# References I

To regenerate the standard bibliography:

```
uv run python projects/templates/template_search_proj
ect/scripts/run_search_pipeline.py
```

To regenerate the deep-search bibliography (10 papers per keyword, fully enriched, LLM-summarised):

```
uv run python projects/templates/template_search_proj
ect/scripts/run_deep_search.py
uv run python projects/templates/template_search_proj
ect/scripts/s_compose_literature_review.py
```

To validate that either `.bib` is syntactically clean and contains the required fields per entry type:

```
uv run python -m
infrastructure.reference.citation.cli validate \
    projects/templates/template_search_project/manusc
ript/references.bib --strict
uv run python -m
infrastructure.reference.citation.cli validate \
    projects/templates/template_search_project/manusc
ript/references_deep.bib --strict
```