

Appendix: Repository Directory Structure I

```
template/
  infrastructure/
    config/ docker/ documentation/ llm/
    orchestration/    # Thin Python entry equal to `./run
    prose/ reference/ rendering/ reporting/
    scientific/ search/ skills/ steganography/ validation
    project/ core/
    logrotate.d/      # Operational rotation templates (1
  scripts/
    pipeline/          # stage_00_setup.py ... stage_12_me
    runner/            # execute_pipeline.py execute_mult
  projects/            # Typed program subfolders
    templates/         # Public exemplars (git-trac
                        # docs/_generated/active_
                        template_template/ # Present manuscript (`manus
    active/             # Hot-seat rendered set (syn
    working/            # Non-rendered backburner (s
```

Appendix: Repository Directory Structure II

```
published/                # Non-rendered published (symlinks)
archive/                  # Non-rendered retired (symlinks)
other/                    # Non-rendered misc (symlinks)
docs/ (18 top-level areas, 411+ markdown files per live
tests/                    # Infra suites (589+ files)
AGENTS.md / README.md / CLAUDE.md / pyproject.toml
run.sh / secure_run.sh
output/ ...               # Mirrors after copy stage
```

Appendix: Repository Directory Structure I

See `docs/_generated/active_projects.md` for regenerated slugs (`uv run python scripts/docgen/active_projects.py`).