# Appendix: Exemplar Project Summary I

Table 1: Three representative workspaces under `projects/templates/` illustrating heterogeneous domains while sharing Layer 1. This is a hand-picked sample, not the full roster: the complete public exemplar set is enumerated dynamically from `PUBLIC_PROJECT_NAMES` and listed below.

## Appendix: Exemplar Project Summary I

The full public exemplar roster is: templates/template_active_inference, templates/template_advanced_literature_review, templates/template_autopoiesis, templates/template_autoresearch_project, templates/template_autoscientists, templates/template_code_project, templates/template_data_descriptor, templates/template_eda_notebook, templates/template_experiment_tree, templates/template_formal, templates/template_gold_refinement, templates/template_literature_meta_analysis, templates/template_madlib, templates/template_methods_paper, templates/template_newspaper, templates/template_pitch_deck, templates/template_pools_rules_tools, templates/template_prose_project, templates/template_redacted_report,

## Appendix: Exemplar Project Summary I

templates/template_registered_report, templates/template_search_project, templates/template_sia, templates/template_storybook, templates/template_template, templates/template_textbook. The three rows below are a representative sample; a future exemplar_summary_table token in build_manuscript_metrics_dict would let this table cover every exemplar without hand-editing.

# Appendix: Exemplar Project Summary I

| Project slug | Purpose | Highlights | Tests | Figures (Stage 02 hint) |
|---|---|---|---|---|
| `template_code_project` | Optimization tutorial | Convex demo figures, scripted tables | 258 discovered tests; 90% declared gate | Controlled matplotlib exports |
| `template_prose_project` | Prose-heavy workflow | Validates narrative-only repos | 165 | Lightweight / optional plots |
| `template_autoresearch_project` | AutoResearch readiness | Planner + validation CLI | 318 | Readiness reports from Stage 02 |

**Meta manuscript location:** introspective study lives in `projects/templates/template_template/` beside the public exemplar set. Discovery now follows the typed `projects/` layout—`projects/templates/**` and `projects/active/**` are discovered/rendered, while `projects/working/**`, `projects/ongoing/**`, and `projects/archive/**` remain non-rendered—see root `CLAUDE.md` for invocation patterns (`resolve_project_root`).