

Redacted Report Template: Disclosure Control and Release Audit

A public exemplar for sanitized release workflows

Research Template Author
author@research-template.org

2026-07-09

Contents

1	Abstract	2
2	Methods	3
3	Results	4

1 Abstract

This exemplar demonstrates redaction ledgers, classification ceilings, source-protection checks, release authority, and mosaic-risk review for sanitized public reports.

2 Methods

The method audits each segment against a public classification ceiling, validates redaction spans, checks orphan decisions, checks source-control coverage, normalizes classification taxonomies, exports sanitized release packets, builds source-safe redaction ledgers, records segment source/public hashes, evaluates reviewer approval gates, builds paragraph-level audit tables, and scores residual mosaic risk.

Visual proofing is parameterized separately from the release-audit text path. Development renders enumerate four redaction treatments (blackout, whiteout, grayout, blur) across four PDF backgrounds (white, gray, black, blur) while preserving source-safe ledgers. The secure proof path post-processes each proof PDF with the repository steganography layer: hash manifests, provenance overlays, invisible text, barcodes, PDF metadata, XMP metadata, embedded manifest attachments, and optional Kmyth TPM `.ski` sidecars for the proof PDF and source-safe hash manifest when runnable Kmyth tools and TPM access are available.

3 Results

The fixture release packet shows how invented high-side markers are redacted before a public narrative is generated. The public export contains redacted text only, paragraph audit rows, release authority metadata, source-safe ledger hashes, review-gate status, and residual-marker findings for review; it does not contain operational source text beyond invented fixture residue used by tests.

The development proof matrix produces sixteen visual PDFs and, when steganography is enabled, sixteen companion provenance PDFs with hash sidecars. The matrix also records Kmyth runtime status and `.ski` sidecar counts so TPM sealing is evidenced as an observed output rather than a prose claim. This confirms that visual presentation choices remain orthogonal to the release gate: the same source-safe decisions drive every blackout, whiteout, grayout, blur, white-background, gray-background, black-background, and blur-background output.

References