

Appendix: Exemplar Project Summary I

Appendix: Exemplar Project Summary I

Table 1: Three representative workspaces under `projects/templates/` illustrating heterogeneous domains while sharing Layer 1. This is a hand-picked sample, not the full roster: the complete public exemplar set is enumerated dynamically from `PUBLIC_PROJECT_NAMES` and listed below.

Appendix: Exemplar Project Summary I

The full public exemplar roster is: `templates/template_active_inference`, `templates/template_advanced_literature_review`, `templates/template_autopoiesis`, `templates/template_autoresearch_project`, `templates/template_autoscientists`, `templates/template_code_project`, `templates/template_data_descriptor`, `templates/template_eda_notebook`, `templates/template_formal`, `templates/template_gold_refinement`, `templates/template_literature_meta_analysis`, `templates/template_madlib`, `templates/template_methods_paper`, `templates/template_newspaper`, `templates/template_pitch_deck`, `templates/template_pools_rules_tools`, `templates/template_prose_project`, `templates/template_redacted_report`, `templates/template_registered_report`,

Appendix: Exemplar Project Summary I

templates/template_search_project, templates/template_sia, templates/template_storybook, templates/template_template, templates/template_textbook. The three rows below are a representative sample; a future exemplar_summary_table token in build_manuscript_metrics_dict would let this table cover every exemplar without hand-editing.

Appendix: Exemplar Project Summary I

Project slug	Purpose	Highlights	Tests	Figures (Stage 02 hint)
template_code_project	Optimization tutorial	Convex demo figures, scripted tables	246 discovered tests; 90% declared gate	Controlled matplotlib exports
template_prose_project	Prose-heavy workflow	Validates narrative-only repos	151	Lightweight / optional plots
template_autoresearch_project	AutoResearch readiness	Planner + validation CLI	307	Readiness reports from Stage 02

Meta manuscript location: introspective study lives in projects /templates/template_template/ beside the public exemplar set. Discovery now follows the typed projects/ layout—projects/templates/** and projects/active/** are discovered/rendered, while projects/working/**, projects/ongoing/**, and projects/archive/** remain non-rendered—see root CLAUDE.md for invocation patterns (resolve_project_root).