Appendix: Repository Directory Structure I

```
template/
   infrastructure/
       config/ docker/ documentation/ llm/
       orchestration/   # Thin Python entry equal to `./run
       prose/ reference/ rendering/ reporting/
       scientific/ search/ skills/ steganography/ validatio
       project/ core/
       logrotate.d/      # Operational rotation templates (
   scripts/
       pipeline/          # stage_00_setup.py … stage_12_me
       runner/            # execute_pipeline.py execute_mul
   projects/                    # Typed program subfolders
       templates/                # Public exemplars (git-tra
                                 #   docs/_generated/active_
           template_template/   # Present manuscript (`manus
       active/                   # Hot-seat rendered set (sy
       working/                  # Non-rendered backburner (
```

Appendix: Repository Directory Structure II

```
    published/                  # Non-rendered published (sy
    archive/                    # Non-rendered retired (syml
    other/                      # Non-rendered misc (symlink
docs/ (20 top-level areas, 375+ markdown files per live
tests/                           # Infra suites (925+ files)
AGENTS.md / README.md / CLAUDE.md / pyproject.toml
run.sh / secure_run.sh
output/ …                        # Mirrors after copy stage
```

Appendix: Repository Directory Structure I

See `docs/_generated/active_projects.md` for regenerated slugs (`uv run python scripts/docgen/active_projects.py`).