

Limitations I

This section states what the exemplar does *not* do, alongside what it does. Coverage and test-count figures are not restated as literal numbers here — those live only in the 493 / 96.28 tokens, resolved at render time from a live measurement (`src/manuscript_variables.py::measure_test_summary`), not hand-typed.

Limitations II

Reserved slots are excluded from the effective product space

The grammar declares six slots, but `materialize()` only branches on three of them — `primitive_domain`, `track`, `section_set`. The remaining 3 (`figure_profile`, `qr_profile`, `integrity_profile`) are parsed and contribute to `spec_hash` like any other slot, but `manuscript_figures.py`, `sealing.py`, and `integrity.py` are unconditionally exercised regardless of `figure_profile`, `qr_profile`, or `integrity_profile` — those modules do not currently branch on the reserved slots' selected option. The practical consequence: distinct seeds can produce a nominally distinct `spec_hash` while materializing byte-identical children, since only three slots vary output. That inflation, 360 nominal vs. 45 effective, is disclosed rather than hidden: `generate_variables (src/manuscript_variables.py)` exposes both `PRODUCT_SIZE` and `EFFECTIVE_PRODUCT_SIZE` as separate tokens, so nowhere in this manuscript can the larger, nominal number be quoted without the smaller, effective one appearing beside it. Wiring the reserved slots into `materialize()` is an open item, not a claimed capability.