

Appendix: Repository Directory Structure I

```
template/  
  infrastructure/  
    config/ docker/ documentation/ llm/  
    orchestration/    # Thin Python entry equal to `./run  
    prose/ reference/ rendering/ reporting/  
    scientific/ search/ skills/ steganography/ validation  
    project/ core/  
    logrotate.d/      # Operational rotation templates (1  
scripts/  
  pipeline/           # stage_00_setup.py ... stage_12_me  
  runner/             # execute_pipeline.py execute_mult  
projects/              # Typed program subfolders  
  templates/          # Public exemplars (git-trac  
                        # docs/_generated/active_  
    template_template/ # Present manuscript (`manus  
  active/              # Hot-seat rendered set (syn  
  working/             # Non-rendered backburner (s
```

Appendix: Repository Directory Structure II

```
published/                # Non-rendered published (symlinks)
archive/                  # Non-rendered retired (symlinks)
other/                    # Non-rendered misc (symlinks)
docs/ (18 top-level areas, 341+ markdown files per live
tests/                    # Infra suites (578+ files)
AGENTS.md / README.md / CLAUDE.md / pyproject.toml
run.sh / secure_run.sh
output/ ...               # Mirrors after copy stage
```

Appendix: Repository Directory Structure I

See `docs/_generated/active_projects.md` for regenerated slugs (`uv run python scripts/docgen/active_projects.py`).