

Appendix: Repository Directory Structure I

```
template/  
  infrastructure/  
    config/ docker/ documentation/ llm/  
    orchestration/      # Thin Python entry equal to `./run  
    prose/ reference/ rendering/ reporting/  
    scientific/ search/ skills/ steganography/ validation  
    project/ core/  
    logrotate.d/        # Operational rotation templates (1  
scripts/  
  00_setup_environment.py ... 07_generate_executive_report  
  execute_pipeline.py execute_multi_project.py  
projects/                # Typed program subfolders  
  templates/             # Public exemplars (git-trace  
    template_active_inference/  
    template_autoresearch_project/  
    template_code_project/  
    template_prose_project/
```

Appendix: Repository Directory Structure II

```
    template_template/    # Present manuscript (`manus
active/                  # Hot-seat rendered set (sy
working/                # Non-rendered backburner (s
published/              # Non-rendered published (sy
archive/                # Non-rendered retired (syml
other/                  # Non-rendered misc (symlin
docs/ (17 top-level areas, 367+ markdown files per live
tests/                  # Infra suites (404+ files)
AGENTS.md / README.md / CLAUDE.md / pyproject.toml
run.sh / secure_run.sh
output/ ...             # Mirrors after copy stage
```

See docs/_generated/active_projects.md for regenerated slugs (uv run python scripts/generate_active_projects_doc.py).