

Configuration: Schema-Controlled Lexicon,
Slots, and Narrative Moves

Configuration: Schema-Controlled Lexicon, Slots, and Narrative Moves I

The active composition depth is deep. The lexicon exposes 10 category list(s), and the slot declaration expands to 40 concrete token choice(s). Section switches are evaluated before composition so disabled sections cannot silently borrow enabled-section claims.

Configuration owns more than vocabulary. It also owns section titles, narrative moves, method protocol rows, contribution claims, and audit rules. That makes the manuscript shape visible in one YAML file while preserving the rule that source code, not hand-edited output, performs the composition.

The tables in this section expose the declared surface that controls rendering. They are useful during review because a title change, slot expansion, or disabled section appears as a small config diff and a regenerated artifact diff rather than as scattered prose edits.

Configuration: Schema-Controlled Lexicon, Slots, and Narrative Moves II

The configured-field inventory separates 125 explicit YAML path(s) from 11 loader-defaulted path(s). That distinction matters for forks: a field that appears in the rendered manuscript may be intentionally authored in `config.yaml`, or it may be a documented default inherited from the template.

Configuration: Schema-Controlled Lexicon, Slots, and Narrative Moves III




Figure 1: Configured field origin matrix

Configuration: Schema-Controlled Lexicon, Slots, and Narrative Moves IV




Figure 2: Section configuration heatmap

Configuration: Schema-Controlled Lexicon, Slots, and Narrative Moves V




Figure 3: Field origin summary

Declared Section Titles I

Section key	Rendered title	Enabled
abstract	Abstract	True
introduction	Introduction: Lexicon as Data	True
methods	and Manuscript as Build Artifact Methods: Source-Owned Token Injection and Conditional IMRAD Assembly	True
results	Results: Provenance, Density, and Resolved Manuscript Surface	True
discussion	Discussion: Accountability Boundaries for Generated Prose	True
configuration	Configuration: Schema-Controlled Lexicon, Slots, and Narrative Moves	True
evaluation	Evaluation: Gate Criteria, QA Probes, and Failure Discovery	True
reproducibility	Reproducibility: Seeded Regeneration and Artifact Trace	True
limitations	Limitations: Non-Claims, Misuse Modes, and Human Review	True
scope	Scope: Related Generators and Responsible Forking	True
authoring_contract	Authoring Contract: Human Review and Forking Obligations	True

Configuration Counts I

- ▶ Seed: 431
- ▶ Composition depth: deep
- ▶ Lexicon categories: 10
- ▶ Slot rules: 22
- ▶ Token choices: 40
- ▶ Enabled sections: 11
- ▶ Method steps: 18
- ▶ Design principles: 13
- ▶ Pipeline phases: 17
- ▶ Quality probes: 14
- ▶ Authoring obligations: 8
- ▶ Explicit configured paths: 125
- ▶ Defaulted configured paths: 11
- ▶ Enabled visualization flags: 7
- ▶ Section-level configured paths: 33
- ▶ Lexicon-level configured paths: 10
- ▶ Slot-level configured paths: 66

Configuration Counts II

- ▶ Narrative moves: 52
- ▶ Audit rules: 12
- ▶ Contribution claims: 9

Configured Field Summary I

Measure	Count
Total tracked field paths	136
Explicit YAML paths	125
Loader-defaulted paths	11
Enabled visualization flags	7
Section-level paths	33
Lexicon-level paths	10
Slot-level paths	66
Visualization-control paths	9
Top-level schema paths	18

Configured Field Inventory I

Path	Origin	Scope	Summary
madlib	explicit	schema	configured field
madlib.audit_rules	explicit	schema	12 entries
madlib.authoring_obligations	explicit	schema	8 entries
madlib.composition_dept_h	explicit	schema	deep
madlib.contribution_claims	explicit	schema	9 entries
madlib.design_principles	explicit	schema	13 entries
madlib.evaluation_criteria	explicit	schema	7 entries
madlib.failure_modes	explicit	schema	13 entries
madlib.hypothesis	explicit	schema	Deterministic lexical injection can generate a complete conditional IMRAD manuscript while preserving token provenance, section intent, and audit-ready method evidence.
madlib.lexicon	explicit	schema	10 categories
madlib.lexicon.adjectives	explicit	lexicon	7 tokens
madlib.lexicon.artifacts	explicit	lexicon	12 tokens
madlib.lexicon.audiences	explicit	lexicon	4 tokens
madlib.lexicon.constraints	explicit	lexicon	5 tokens
madlib.lexicon.failures	explicit	lexicon	5 tokens
madlib.lexicon.measures	explicit	lexicon	8 tokens

Configured Field Inventory II

madlib.lexicon.methods	explicit	lexicon	5 tokens
madlib.lexicon.nouns	explicit	lexicon	7 tokens
madlib.lexicon.qualities	explicit	lexicon	5 tokens
madlib.lexicon.verbs	explicit	lexicon	7 tokens
madlib.method_protocol	explicit	schema	18 entries
madlib.narrative_moves	explicit	schema	configured field
madlib.narrative_moves.abstract	explicit	section	3 moves
madlib.narrative_moves.authoring_contract	explicit	section	5 moves
madlib.narrative_moves.configuration	explicit	section	3 moves
madlib.narrative_moves.discussion	explicit	section	4 moves
madlib.narrative_moves.evaluation	explicit	section	4 moves
madlib.narrative_moves.introduction	explicit	section	4 moves
madlib.narrative_moves.limitations	explicit	section	4 moves
madlib.narrative_moves.methods	explicit	section	13 moves
madlib.narrative_moves.reproducibility	explicit	section	4 moves
madlib.narrative_moves.results	explicit	section	4 moves
madlib.narrative_moves.scope	explicit	section	4 moves
madlib.pipeline_phases	explicit	schema	17 entries
madlib.quality_probes	explicit	schema	14 entries
madlib.section_conditions	explicit	schema	configured field
madlib.section_conditions.abstract	explicit	section	enabled
madlib.section_conditions.authoring_contract	explicit	section	enabled

Configured Field Inventory III

madlib.section_conditio	explicit	section	enabled
ns.configuration			
madlib.section_conditio	explicit	section	enabled
ns.discussion			
madlib.section_conditio	explicit	section	enabled
ns.evaluation			
madlib.section_conditio	explicit	section	enabled
ns.introduction			
madlib.section_conditio	explicit	section	enabled
ns.limitations			
madlib.section_conditio	explicit	section	enabled
ns.methods			
madlib.section_conditio	explicit	section	enabled
ns.reproducibility			
madlib.section_conditio	explicit	section	enabled
ns.results			
madlib.section_conditio	explicit	section	enabled
ns.scope			
madlib.section_titles	explicit	schema	configured field
madlib.section_titles.a	explicit	section	Abstract
bstract			
madlib.section_titles.a	explicit	section	Authoring Contract: Human Review and Forking Obligations
uthoring_contract			
madlib.section_titles.c	explicit	section	Configuration: Schema-Controlled Lexicon, Slots, and Narrative Moves
onfiguration			
madlib.section_titles.d	explicit	section	Discussion: Accountability Boundaries for Generated Prose
iscussion			
madlib.section_titles.e	explicit	section	Evaluation: Gate Criteria, QA Probes, and Failure Discovery
valuation			
madlib.section_titles.i	explicit	section	Introduction: Lexicon as Data and Manuscript as Build Artifact
ntroduction			

Configured Field Inventory IV

madlib.section_titles.l	explicit	section	Limitations: Non-Claims, Misuse Modes, and Human Review Methods: Source-Owned Token Injection and Conditional IMRAD Assembly Reproducibility: Seeded Regeneration and Artifact Trace Results: Provenance, Density, and Resolved Manuscript Surface Scope: Related Generators and Responsible Forking 431 22 slot rules, 40 token choices audiences -> authoring_contract (1) 1 authoring_contract qualities -> authoring_contract (1) 1 authoring_contract constraints -> configuration (1) 1 configuration
imitations			
madlib.section_titles.m	explicit	section	
ethods			
madlib.section_titles.r	explicit	section	
eproducibility			
madlib.section_titles.r	explicit	section	
esults			
madlib.section_titles.s	explicit	section	
cope			
madlib.seed	explicit	schema	
madlib.slots	explicit	schema	
madlib.slots.authoring_audience	explicit	slot	
madlib.slots.authoring_audience.count	defaulted	slot	
madlib.slots.authoring_audience.section	explicit	slot	
madlib.slots.authoring_quality	explicit	slot	
madlib.slots.authoring_quality.count	defaulted	slot	
madlib.slots.authoring_quality.section	explicit	slot	
madlib.slots.config_constraint	explicit	slot	
madlib.slots.config_constraint.count	defaulted	slot	
madlib.slots.config_constraint.section	explicit	slot	

Configured Field Inventory V

madlib.slots.discussion	explicit	slot	adjectives -> discussion (1)
_adjective			
madlib.slots.discussion	defaulted	slot	1
_adjective.count			
madlib.slots.discussion	explicit	slot	discussion
_adjective.section			
madlib.slots.discussion	explicit	slot	audiences -> discussion (2)
_audience			
madlib.slots.discussion	explicit	slot	2
_audience.count			
madlib.slots.discussion	explicit	slot	discussion
_audience.section			
madlib.slots.evaluation	explicit	slot	artifacts -> evaluation (2)
_artifact			
madlib.slots.evaluation	explicit	slot	2
_artifact.count			
madlib.slots.evaluation	explicit	slot	evaluation
_artifact.section			
madlib.slots.evaluation	explicit	slot	measures -> evaluation (3)
_measure			
madlib.slots.evaluation	explicit	slot	3
_measure.count			
madlib.slots.evaluation	explicit	slot	evaluation
_measure.section			
madlib.slots.intro_noun	explicit	slot	nouns -> introduction (4)
s			
madlib.slots.intro_noun	explicit	slot	4
s.count			
madlib.slots.intro_noun	explicit	slot	introduction
s.section			
madlib.slots.intro_verb	explicit	slot	verbs -> introduction (4)
s			
madlib.slots.intro_verb	explicit	slot	4
s.count			
madlib.slots.intro_verb	explicit	slot	introduction
s.section			

Configured Field Inventory VI

madlib.slots.limitation	explicit	slot	failures -> limitations (3)
_failure			
madlib.slots.limitation	explicit	slot	3
_failure.count			
madlib.slots.limitation	explicit	slot	limitations
_failure.section			
madlib.slots.method_art	explicit	slot	artifacts -> methods (2)
ifact			
madlib.slots.method_art	explicit	slot	2
ifact.count			
madlib.slots.method_art	explicit	slot	methods
ifact.section			
madlib.slots.method_con	explicit	slot	constraints -> methods (1)
straint			
madlib.slots.method_con	defaulted	slot	1
straint.count			
madlib.slots.method_con	explicit	slot	methods
straint.section			
madlib.slots.method_nam	explicit	slot	methods -> methods (1)
e			
madlib.slots.method_nam	defaulted	slot	1
e.count			
madlib.slots.method_nam	explicit	slot	methods
e.section			
madlib.slots.method_qua	explicit	slot	qualities -> methods (2)
lity			
madlib.slots.method_qua	explicit	slot	2
lity.count			
madlib.slots.method_qua	explicit	slot	methods
lity.section			
madlib.slots.reproducib	explicit	slot	artifacts -> reproducibility
ility_artifact			(2)
madlib.slots.reproducib	explicit	slot	2
ility_artifact.count			
madlib.slots.reproducib	explicit	slot	reproducibility
ility_artifact.section			

Configured Field Inventory VII

madlib.slots.result_art	explicit	slot	artifacts -> results (2)
ifact			
madlib.slots.result_art	explicit	slot	2
ifact.count			
madlib.slots.result_art	explicit	slot	results
ifact.section			
madlib.slots.result_mea	explicit	slot	measures -> results (3)
sure			
madlib.slots.result_mea	explicit	slot	3
sure.count			
madlib.slots.result_mea	explicit	slot	results
sure.section			
madlib.slots.scope_audi	explicit	slot	audiences -> scope (1)
ence			
madlib.slots.scope_audi	defaulted	slot	1
ence.count			
madlib.slots.scope_audi	explicit	slot	scope
ence.section			
madlib.slots.scope_cons	explicit	slot	constraints -> scope (1)
traint			
madlib.slots.scope_cons	defaulted	slot	1
traint.count			
madlib.slots.scope_cons	explicit	slot	scope
traint.section			
madlib.slots.study_adje	explicit	slot	adjectives -> abstract (1)
ctive			
madlib.slots.study_adje	defaulted	slot	1
ctive.count			
madlib.slots.study_adje	explicit	slot	abstract
ctive.section			
madlib.slots.study_noun	explicit	slot	nouns -> abstract (1)
madlib.slots.study_noun	defaulted	slot	1
.count			
madlib.slots.study_noun	explicit	slot	abstract
.section			

Configured Field Inventory VIII

madlib.slots.study_verb	explicit	slot	verbs -> abstract (1)
madlib.slots.study_verb	defaulted	slot	1
.count			
madlib.slots.study_verb	explicit	slot	abstract
.section			
madlib.visualizations	explicit	visualization	enabled
madlib.visualizations.c	explicit	visualization	true
onfigured_field_matrix			
madlib.visualizations.e	explicit	visualization	true
nabled			
madlib.visualizations.f	explicit	visualization	true
ield_origin_summary			
madlib.visualizations.p	explicit	visualization	true
rovenance_trace_map			
madlib.visualizations.q	explicit	visualization	true
uality_gate_matrix			
madlib.visualizations.s	explicit	visualization	true
ection_configuration_he			
atmap			
madlib.visualizations.s	explicit	visualization	true
ection_token_allocation			
madlib.visualizations.t	explicit	visualization	true
oken_injection_flow			
